Author Index

VOLUMES 265–272 (1990)

Aakerstroem, B. See Elbashir, M. I.
Aalberse, R. C. See Koshte, V. L.
Aangstroem, J. See Soussi, B.
Aarsland, A. See Hovik, R.
Abdallah, S. See Contreras, I.
Abdolrasulnia, R. See Shepherd, V. L.
Abe, T.
——; Takada, K.; Ohkawa, K.; Matsuda, M.
Purification and characterization of a rat brain aldehyde dehydrogenase able to metabolize γ–aminobutyral= dehyde to γ–aminobutyric acid. 269: 25
Abel, K. C. See Cleland, P. J. F.
Abell, C. See Haedener, A.
Abraham, Z. H. L.
——; Symonds, N.
Purification of overexpressed gam gene protein from bacteriophage Mu by denaturation–renaturation techniques and a study of its DNA–= binding properties. 269: 679
Abrahamson, M.
——; Olafsson, I.; Palsdottir, A.; Ulvs= baeck, M.; Lundwall, A.; Jensson, O.; Grubb, A.
Structure and expression of the hu= man cystatin C gene. 268: 287
Abriola, D. P.
——; MacKerell, A. D. Jr.; Pietruszko, R.
Correlation of loss of activity of hu= man aldehyde dehydrogenase with reaction of bromoacetophenone with glutamic acid–268 and cyste= ine–302 residues. Partial–sites reactivity of aldehyde dehydroge= nase. 266: 179
Acebal, C. See Martin, J.; Perez–Gil, J.
Acerenza, L.
——; Kacser, H.
Enzyme kinetics and metabolic con= trol. A method to test and quantify the effect of enzymic properties on metabolic variables. 269: 697
Aceto, A. See Di Ilio, C.
Acker, H. See Cross, A. R.
Adam, M.
——; Damblon, C.; Plaitin, B.; Chris= tiaens, L.; Frere, J. M.
Chromogenic depsipeptide substrates for β–lactamases and penicillin–sen= sitive DD–peptidases. 270: 525
Adamo, M. See Magri, K. A.
Adams, D. J. See Hitchcock, C. A.
Adams, R. L. P.
DNA methylation. The effect of minor bases on DNA–protein inter= actions. 265: 309
Adang, A. E. P.
——; Brussee, J.; Van der Gen, A.; Mulder, G. J.
The glutathione–binding site in gluta= thione S–transferases. Investigation of the cysteinyl, glycyl and γ–gluta= myl domains. 269: 47
Addison, A. W. See DiFeo, T. J.
Adibi, S. A. See Lochs, H.
Aerts, J. M. F. G.
——; Donker–Koopman, W. E.; Brul, S.; Van Weely, S.; Sa Miranda, M. C.; Barranger, J. A.; Tager, J. M.; Schram, A. W.
Comparative study on glucocerebrosi= dase in spleens from patients with Gaucher disease. 269: 93
Aghanyo, F. R.
——; Vijayalakshmi, D.; Craik, J. D.; Gati, W. P.; McAdam, D. P.; Asaku= ra, J.; Robins, M. J.; Paterson, A. R. P.; Cass, C. E.
5'–S–(2–Aminoethyl)–N⁶–(4–nitroben= zyl)–5'–thioadenosine (SAENTA), a novel ligand with high affinity for polypeptides associated with nucleo= side transport. Partial purification of the nitrobenzylthioinosine–bind= ing protein of pig erythrocytes by affinity chromatography. 270: 605
Agell, N. See Rocamora, N.
Agius, L.
——; Peak, M.; Alberti, K. G. M. M.
Regulation of glycogen synthesis from glucose and gluconeogenic precursors by insulin in periportal and perivenous rat hepatocytes. 266: 91
——; Tosh, D.
Acinar zonation of cytosolic but not organelle–bound activities of phos= phoenolpyruvate carboxykinase and aspartate aminotransferase in guinea pig liver. 271: 387
Ahmed, S.
——; Kozma, R.; Monfries, C.; Hall, C.; Lim, H. H.; Smith, P.; Lim, L.
Human brain n–chimaerin cDNA encodes a novel phorbol ester recep= tor. 272: 767
Ailhaud, G. See Barbaras, R.
Akanuma, Y. See Shiba, T.
Akerman, K. K. See Kajander, E. O.
Akhtar, M. See Sarwar, M.
Aktories, K. See Geipel, U.
Alberti, K. G. M. M. See Agius, L.
Albrechtsen, M. See Stocks, S. C.
Albright, E. See Kam, N. T. P.
Alcantara, R. See Zafra, F.
Alefounder, P. R. See Haedener, A.
Alexander, D. R. See Graves, J. D.
——; Graves, J. D.; Lucas, S. C.; Cant= rell, D. A.; Crumpton, M. J.
A method for measuring protein kinase C activity in permeabilized T lymphocytes by using peptide sub= strates. Evidence for multiple path= ways of kinase activation. 268: 303
Alexander, R. W. See Socorro, L.
Alhadeff, J. A. See Hopfer, R. L.
Ali, N.
——; Aligue, R.; Evans, W. H.
Highly purified bile–canalicular vesi= cles and lateral plasma membranes isolated from rat liver on Nycodenz gradients. Biochemical and immu= nolocalization studies. 271: 185
——; Evans, W. H.
Distribution of polypeptides binding guanosine 5'–[γ–[³⁵S]thio]triphosp= hate and anti–(ras protein) antibo= dies in liver subcellular fractions. Evidence for endosome–specific components. 271: 179
Priority targeting of glycosyl–phos= phatidylinositol–anchored proteins to the bile–canalicular (apical) plas= ma membrane of hepatocytes. In= volvement of 'late' endosomes. 271: 193
Ali, S. T.
——; Guest, J. R.
Isolation and characterization of lipoylated and unlipoylated domains of the E2p subunit of the pyruvate dehydrogenase complex of Escheric= hia coli. 271: 139
Aligue, R. See Ali, N.
Alkan, S. See Pfeilschifter, J.
Allan, D. See Churcher, Y.; Hagelberg, C.
Allen, H.
——; Hsuan, J.; Clark, S.; Maziarz, R.; Waterfield, M. D.; Flavell, R. A.; Haley, J.
Expression of epidermal–growth–fac= tor receptor in the K562 cell line by transfection. Altered receptor bio= chemistry. 271: 785
Allen, R. H. See Brass, E. P.
Al–Mohanna, F. A.
——; Hallett, M. B.
Actin polymerization in neutrophils is triggered without a requirement for a rise in cytoplasmic calcium. 266: 669
Al–Obeidi, F. See Hruby, V. J.
Alonso, A. See Urbaneja, M. A.
Alonso, M. T.
——; Sanchez, A.; Garcia–Sancho, J.
Arachidonic acid–induced calcium influx in human platelets. Compari= son with the effect of thrombin. 272: 435
Altin, J. G. See Bygrave, F. L.
Alvarez, E.
——; Girones, N.; Davis, R. J.
A point mutation in the cytoplasmic domain of the transferrin receptor inhibits endocytosis. 267: 31
Alvarez, J. See Montero, M.
Alvarez, M. E. See Rosa, A. L.
Amann, E. See Roemisch, J.
Amicosante, G.
——; Franceschini, N.; Segatore, B.; Oratore, A.; Fattorini, L.; Orefici, G.; Van Beeumen, J.; Frere, J. M.
Characterization of a β–lactamase produced in Mycobacterium fortui= tum D316. 271: 729
Ammon, H. P. T. See Verspohl, E. J.
Amy, C. M.
——; Williams–Ahlf, B.; Naggert, J.; Smith, S.
Molecular cloning of the mammalian fatty acid synthase gene and identi= fication of the promoter region. 271: 675
Andersen, K. J. See Kindberg, G. M.
Andersson, C.
——; Morgenstern, R.
Chemical modification of rat liver microsomal glutathione transferase defines residues of importance for catalytic function. 272: 479
Andersson, H. C. See Blom, H. J.
Andreasen, P. A. See Freeman, S. N.
Andus, T. See Heinrich, P. C.
Ang, A. H.
——; Tachas, G.; Campbell, J. H.; Bate= man, J. F.; Campbell, G. R.
Collagen synthesis by cultured rabbit aortic smooth–muscle cells. Altera= tion with phenotype. 265: 461
Angal, S. See Williamson, R. A.
Angel, R. C.
——; Botta, J. A.; Morero, R. D.; Farias, R. N.
Solubilization and purification of a membrane–associated 3,3',5–triio= do–L–thyronine–binding protein from rat erythrocytes. 270: 577
Angelucci, S. See Di Ilio, C.
Angeraas, U. See Hasselgren, P. O.
Angles–Cano, E. See Rouy, D.

Angliker, H.
——; Wikstroem, P.; Shaw, E.
Pseudoarginine: synthesis and properties of derivatives of δ-(1-imidazolyl)norvaline. 266: 829
Ansotegui, I. J. See Chow, S. C.
Anstee, D. J. See Avent, N. D.
Anthes, J. C. See Billah, M. M.
Antonini, G. See Sarti, P.
Anvari, N. See Yang, X. J.
Aon, M. A. See Rabouille, C.
Aono, R.
The poly-α- and -β-1,4-glucuronic acid moiety of teichuronopeptide from the cell wall of the alkalophilic Bacillus strain C-125. 270: 363
——; Ohtani, M.
Loss of alkalophily in cell-wall-component-defective mutants derived from alkalophilic Bacillus C-125. Isolation and partial characterization of the mutants. 266: 933
Aplin, J. D. See Hoadley, M. E.
Appleby, G. J. See Clark, M. G.
Apps, D. K. See Perez-Castineira, J. R.
Ap Rees, T. See Entwistle, G.; Lunn, J. E.
Aracil, M. See Gavilanes, F.
Aragon, C. See Zafra, F.
Arai, T. See Tai, C. L.
Arata, Y. See Jefferis, R.
Arber, J. M. See Harvey, I.
Arche, R. See Martin, J.; Perez-Gil, J.
Arcuri, K. E. See Jupp, R. A.
Ardawi, M. S. M.
Glutamine-synthesizing activity in lungs of fed, starved, acidotic, diabetic, injured and septic rats. 270: 829
Argentin, G. See Giardina, B.
Argiles, J. M.
——; Lopez-Soriano, F. J.
The effects of tumor necrosis factor-α (cachectin) and tumor growth on hepatic amino acid utilization in the rat. 266: 123
The oxidation of leucine in tumor-bearing rats. 268: 241
Arik, L. See Johnson, G. R.
Arino, J. See Carabaza, A.
Arkhammar, P.
——; Hallberg, A.; Kindmark, H.; Nilsson, T.; Rorsman, P.; Berggren, P. O.
Extracellular ATP increases cytoplasmic free calcium concentration in clonal insulin-producing RINm5F cells. A mechanism involving direct interaction with both release and refilling of the inositol 1,4,5-trisphosphate-sensitive calcium pool. 265: 203
Armstrong, M. K.
——; Bernlohr, D. A.; Storch, J.; Clarke, S. D.
The purification and characterization of a fatty acid binding protein specific to pig (Sus domesticus) adipose tissue. 267: 373
Armstrong, W. P. See Merritt, J. E.
Arnold, J. E.
——; Gevers, W.
Auto-ubiquitination of ubiquitin-activating enzymes from chicken breast muscle. 267: 751
Arola, L. See Palida, F. A.
Arriaga, P.
——; Laynez, J.; Menendez, M.; Canada, J.; Garcia-Blanco, F.
Thermodynamic analysis of the interaction of the antibiotic teicoplanin and its aglycone with cell-wall peptides. 265: 69
Arthur, J. R. See Beckett, G. J.
——; Nicol, F.; Beckett, G. J.
Hepatic iodothyronine 5'-deiodinase. The role of selenium. 272: 537
Artsatbanov, V. Yu.
——; Ostrovskii, D. N.
The distribution of electron flow in the branched respiratory chain of Micrococcus luteus. 266: 481
Asakura, J. See Agbanyo, F. R.
Asensi, M. See Ferrer, J. V.
Ashby, B. See Williams, J. A.
Ashcroft, S. J. H. See Hughes, S. J.; Niki, I.
Ashley, C. C. See Simpson, A. W. M.
Ashy, A. See Juergens, G.
Atha, D. H. See Ingham, K. C.
Atkinson, D. E. See Morimoto, B. H.
Atkinson, T. See Goward, C. R.
Attinasi, M. See Monaco, M. E.
Aubert, J. P. See Chauvaux, S.
August, J. See Bishop, W. R.
Aulak, K. S.
——; Harrison, R. S.
Rapid and sensitive techniques for identification and analysis of 'reactive-center' mutants of C1-inhibitor proteins contained in type II hereditary angioedema plasmas. 271: 565
Aumont, F. See Kluepfel, D.
Austen, B. M. See Robinson, A.
Authier, F.
——; Janicot, M.; Lederer, F.; Desbuquois, B.
Fate of injected glucagon taken up by rat liver in vivo. Degradation of internalized ligand in the endosomal compartment. 272: 703
Avent, N. D.
——; Ridgwell, K.; Tanner, M. J. A.; Anstee, D. J.
cDNA cloning of a 30 kDa erythrocyte membrane protein associated with Rh (rhesus)-blood-group-antigen expression. 271: 821
Avila, D. See Nilsson, B.
Avila, J. See Correas, I.
Avila, M. See Varela, I.
Aviles, F. X. See Vendrell, J.
Axamawaty, M. T. H.
——; Fleet, G. W. J.; Hannah, K. A.; Namgoong, S. K.; Sinnott, M. L.
Inhibition of the α-L-arabinofuranosidase III of Monilinia fructigena by 1,4-dideoxy-1,4-imino-L-threitol and 1,4-dideoxy-1,4-imino-L-arabinitol. 266: 245
Ayad, S. See Kielty, C. M.
Azuma, H. See Yagisawa, S.

Bachelard, H. S. See Badar-Goffer, R. S.
Back, D. J. See Ball, S. E.
Badar-Goffer, R. S.
——; Bachelard, H. S.; Morris, P. G.
Cerebral metabolism of acetate and glucose studied by carbon-13 NMR spectroscopy. A technique for investigating metabolic compartmentation in the brain. 266: 133
Bafor, M.
——; Jonsson, L.; Stobart, A. K.; Stymne, S.
Regulation of triacylglycerol biosynthesis in embryos and microsomal preparations from the developing seeds of Cuphea lanceolata. 272: 31
Baggiolini, M. See Burgener, R.; Wolf, M.
Baggott, J. E. See Ha, T.
Bailey, C. J.
——; Smith, T. P.
The reactive serine residue of epidermolytic toxin A. 269: 535
Bailyes, E. M.
——; Ferguson, M. A. J.; Colaco, C. A. L. S.; Luzio, J. P.
Inositol is a constituent of detergent-solubilized immunoaffinity-purified rat liver 5'-nucleotidase. 265: 907
Baines, A. J. See Curling, E. M. A.
Baines, S. See Winchester, B.
Bairaktari, E. See Papadouli, I.
Baird, J. G.
——; Nahorski, S. R.
Differences between muscarinic-receptor- and calcium-induced inositol polyphosphate isomer accumulation in rat cerebral-cortex slices. 267: 835
Bairoch, A. See Chauvaux, S.
Bajaj, S. P. See Spitzer, S. G.
Baker, M. E.
Sequence similarity between Pseudomonas dihydrodiol dehydrogenase, part of the gene cluster that metabolizes polychlorinated biphenyls, and dehydrogenases involved in metabolism of ribitol and glucitol and synthesis of antibiotics and 17β-estradiol, testosterone and corticosterone. 267: 839
——; Luu The Van; Simard, J.; Labrie, F.
A common ancestor for mammalian 3β-hydroxysteroid dehydrogenase and plant dihydroflavonol reductase. 269: 558
Bakker, A. V.
——; Jung, S.; Spencer, R. W.; Vinick, F. J.; Faraci, W. S.
Slow tight-binding inhibition of prolyl endopeptidase by benzyloxycarbonyl-prolyl-prolinal. 271: 559
Bakkeren, H. F.
——; Kuipers, F.; Vonk, R. J.; Van Berkel, T. J. C.
Evidence for reverse cholesterol transport in vivo from liver endothelial cells to parenchymal cells and bile by high-density lipoprotein. 268: 685
Balbin, M.
——; Freije, J. M. P.; Fueyo, A.; Sanchez, L. M.; Lopez-Otin, C.
Apolipoprotein D is the major protein component in cyst fluid from women with human breast gross cystic disease. 271: 803
Baldwin, J. E.
——; Coates, J. B.; Moloney, M. G.; Pratt, A. J.; Willis, A. C.
Photoaffinity labeling of isopenicillin N synthetase. 266: 561
Baldwin, S. A. See Davies, A.; Madon, R. J.
Ball, S. E.
——; Forrester, L. M.; Wolf, C. R.; Back, D. J.
Differences in the cytochrome P-450 isoenzymes involved in the 2-hydroxylation of estradiol and 17α-ethinylestradiol. Relative activities of rat and human liver enzymes. 267: 221
Balsinde, J. See Lacal, P. M.
Baltz, T. See Fouchier, F.
Bandyopadhyay, R. See Dutta, M.
Banik, U.
——; Roy, S.
A continuous fluorimetric assay for ATPase activity. 266: 611
Bankhurst, A. D. See Whalen, M. M.
Banting, G. See Brake, B.; Luzio, J. P.
Bar, S.
——; Barnea, E.; Levy, Z.; Yaffe, D.; Neuman, S.; Nudel, U.

A novel product of the Duchenne muscular dystrophy gene which greatly differs from the known isoforms in its structure and tissue distribution. 272: 557
Barbaras, R.
——; Puchois, P.; Fruchart, J. C.; Pradines-Figueres, A.; Ailhaud, G.
Purification of an apolipoprotein A binding protein from mouse adipose cells. 269: 767
Barber, M. J. See Kay, C. J.
Barber, T.
——; Garcia de la Asuncion, J.; Puertes, I. R.; Vina, J. R.
Amino acid metabolism and protein synthesis in lactating rats fed on a liquid diet. 270: 77
Bardgard, A. See Brix, O.
Barhanin, J. See Salvatori, S.
Barja de Quiroga, G.
——; Perez-Campo, R.; Lopez Torres, M.
Antioxidant defenses and peroxidation in liver and brain of aged rats. 272: 247
Barka, T. See Shaw, P. A.
Barker, C. See Winchester, B.
Barker, J. L. See Mollard, P.
Barker, P. J. See Brigstock, D. R.
Barnard, R.
——; Rowlinson, S. W.; Waters, M. J.
Soluble forms of the rabbit adipose tissue and liver growth hormone receptors are antigenically identical, but the integral membrane forms differ. 267: 471
Barnea, E. See Bar, S.
Barnes, M. J. See Zijenah, L. S.
Barnett, C. R.
——; Gibson, G. G.; Wolf, C. R.; Flatt, P. R.; Ioannides, C.
Induction of cytochrome P450III and P450IV family proteins in streptozotocin-induced diabetes. 268: 765
Barnett, J. V.
——; Shamah, S. M.; Lassegue, B.; Griendling, K. K.; Galper, J. B.
Muscarinic cholinergic stimulation of inositol phosphate production in cultured embryonic chick atrial cells. Evidence for a role of two guanine-nucleotide-binding proteins. 271: 437
Development of muscarinic-cholinergic stimulation of inositol phosphate production in cultured embryonic chick atrial cells. Evidence for a switch in guanine-nucleotide-binding protein coupling. 271: 443
Baron, A. See Crettaz, M.
Barranger, J. A. See Aerts, J. M. F. G.
Barrett, A. J. See Rawlings, N. D.; Rowan, A. D.; Tisljar, U.
——; Brown, M. A.
Chicken liver Pz-peptidase, a thiol-dependent metallo-endopeptidase. 271: 701
Barritt, G. J. See Crofts, J. N.; Hurst, K. M.; Polverino, A. J.
Barry, A. C. See Takahashi, S.
Barstow, D. A. See Goward, C. R.
Bartel, S. See Karczewski, P.
Bartlett, K.
——; Hovik, R.; Eaton, S.; Watmough, N. J.; Osmundsen, H.
Intermediates of peroxisomal β-oxidation. A study of the fatty acyl-CoA esters which accumulate during peroxisomal β-oxidation of [U-^{14}C]hexadecanoate. 270: 175
Barton, C. H.
——; Mann, D. A.; Walsh, F. S.
Characterization of the human N-CAM promoter. 268: 161
Bartoszek, A. See Black, S. M.
Bartrons, R. See Bollen, M.; Rosa, J. L.
Bartus, J. O. See Mattern, M. R.
Basu, H. S.
——; Schwietert, H. C. A.; Feuerstein, B. G.; Marton, L. J.
Effects of variation in the structure of spermine on the association with DNA and the induction of DNA conformational changes. 269: 329
Basu, M. K. See Dutta, M.
Batel, R. See Robitzki, A.
Bateman, J. F. See Ang, A. H.; Chan, D.
——; Golub, S. B.
Assessment of procollagen processing defects by fibroblasts cultured in the presence of dextran sulfate. 267: 573
Battersby, A. R. See Haedener, A.
Bauer, P. I.
——; Buki, K. G.; Hakam, A.; Kun, E.
Macromolecular association of ADP-ribosyltransferase and its correlation with enzymic activity. 270: 17
Baukal, A. J. See Ely, J. A.
Baumann, M. See Erickson, P. F.
Baverel, G.
——; Martin, G.; Michoudet, C.
Glutamine synthesis from aspartate in guinea pig renal cortex. 268: 437
Baxter, A.
——; Campbell, C. J.; Grinham, C. J.; Keane, R. M.; Lawton, B. C.; Pendlebury, J. E.
Substrate and inhibitor studies with human gastric aspartic proteinases. 267: 665
Baxter, R. C.
Glycosaminoglycans inhibit formation of the 140 kDa insulin-like growth factor-binding protein complex. 271: 773
Bayer, E. A. See Gitlin, G.
Baynes, J. W. See Maxwell, J. L.
Beale, D. See Hughes-Jones, N. C.
Beaubien, B. C.
——; Collins, P. D.; Jose, P. J.; Totty, N. F.; Hsuan, J.; Waterfield, M. D.; Williams, T. J.
A novel neutrophil chemoattractant generated during an inflammatory reaction in the rabbit peritoneal cavity in vivo. Purification, partial amino acid sequence and structural relationship to interleukin 8. 271: 797
Beaude, P.
——; Delacour, A.; Bizzini, B.; Domuado, D.; Remy, M. H.
Retrograde axonal transport of an exogenous enzyme covalently linked to B-IIb fragment of tetanus toxin. 271: 87
Beaufay, H. See Robbi, M.
Beauregard, G. See Le Maire, M.
Beccari, T. See Emiliani, C.
Beck, H. See Gardemann, A.
Beckett, G. J. See Arthur, J. R.
——; Nicol, F.; Proudfoot, D.; Dyson, K.; Loucaides, G.; Arthur, J. R.
The changes in hepatic enzyme expression caused by selenium deficiency and hypothyroidism in rats are produced by independent mechanisms. 266: 743
Beechey, R. B. See Dyer, J.
Beekman, R. E.
——; Van Hardeveld, C.; Simonides, W. S.
Thyroid status and β-agonistic effects on cytosolic calcium concentrations in single rat cardiac myocytes activated by electrical stimulation or high-potassium depolarization. 268: 563
Beggs, J. D. See Black, S. M.
Begin-Heick, N.
Quantification of the α and β subunits of the transducing elements (G_s and G_i) of adenylate cyclase in adipocyte membranes from lean and obese (ob/ob) mice. 268: 83
Beguin, P. See Chauvaux, S.
Beharry, S.
——; Gresser, M. J.; Bragg, P. D.
Interaction of ox heart mitochondrial F_1-ATPase with immobilized ADP and ATP. 266: 835
Beliveau, R. See Strevey, J.
——; Demeule, M.; Jette, M.; Potier, M.
Molecular sizes of amino acid transporters in the luminal membrane from the kidney cortex, estimated by the radiation-inactivation method. 268: 195
Bellan, A. H. See Korner, M.
Bellomo, G. See Fulceri, R.
Bellon, G. See Monboisse, J. C.
Belozerskii, M. A.
——; Dunaevskii, Ya. E.; Voskoboinikova, N. E.
Isolation and properties of a metalloproteinase from buckwheat (Fagopyrum esculentum) seeds. 272: 677
Benedetti, A. See Fulceri, R.
Benedetto, C. See Slater, T. F.
Bengtsson-Olivecrona, G. See Rojas, C.
Benham, C. D. See Merritt, J. E.
Beninati, S. See Cocuzzi, E.; Martinet, N.
Benistant, C.
——; Rubin, R.
Ethanol inhibits thrombin-induced secretion by human platelets at a site distinct from phospholipase C or protein kinase C. 269: 489
——; Thomas, A. P.; Rubin, R.
Effect of guanine nucleotides on polyphosphoinositide synthesis in rat liver plasma membranes. 271: 591
Benjamin, W. B. See Yu, K. T.
Bennick, A. See Madapallimattam, G.
Benson, D. See Hasselgren, P. O.
Benton, H. P. See Poyner, D. R.
Benveniste, J. See Joly, F.
Benyahia, F. See Chambert, R.
Benyamin, Y. See Labbe, J. P.
Berg, J. See Claeyssens, M.
Berg, T. See Kindberg, G. M.
Berge, R. See Hovik, R.
Bergeron, R. J. See Pegg, A. E.; Porter, C. W.
Berggren, P. O. See Arkhammar, P.
Bergman, T.
——; Postlind, H.
Characterization of pig kidney microsomal cytochrome P-450 catalyzing 25-hydroxylation of vitamin D_3 and C_{27} steroids. 270: 345
Bergseth, S. See Hovik, R.
Beri, R. K.
——; Grant, S.; Roberts, C. F.; Smith, M.; Hawkins, A. R.
Selective overexpression of the QUTE gene encoding catabolic 3-dehydroquinase in multicopy transformants of Aspergillus nidulans. 265: 337
Berkhout, T. A.
——; Havekes, L. M.; Pearce, N. J.; Groot, P. H. E.
The effect of (-)-hydroxycitrate on the activity of the low-density-lipoprotein receptor and 3-hydroxy-3-methylglutaryl-CoA reductase levels in the human hepatoma cell line Hep G2. 272: 181

Berkovich, A. See Guidotti, A.
——; O'Keefe, M. C.; Hensley, P.; Caporale, L.
Effect of N-methylation on the modulation by synthetic peptides of the activity of the complement-factor-B-derived serine proteinase CVFBb 270: 531
Bernabeu, C. See Lacal, P. M.
Bernard, A. See Proudfoot, A. E. I.
Bernlohr, D. A. See Armstrong, M. K.
Bernotas, R. C.
——; Ganem, B.
Easy assembly of ligands for glycosidase affinity chromatography. 270: 539
Berrie, C. P. See Stephens, L. R.
Berry, M. J.
——; George, S. J.; Thomson, A. J.; Sanots, H.; Turner, D. L.
Cytochrome c'' isolated from Methylophilus methylotrophus. An example of bis-histidine-coordinated iron(3+) heme, with near-perpendicular orientation of the ligands. 270: 413
Bertina, R. M. See Bom, V. J. J.
Bertran, J. See Pola, E.
Bessler, W. See Hauschildt, S.
Bessler, W. G. See Seifert, R.
Bessou, G. See Joly, F.
Best, L. See Yates, A. P.
Bester, A. J. See Vandenplas, M. L.
Bethin, K. See Palida, F. A.
Bevan, I. S. See Day, P. J. R.
Bevan, S. J. See Parry-Billings, M.
Beynon, R. J. See Leyland, D. M.
Bezouska, K. See Piskarev, V. E.
Bhandari, B. See Saini, K.
Bhardwaj, N. See Das, S. R.
Bhat, K. M. See Chauvaux, S.
——; Hay, A. J.; Claeyssens, M.; Wood, T. M.
Study of the mode of action and site-specificity of the endo-(1 → 4)-β-D-glucanases of the fungus Penicillium pinophilum with normal, 1-tritium-labeled, reduced and chromogenic cello-oligosaccharides. 266: 371
Bianchi, A. See Iverson, A. J.
Biber, J. See Palacin, M.
Bichler, V. See Brandsch, R.
Bielicki, J.
——; Freeman, C.; Clements, P. R.; Hopwood, J. J.
Human liver iduronate-2-sulfatase. Purification, characterization and catalytic properties. 271: 75
Biely, P. See Claeyssens, M.
Bieth, J. G. See Faller, B.
Bietlot, H. P. L.
——; Vishnubhatla, I.; Carey, P. R.; Pozsgay, M.; Kaplan, H.
Characterization of the cysteine residues and disulfide linkages in the protein crystal of Bacillus thuringiensis. 267: 309
Biffen, M.
——; Hanke, D. E.
Reduction in the level of intracellular myo-inositol in cultured soybean (Glycine max) cells inhibits cell division. 265: 809
Biggs, C. S. See McKernan, R. M.
Bijsterbosch, M. K.
——; Van Berkel, T. J. C.
Uptake of lactosylated low-density lipoprotein by galactose-specific receptors in rat liver. 270: 233
Bilan, P. J.
——; Klip, A.
Glycation of the human erythrocyte glucose transporter in vitro and its functional consequences. 268: 661
Billah, M. M.
——; Anthes, J. C.
The regulation and cellular functions of phosphatidylcholine hydrolysis. 269: 281
Binderman, I. See Somjen, D.
Birchall, J. D. See Schoefl, C.
Birnie, G. D. See Lappin, D. F.
Bishop, W. R.
——; August, J.; Petrin, J. M.; Pai, J. K.
Regulation of sn-1,2-diacylglycerol second-messenger formation in thrombin-stimulated human platelets. Potentiation by protein kinase C inhibitors. 269: 465
Bitensky, M. W. See Whalen, M. M.
Bitonti, A. J. See Byers, T. L.
Bizzini, B. See Beaude, P.
Bjoerk, I. See Nycander, M.
Blaauboer, B. See Van Ommen, B.
Blacher, R. See Li, Q.
Black, F. M.
——; Wakelam, M. J. O.
Activation of inositol phospholipid breakdown by prostaglandin $F_{2\alpha}$ without any stimulation of proliferation in quiescent NIH-3T3 fibroblasts. 266: 661
Desensitization of prostaglandin $F_{2\alpha}$-stimulated inositol phosphate generation in NIH-3T3 fibroblasts transformed by overexpression of normal c-Ha-ras-1, c-Ki-ras-2 and c-N-ras genes. 267: 809
Black, S. M.
——; Beggs, J. D.; Hayes, J. D.; Bartoszek, A.; Muramatsu, M.; Sakai, M.; Wolf, C. R.
Expression of human glutathione S-transferases in Saccharomyces cerevisiae confers resistance to the anticancer drugs adriamycin and chlorambucil. 268: 309
Blackett, P. See Cheng, Q.
Blackledge, M. J. See Challiss, R. A. J.
Blackmore, R. S.
——; Brittain, T.; Gadsby, P. M. A.; Greenwood, C.; Thomson, A. J.
Two structurally and kinetically distinct forms of Wolinella succinogenes nitrite reductase. 271: 259
——; Brittain, T.; Greenwood, C.
An analysis of the reaction kinetics of the hexaheme nitrite reductase of the anaerobic rumen bacterium Wolinella succinogenes. 271: 457
——; Gadsby, P. M. A.; Greenwood, C.; Thomson, A. J.
The effect of heme ligands on the redox states of the hexa-heme nitrite reductase from Wolinella succinogenes. 271: 253
Blackwood, R. A.
——; Ernst, J. D.
Characterization of calcium-dependent phospholipid binding, vesicle aggregation and membrane fusion by annexins. 266: 195
Blair, S. C. See Cooney, G. J.
Blajchman, M. A. See Yang, X. J.
Blakeley, D. M. See Brown, K. D.
Blanot, D. See Michaud, C.
Blatter, E. E.
——; Tasayco J., M. L.; Prestwich, G.; Pietruszko, R.
Chemical modification of aldehyde dehydrogenase by a vinyl ketone analog of an insect pheromone. 272: 351
Blayney, L. M.
——; Newby, A. C.
Histamine and a guanine nucleotide increase calcium permeability in pig aortic microsomal fractions. 267: 105
Blokkebak-Poulsen, J.
——; Sheikh, M. I.; Jacobsen, C.
Nonselective cation channels in basolateral-membrane vesicles from pars recta of rabbit kidney proximal tubule. 272: 839
Blom, H. J.
——; Andersson, H. C.; Seppala, R.; Tietze, F.; Gahl, W. A.
Defective glucuronic acid transport from lysosomes of infantile free sialic acid storage disease fibroblasts. 268: 621
Blomhoff, R. See Dueland, S.
Blumberg, P. See Greve, H.
Board, M.
——; Humm, S.; Newsholme, E. A.
Maximum activities of key enzymes of glycolysis, glutaminolysis, pentose phosphate pathway and tricarboxylic acid cycle in normal, neoplastic and suppressed cells. 265: 503
Bode, C. See Schwoch, G.
Boerchers, T. See Hach, M.; Rasmussen, J. T.
Bogaards, J. J. P. See Van Ommen, B.
Boger, J. See Jupp, R. A.
Bohley, P. See Kopitz, J.
Boileau, G. See Khan, I.; Lemay, G.
Bokoch, G. M.
——; Quilliam, L. A.
Guanine nucleotide binding properties of rap1 purified from human neutrophils. 267: 407
Bolanos, J. P.
——; Medina, J. M.; Williamson, D. H.
Inhibition of sterol but not fatty acid synthesis by valproate in developing rat brain in vivo. 272: 251
Bolkenius, F. N.
——; Knodgen, B.; Seiler, N.
DL-Canaline and 5-fluoromethylornithine. Comparison of two inactivators of ornithine aminotransferase. 268: 409
Bollen, M.
——; Miralpeix, M.; Ventura, F.; Toth, B.; Bartrons, R.; Stalmans, W.
Oral administration of vanadate to streptozotocin-diabetic rats restores the glucose-induced activation of liver glycogen synthase. 267: 269
Bolt, M. J. G. See Wali, R. K.
Bolwell, G. P. See Shaw, N. M.
Bom, V. J. J.
——; Bertina, R. M.
The contributions of calcium, phospholipids and tissue-factor apoprotein to the activation of human blood-coagulation factor X by activated factor VII. 265: 327
Bonak, V. See Huang, C. K.
Bond, J. See Parry-Billings, M.
Bond, J. A. See Calder, P. C.
Bonser, R. W. See Thompson, N. T.
Bonventre, J. V. See Gronich, J. H.
Boobis, A. R. See Edwards, R. J.
Boot-Handford, R. P. See Canfield, A. E.; Kielty, C. M.
Borel, J. P. See Monboisse, J. C.
Borensztajn, J.
——; Kotlar, T. J.
Phospholipids as modulators of hepatic recognition of chylomicron remnants. Observations with emulsified lipoprotein lipids. 269: 539
Borg, T. K. See Maxwell, J. L.
Borgese, N.
——; Longhi, R.
Both the outer mitochondrial membrane and the microsomal forms of cytochrome b_5 reductase contain

covalently bound myristic acid. Quantitative analysis on the polyvinylidene difluoride–immobilized proteins. 266: 341

Borghgraef, R. See Van den Bosch, L.

Borner, C. M. B. See Rotenberg, S. A.

Bornstein, P. See Sherwood, A. L.

Borthwick, A. C.
——; Edgell, N. J.; Denton, R. M.
Protein-serine kinase from rat epididymal adipose tissue which phosphorylates and activates acetyl-CoA carboxylase. Possible role in insulin action. 270: 795

Bosca, L. See Diaz-Guerra, M. J. M.

Bossa, F. See Doyle, J. M.

Bossant, M. J. See Joly, F.

Bossennec, V.
——; Petitou, M.; Perly, B.
Proton NMR investigation of naturally occurring and chemically oversulfated dermatan sulfates. Identification of minor monosaccharide residues. 267: 625

Bosworth, T. R. See Scott, J. E.

Botta, J. A. See Angel, R. C.

Bottiglieri, T. See Vieira-Makings, E.

Boucheix, C. See Carroll, R. C.

Bourin, M. C.
——; Lindahl, U.
Functional role of the polysaccharide component of rabbit thrombomodulin proteoglycan. Effects on inactivation of thrombin by antithrombin, cleavage of fibrinogen by thrombin and thrombin-catalyzed activation of factor V. 270: 419

Bourne, A.
——; Kenny, A. J.
The hydrolysis of brain and atrial natriuretic peptides by porcine choroid plexus is attributable to endopeptidase-24.11. 271: 381

Bowles, D. J. See Smallwood, M.

Boyd, B. See Ramotar, K.

Boyer, B.
——; Odessey, R.
Quantitative control analysis of branched-chain 2-oxo acid dehydrogenase complex activity by feedback inhibition. 271: 523

Boylan, M. H.
——; Edmondson, D. E.
Studies on the incorporation of a covalently bound disubstituted phosphate residue into Azotobacter vinelandii flavodoxin in vivo. 268: 745

Boyle, J. M. See Davies, A.

Boynton, A. L. See Dean, N. M.

Brabenec, A. See Ganapathi, M. K.

Bracken, M. See Sixl, F.

Bradford, H. N.
——; Schmaier, A. H.; Colman, R. W.
Kinetics of inhibition of platelet calpain II by human kininogens. 270: 83

Brady, J. F. See Morimoto, B. H.

Braennstroem, G. See Fowler, C. J.

Bragg, P. D. See Beharry, S.

Braghetta, P. See Brake, B.; Luzio, J. P.

Brain, S. D. See Zaidi, M.

Brake, B. See Luzio, J. P.
——; Braghetta, P.; Banting, G.; Bressan, G.; Luzio, J. P.; Stanley, K. K.
A new recombinant DNA strategy for the molecular cloning of rare membrane proteins. 267: 631

Brand, M. D. See Hafner, R. P.

Brandsch, R.
——; Bichler, V.
Riboflavin-dependent expression of flavoenzymes of the nicotine regulon of Arthrobacter oxidans. 270: 673

Brasitus, T. A. See Wali, R. K.

Brass, E. P.
——; Allen, R. H.; Ruff, L. J.; Stabler, S. P.
Effect of hydroxycobalamin[c-lactam] on propionate and carnitine metabolism in the rat. 266: 809
——; Garrity, M. J.
Structural specificity for prostaglandin effects on hepatocyte glycogenolysis. 267: 59

Bray, M. R.
——; Clarke, A. J.
Essential carboxy groups in xylanase A. 270: 91

Breittmayer, J. P. See Vigne, P.

Bremer, J. See Hovik, R.

Bressan, G. See Brake, B.

Breton, M. See Payrastre, B.; Sultan, C.

Breuer, B.
——; Schmidt, G.; Kresse, H.
Non-uniform influence of transforming growth factor-β on the biosynthesis of different forms of small chondroitin sulphate/dermatan sulfate proteoglycan. 269: 551

Brew, S. A. See Ingham, K. C.

Briat, J. F. See Laulhere, J. P.; Lescure, A. M.

Brigstock, D. R.
——; Heap, R. B.; Barker, P. J.; Brown, K. D.
Purification and characterization of heparin-binding growth factors from porcine uterus. 266: 273

Brindle, N. P. J.
——; Tavare, J. M.; Dickens, M.; Whittaker, J.; Siddle, K.
Anti-(insulin receptor) monoclonal antibody-stimulated tyrosine phosphorylation in cells transfected with human insulin receptor cDNA. 268: 615

Brindley, D. N. See Martin-Sanz, P.

Brini, A. T. See Korner, M.

Brittain, T. See Blackmore, R. S.

Brix, O. See Giardina, B.
——; Condo, S. G.; Bardgard, A.; Tavazzi, B.; Giardina, B.
Temperature modulation of oxygen transport in a diving mammal (Baenoptera acutorostrata). 271: 509

Brock, J. H. See McGregor, S. J.

Brocklehurst, K. See Kowlessur, D.; Templeton, W.
——; Topham, C. M.
Kinetic parameters of the acyl-enzyme mechanism and conditions for quasiequilibrium and for optimal catalytic characteristics. 270: 561

Brodin, T. See Elbashir, M. I.

Broekhoven-Schokker, S. See Schoonderwoerd, K.

Bromley, L. See Murrell, G. A. C.

Brooks, D. A. See Taylor, J. A.

Brousseau, R. See Masson, L.

Brown, G. C. See Hafner, R. P.

Brown, G. M. See Nieduszynski, I. A.

Brown, J. C.
——; Spragg, J. H.; Wheeler, G. N.; Taylor, P. W.
Identification of the B1 and B2 subunits of human placental laminin and rat parietal-yolk-sac laminin using antisera specific for murine laminin-β-galactosidase fusion proteins. 270: 463

Brown, K. D. See Brigstock, D. R.
——; Littlewood, C. J.; Blakeley, D. M.
Differential potentiation of mitogen-stimulated phosphoinositide hydrolysis in protein kinase C-depleted Swiss 3T3 cells. 270: 557

Brown, L. Y. See Hobkirk, R.

Brown, M. A. See Barrett, A. J.

Brown, M. J. See Nunez, D. J. R.

Brown, N. R. See Crawford, C.

Brown, S. A. See Mason, A. B.

Brown, S. B. See Hitchcock, C. A.

Broze, G. J. Jr. See Girard, T. J.

Bru, R.
——; Sanchez-Ferrer, A.; Garcia-Carmona, F.
The effect of substrate partitioning on the kinetics of enzymes acting in reverse micelles. 268: 679

Bruce, N. C. See Pieper, D. H.

Brul, S. See Aerts, J. M. F. G.

Bruno, M. See Grasso, J. A.

Brunori, M. See Sarti, P.

Bruns, C.
——; Dietl, M. M.; Palacios, J. M.; Pless, J.
Identification and characterization of somatostatin receptors in neonatal rat long bones. 265: 39

Brunton, J. See Ramotar, K.

Brussee, J. See Adang, A. E. P.

Bucciarelli, T. See Di Ilio, C.

Buckwitz, D.
——; Jacobasch, G.; Gerth, C.
Phosphofructokinase from Plasmodium berghei. Influence of magnesium, ATP and magnesium-complexed ATP. 267: 353

Buki, K. G. See Bauer, P. I.

Bull, A. T. See Curling, E. M. A.

Bulle, F. See Siegrist, S.

Bulleid, N. J.
——; Curling, E.; Freedman, R. B.; Jenkins, N.
Source of heterogeneity in secreted interferon-γ. A study on products of translation in vitro. 268: 777

Burchell, A. See Waddell, I. D.

Burgener, R.
——; Wolf, M.; Ganz, T.; Baggiolini, M.
Purification and characterization of a major phosphatidylserine-binding phosphoprotein from human platelets. 269: 729

Burgoyne, R. D. See Morgan, A.

Burnette, W. N. See Cieplak, W. Jr.

Burnham, F. J. See Duerden, J. M.

Burnol, A. F.
——; Ebner, S.; Kande, J.; Girard, J.
Insulin resistance of glucose metabolism in isolated brown adipocytes of lactating rats. Evidence for a post-receptor defect in insulin action. 265: 511
——; Leturque, A.; Loizeau, M.; Postic, C.; Girard, J.
Glucose transporter expression in rat mammary gland. 270: 277

Burton, G. W. See Slater, T. F.

Busby, S. See Chan, B.

Busby, S. J. W. See Lodge, J. M.

Bushfield, M.
——; Griffiths, S. L.; Murphy, G. J.; Pyne, N. J.; Knowler, J. T.; Milligan, G.; Parker, P. J.; Mollner, S.; Houslay, M. D.
Diabetes-induced alterations in the expression, functioning and phosphorylation state of the inhibitory guanine nucleotide regulatory protein G_i-2 in hepatocytes. 271: 365
——; Murphy, G. J.; Lavan, B. E.; Parker, P. J.; Hruby, V. J.; Milligan, G.; Houslay, M. D.
Hormonal regulation of G_i2 α-subunit phosphorylation in intact hepatocytes. 268: 449

Busse, R. See Hauschildt, S.

Busto, F. See Rua, J.

Butkus, A. See Vienozinskis, J.

Buttle, D. J. See Rowan, A. D.
Bye, J. M. See Hughes-Jones, N. C.
Byers, D. M. See Spence, M. W.
Byers, T. L.
——; Bitonti, A. J.; McCann, P. P.
Bis(benzyl)polyamine analogs are substrates for a mammalian cell-= transport system which is distinct from the polyamine-transport sys= tem. 269: 35
Bygrave, F. L.
——; Lenton, L.; Altin, J. G.; Setchell, B. A.; Karjalainen, A.
Phosphate and calcium uptake by mitochondria and by perfused rat liver induced by the synergistic action of glucagon and vasopressin. 267: 69
Bylund-Fellenius, A. C. See Soussi, B.

Cabanas, C. See Lacal, P. M.
Cain, R. B. See Pieper, D. H.
Calder, P. C.
——; Bond, J. A.; Harvey, D. J.; Gor= don, S.; Newsholme, E. A.
Uptake and incorporation of saturated and unsaturated fatty acids into macrophage lipids and their effect upon macrophage adhesion and phagocytosis. 269: 807
Calderhead, D. M.
——; Kitagawa, K.; Lienhard, G. E.; Gould, G. W.
Translocation of the brain-type glu= cose transporter largely accounts for insulin stimulation of glucose transport in BC3H-1 myocytes. 269: 597
Caldwell, A. M. See Zammit, V. A.
Calvert, D. T. See Vernon, R. G.
Campbell, C. J. See Baxter, A.
Campbell, G. R. See Ang, A. H.
Campbell, I. D. See Odoom, J. E.
Campbell, J. H. See Ang, A. H.
Campbell, K. P. See Krause, K. H.
Camps, M. See Guma, A.
——; Hou, C.; Jakobs, K. H.; Gierschik, P.
Guanosine 5'-[γ-thio]triphosphate-= stimulated hydrolysis of phosphati= dylinositol 4,5-bisphosphate in HL-60 granulocytes. Evidence that the guanine nucleotide acts by re= lieving phospholipase C from an inhibitory constraint. 271: 743
Canada, J. See Arriaga, P.
Canfield, A. E.
——; Boot-Handford, R. P.; Schor, A. M.
Thrombospondin gene expression by endothelial cells in culture is modu= lated by cell proliferation, cell shape and the substratum. 268: 225
Cannon, M. See Fernandez-Lobato, M.
Cannons, A. C. See Kay, C. J.
Cantrell, D. A. See Alexander, D. R.; Graves, J. D.
Capito, K. See Thams, P.
Caporale, L. See Berkovich, A.
Carabaza, A.
——; Arino, J.; Fox, J. W.; Villar-Palasi, C.; Guinovart, J. J.
Purification, characterization and partial amino acid sequence of gly= cogen synthase from Saccharomyces cerevisiae. 268: 401
Cardona-Sanclemente, L. E. See Sultan, F.
Carey, P. R. See Bietlot, H. P. L.
Carli, F. See Leoni, P.
Carlson, G. M. See Paudel, H. K.
Carlstedt, I. See Schmidtchen, A.; Sheehan, J. K.; Thornton, D. J.
Carne, A. F. See Williamson, R. A.
Caro, J. F. See Contreras, I.
Carpenter, M. R. See Nikrad, P. V.
Carper, S. W. See Fuller, D. J. M.
Carr, G. J.
——; Ferguson, S. J.
The nitric oxide reductase of Para= coccus denitrificans. 269: 423
Carraway, K. L. See Hull, S. R.
Carrella, M. See Hamlin, S.
Carreras, J. See Rosa, J. L.
Carroll, R.
——; Juhasz, A.; Severson, D. L.
Treatment of cardiac myocytes with 8-(4-chlorophenylthio)-adenosine 3',5'-cyclic monophosphate, forskolin or cholera toxin does not stimulate cellular or heparin-releasable lipo= protein lipase activities. 270: 391
Carroll, R. C.
——; Worthington, R. E.; Boucheix, C.
Stimulus-response coupling in human platelets activated by monoclonal antibodies to the CD9 antigen, a 24 kDa surface-membrane glycopro= tein. 266: 527
Cartaud, J. See Rabouille, C.
Carter, N. D. See Jeffery, S.
Carter, T. D.
——; Newton, J. S.; Jacob, R.; Pearson, J. D.
Homologous desensitization of ATP-= mediated elevations in cytoplasmic calcium and prostacyclin release in human endothelial cells does not involve protein kinase C. 272: 217
Carver, M. A. See Reeve, C. D.
Casero, R. A. Jr.
——; Celano, P.; Ervin, S. J.; Wiest, L.; Pegg, A. E.
High specific induction of spermi= dine/spermine N¹-acetyltransferase in a human large cell lung carcino= ma. 270: 615
Casimir, C. M. See Teahan, C. G.
Casnellie, J. E. See Huang, C. K.
Cass, C. E. See Agbanyo, F. R.
Castano, J. G. See Nieto, A.
Casteels, R. See De Jaegere, S.; Egger= mont, J. A.
Castell, J. V. See Heinrich, P. C.
Castro, V. M. See Mankowitz, L.
Caterson, I. D. See Cooney, G. J.
Catt, K. J. See Ely, J. A.
Cattini, P. A. See Nickel, B. E.
Caulfield, T. See Fiore, S.
Cawston, T. E.
——; Curry, V. A.; Clark, I. M.; Hazle= man, B. L.
Identification of a new metalloprotei= nase inhibitor that forms tight-= binding complexes with collagenase. 269: 183
Cazenave, Y. See Murat, J. C.
Celano, P. See Casero, R. A. Jr.
Cenas, N. See Vienozinskis, J.
Cenci di Bello, I. See Winchester, B. G.
Chakravarty, R. See Rice, R. H.
——; Rong, X.; Rice, R. H.
Phorbol ester-stimulated phosphory= lation of keratinocyte transglutami= nase in the membrane anchorage region. 271: 25
Chalk, J. G. See Hughes, S. J.
Challiss, R. A. J. See Kennedy, E. D.; Wojcikiewicz, R. J. H.
——; Blackledge, M. J.; Radda, G. K.
Spatially resolved changes in diabetic rat skeletal muscle metabolism in vivo studied by phosphorus-31 NMR spectroscopy. 268: 111
——; Chilvers, E. R.; Willcocks, A. L.; Nahorski, S. R.
Heterogeneity of [³H]inositol 1,4,5-= trisphosphate binding sites in adre= nal-cortical membranes. Character= ization and validation of a radiore= ceptor assay. 265: 421
Cham, B. E.
——; Roeser, H. P.; Nikles, A. C.
Ascorbic acid deficiency affects the metabolism of cytosolic ferritin but not lipid-associated ferritin in livers of guinea pigs. 267: 535
Chambaz, E. See Payrastre, B.
Chambers, T. J. See Zaidi, M.
Chambert, R.
——; Benyahia, F.; Petit-Glatron, M. F.
Secretion of Bacillus subtilis levansu= crase. Iron(III) could act as a cofac= tor in an efficient coupling of the folding and translocation processes. 265: 375
Chan, B.
——; Spassky, A.; Busby, S.
The organization of open complexes between Escherichia coli RNA po= lymerase and DNA fragments carry= ing promoters either with or without consensus -35 region sequences. 270: 141
Chan, D.
——; Lamande, S. R.; Cole, W. G.; Bate= man, J. F.
Regulation of procollagen synthesis and processing during ascorbate-in= duced extracellular matrix accumu= lation in vitro. 269: 175
Chan, P. K.
——; Liu, Q. R.; Durban, E.
The major phosphorylation site of nucleophosmin (B23) is phosphory= lated by a nuclear kinase II. 270: 549
Chanarin, I. See Vieira-Makings, E.
Chang, G. G. See Chiou, S. H.
——; Shiao, M. S.; Lee, K. R.; Wu, J. J.
Modification of human placental alkaline phosphatase by periodate-= oxidized 1,N⁶-ethenoadenosine monophosphate. 272: 683
Chang, J. Y. See Sun, X. J.
Chantry, A.
——; Glynn, P.
A novel metalloproteinase originally isolated from brain myelin mem= branes is present in many tissues. 268: 245
Chanussot, F.
——; Lafont, H.; Hauton, J.; Tuchwe= ber, B.; Yousef, I.
Studies on the origin of biliary phos= pholipid. Effect of dehydrocholic acid and cholic acid infusions on hepatic and biliary phospholipids. 270: 691
Chao, J. See Chen, L. M.; Freeman, S. N.; Xiong, W.
Chao, L. See Chen, L. M.
Chap, H. See Payrastre, B.; Sultan, C.
Chapman, S. K. See Wallis, M. G.
Chauvaux, S.
——; Beguin, P.; Aubert, J. P.; Bhat, K. M.; Gow, L. A.; Wood, T. M.; Bair= och, A.
Calcium-binding affinity and calci= um-enhanced activity of Clostridium thermocellum endoglucanase D. 265: 261
Cheeseman, K. H. See Slater, T. F.
Chen, J. R. See Fuller, D. J. M.
Chen, L. M. See Xiong, W.
——; Chao, L.; Mayfield, R. K.; Chao, J.
Differential interactions of human

kallikrein–binding protein and α_1–antitrypsin with human tissue kallikrein. 267: 79
Cheng, B. See Schor, N. F.
Cheng, Q.
——; Blackett, P.; Jackson, K. W.; McConathy, W. J.; Wang, C. S.
C–Terminal domain of apolipoprotein CII as both activator and competitive inhibitor of lipoprotein lipase. 269: 403
Cheron, G.
——; Noat, G.; Ricard, J.
Hysteresis of plant cell–wall β–glucosidase. 269: 389
Chesters, J. K.
——; Petrie, L.; Travis, A. J.
A requirement for zinc(2+) for the induction of thymidine kinase but not ornithine decarboxylase in 3T3 cells stimulated from quiescence. 272: 525
Chigorno, V. See Masserini, M.
Chilvers, E. R. See Challiss, R. A. J.
Chiou, S. H.
——; Lee, H. J.; Chang, G. G.
Kinetic analysis of duck ϵ–crystallin, a lens structural protein with lactate dehydrogenase activity. 267: 51
Chobert, M. N. See Siegrist, S.
Chou, R. G. R.
——; Stromer, M. H.; Robson, R. M.; Huiatt, T. W.
Determination of the critical concentration required for desmin assembly. 272: 139
Chow, S. C.
——; Ansotegui, I. J.; Jondal, M.
Inhibition of receptor–mediated calcium influx in T cells by unsaturated non–esterified fatty acids. 267: 727
Choy, P. C. See Hatch, G. M.
Christensen, H. See Gibson, R. M.
——; Martin, M. T.; Waley, S. G.
β–Lactamases as fully efficient enzymes. Determination of all the rate constants in the acyl–enzyme mechanism. 266: 853
Christiaens, L. See Adam, M.
Christie, D. L.
——; Palmer, D. J.
Identification and characterization of glycoproteins after extraction of bovine chromaffin–granule membranes with lithium diiodosalicylate. Purification of glycoprotein II from the soluble fraction. 270: 57
Christie, S. L. See Crabtree, B.
Chung, S. I. See Cocuzzi, E.
Church, W. R. See Mason, A. B.
Churcher, Y.
——; Allan, D.; Gomperts, B. D.
Relationship between arachidonate generation and exocytosis in permeabilized mast cells. 266: 157
Ciambella, M. See Dall'olio, F.
Ciardelli, T. L. See Davies, A.
Ciarrocchi, G. See Montecucco, A.
Cicchetti, R. See Giardina, B.
Cieplak, W. Jr.
——; Locht, C.; Mar, V. L.; Burnette, W. N.; Keith, J. M.
Photolabeling of mutant forms of the S1 subunit of pertussis toxin with NAD+. 268: 547
Claeyssens, M. See Bhat, K. M.
——; Van Tilbeurgh, H.; Kamerling, J. P.; Berg, J.; Vrsanska, M.; Biely, P.
Studies of the cellulolytic system of the filamentous fungus Trichoderma reesei QM 9414. Substrate specificity and transfer activity of endoglucanase I. 270: 251
Clark, A. E.
——; Holman, G. D.
Exofacial photolabeling of the human erythrocyte glucose transporter with an azitrifluoroethylbenzoyl–substituted bismannose. 269: 615
Clark, I. M. See Cawston, T. E.
Clark, M. A. See Mattern, M. R.
Clark, M. G. See Cleland, P. J. F.
——; Richards, S. M.; Hettiarachchi, M.; Ye, J. M.; Appleby, G. J.; Rattigan, S.; Colquhoun, E. Q.
Release of purine and pyrimidine nucleosides and their catabolites from the perfused rat hindlimb in response to noradrenaline, vasopressin, angiotensin II and sciatic–nerve stimulation. 266: 765
Clark, R. B. See Johnson, J. A.
Clark, R. G. See Jeffery, S.
Clark, S. See Allen, H.
Clarke, A. J. See Bray, M. R.
Clarke, J. B.
——; Eliopoulos, E. E.; Findlay, J. B. C.; Zagalsky, P. F.
Alternative ligands as probes for the carotenoid–binding site of lobster carapace crustacyanin. 265: 919
Clarke, S. D. See Armstrong, M. K.
Claro, E.
——; Wallace, M. A.; Fain, J. N.
Dual effect of fluoride on phosphoinositide metabolism in rat brain cortex. Stimulation of phospholipase C and inhibition of polyphosphoinositide synthesis. 268: 733
Clay, L. See Fuller, D. J. M.
Clegg, R. A.
——; Ottey, K. A.
Cyclic AMP–dependent protein kinase in mammary tissue of the lactating rat. Activity ratio and responsiveness of the target enzymes acetyl–CoA carboxylase and glycogen phosphorylase to β–adrenergic stimulation. 265: 769
Cleland, P. J. F.
——; Abel, K. C.; Rattigan, S.; Clark, M. G.
Long–term treatment of isolated rat soleus muscle with phorbol ester leads to loss of contraction–induced glucose transport. 267: 659
Clemens, M. J. See Ward, T.
Clementi, M. E. See Giardina, B.
Clements, J. A.
——; Matheson, B. A.; Funder, J. E.
Tissue–specific regulation of the expression of rat kallikrein gene family members by thyroid hormone. 267: 745
Clements, P. R. See Bielicki, J.
Close, T. J. See Murray, I. A.
Coadwell, J. See Hughes–Jones, N. C.
Coates, J. B. See Baldwin, J. E.
Cobbold, P. H. See Dixon, C. J.; Sanchez–Bueno, A.; Schoefl, C.; Woods, N. M.
Cochrane, H. M. See Sanzo, M. A.
Coco–Maroney, A. See Stathopoulos, V. M.
Cocuzzi, E.
——; Piacentini, M.; Beninati, S.; Chung, S. I.
Post–translational modification of apolipoprotein B by transglutaminases. 265: 707
Coggins, J. R. See Hawkes, T. R.; White, P. J.
Cohen, S.
——; Margalit, R.
Binding of porphyrin to human serum albumin. Structure–activity relationships. 270: 325
Colaco, C. A. L. S. See Bailyes, E. M.
Colavizza, D. See Legrand, D.
Cole, P. A.
——; Robinson, C. H.
Conversion of 19–oxo[2β–^{2}H]androgens into estrogens by human placental aromatase. An unexpected stereochemical outcome. 268: 553
Cole, W. G. See Chan, D.
Coleman, R. See Hamlin, S.; Kan, K. S.; Monte, M. J.
——; Kan, K. S.
Estradiol 17β–glucuronide and tight junctional permeability increase. Reply to comments. 266: 622
Collins, J. H. See Johnson, J. A.
Collins, M. See Slater, T. F.
Collins, M. L. K. See Perkins, N. D.
Collins, P. D. See Beaubien, B. C.
Colman, R. W. See Bradford, H. N.
Colquhoun, E. Q. See Clark, M. G.
Colyer, J. See Michelangeli, F.
Comer, K. A. See Radominska, A.
Comper, W. D.
——; Zamparo, O.
Hydrodynamic properties of connective–tissue polysaccharides. 269: 561
Condo, S. G. See Brix, O.; Giardina, B.
Congote, L. F. See Li, Q.
Conlon, H. D. See Waxman, D. J.
Conner, J.
——; Vallet–Collom, I.; Daveau, M.; Delers, F.; Hiron, M.; Lebreton, J. P.; Guillouzo, A.
Acute–phase–response induction in rat hepatocytes co–cultured with rat liver epithelial cells. 266: 683
Conrad, P. See Jonas, A. J.
Contreras, I.
——; Dohm, G. L.; Abdallah, S.; Wells, J. A.; Mooney, N.; Rovira, A.; Caro, J. F.
The effect of fasting on the activation in vivo of the insulin receptor kinase. 265: 887
Cook, H. W. See Spence, M. W.
Cook, S. J.
——; Palmer, S.; Plevin, R.; Wakelam, M. J. O.
Mass measurement of inositol 1,4,5–trisphosphate and sn–1,2–diacylglycerol in bombesin–stimulated Swiss 3T3 mouse fibroblasts. 265: 617
Cooke, B. A. See West, A. P.
Cooney, G. J.
——; Denyer, G. S.; Kerbey, A. L.; Frankland, R. L.; Blair, S. C.; Williams, P. F.; Caterson, I. D.
Pyruvate dehydrogenase–complex activity in brown adipose tissue of gold thioglucose–obese mice. 270: 257
Cooper, C. E. See Wrigglesworth, J. M.
Cooper, C. L. See Eberhard, D. A.
Corey, E. J. See Dho, S.
Corkey, B. E. See McCormack, J. G.
Cornelis, R. See Vangrysperre, W.
Correas, I.
——; Padilla, R.; Avila, J.
The tubulin–binding sequence of brain microtubule–associated proteins, tau and MAP–2, is also involved in actin binding. 269: 61
Cortassa, S.
——; Sun, H.; Kernevez, J. P.; Thomas, D.
Pattern formation in an immobilized bienzyme system. A morphogenetic model. 269: 115
Costa, E. See Guidotti, A.
Costi, A. See Crompton, M.
Cotton, R. G. H. See Green, A. K.
Couraud, P. O. See Koman, A.

Cowper, K. B.
——; Currin, R. T.; Dawson, T. L.; Lindert, K. A.; Lemasters, J. J.; Thurman, R. G.
A new method to monitor Kupffer-cell function continuously in the perfused rat liver. Dissociation of glycogenolysis from particle phagocytosis. 266: 141
Cox, A. J. See Jonas, H. A.
Cox, J. L. See Shaw, P. A.
Crabtree, B.
——; Gordon, M. J.; Christie, S. L.
Measurement of the rates of acetyl-CoA hydrolysis and synthesis from acetate in rat hepatocytes and the role of these fluxes in substrate cycling. 270: 219
Crabtree, S. See Dunaway, G. A.
Cragoe, E. J. See Vallance, S. J.
Craik, J. D. See Agbanyo, F. R.
Crampton, J. M. See Merryweather, A. T.
Crane, A. M. See Wilkemeyer, M. F.
Crane-Robinson, C. See Vendrell, J.
Cranmer, S. L. See Poole, R. C.
Craven, S. See Yang, X. J.
Crawford, C.
——; Brown, N. R.; Willis, A. C.
Investigation of the structural basis of the interaction of calpain II with phospholipid and with carbohydrate. 265: 575
Creighton, T. E.
Protein folding. 270: 1
Crenshaw, C. See Shepherd, V. L.
Crettaz, M.
——; Baron, A.; Siegenthaler, G.; Hunziker, W.
Ligand specificities of recombinant retinoic acid receptors RARα and RARβ. 272: 391
Crickmore, N.
——; Nicholls, C.; Earp, D. J.; Hodgman, T. C.; Ellar, D. J.
The construction of Bacillus thuringiensis strains expressing novel entomocidal δ-endotoxin combinations. 270: 133
Crine, P. See Khan, I.; Lemay, G.
Crofts, J. N.
——; Barritt, G. J.
The liver cell plasma membrane calcium inflow systems exhibit a broad specificity for divalent metal ions. 269: 579
Crompton, M.
——; Costi, A.
A heart mitochondrial calcium-dependent pore of possible relevance to reperfusion-induced injury. Evidence that ADP facilitates pore interconversion between the closed and open states. 266: 33
Cronholm, T. See Norsten, C.
Cronshaw, A. D. See Hayes, J. D.
Crooke, S. T. See Mattern, M. R.; Nakada, M. T.
Cross, A. R. See Smith, M. A.; Yea, C. M.
——; Henderson, L.; Jones, O. T. G.; Delpiano, M. A.; Hentschel, J.; Acker, H.
Involvement of an NAD(P)H oxidase as a PO_2 sensor protein in the rat carotid body. 272: 743
Crossman, M. V.
——; Mason, R. M.
Purification and characterization of a hyaluronan-binding protein from rat chondrosarcoma. 266: 399
Crumpton, M. J. See Alexander, D. R.
Cruz, T. F.
——; Mills, G.; Pritzker, K. P. H.; Kandel, R. A.
Inverse correlation between tyrosine phosphorylation and collagenase production in chondrocytes. 269: 717
Csordas, A.
On the biological role of histone acetylation. 265: 23
Cubitt, A. B.
——; Geras-Raaka, E.; Gershengorn, M. C.
Thyrotropin-releasing hormone receptor occupancy determines the fraction of the responsive pool of inositol lipids hydrolyzed in rat pituitary tumor cells. 271: 331
——; Gershengorn, M. C.
CMP activates reversal of phosphatidylinositol synthase and base exchange by distinct mechanisms in rat pituitary GH_3 cells. 272: 813
Cuchillo, C. M. See Richardson, R. M.
Cullen, P. J. See Shears, S. B.
——; Irvine, R. F.; Dawson, A. P.
Synergistic control of calcium mobilization in permeabilized mouse L1210 lymphoma cells by inositol 2,4,5-trisphosphate and inositol 1,3,4,5-tetrakisphosphate. 271: 549
Cung Manh Thong See Papadouli, I.
Cunnick, J. M.
——; Hurt, D.; Oppert, B.; Sakamoto, K.; Takemoto, D. J.
Binding of the γ-subunit of retinal rod-outer-segment phosphodiesterase with both transducin and the catalytic subunits of phosphodiesterase. 271: 721
Cunningham, M. R. See Howe, P. H.
Curling, E. See Bulleid, N. J.
Curling, E. M. A.
——; Hayter, P. M.; Baines, A. J.; Bull, A. T.; Gull, K.; Strange, P. G.; Jenkins, N.
Recombinant human interferon-γ. Differences in glycosylation and proteolytic processing lead to heterogeneity in batch culture. 272: 333
Currin, R. T. See Cowper, K. B.
Curry, V. A. See Cawston, T. E.
Curtino, J. A. See Lacoste, E. R.
Cusin, I.
——; Terrettaz, J.; Rohner-Jeanrenaud, F.; Jeanrenaud, B.
Metabolic consequences of hyperinsulinemia imposed on normal rats on glucose handling by white adipose tissue, muscles and liver. 267: 99
Cuthbertson, K. S. R. See Dixon, C. J.; Sanchez-Bueno, A.; Schoefl, C.; Woods, N. M.
Czech, M. P. See Yu, K. T.

Dabadie, P. See Grouselle, M.
Dakka, N.
——; Puigserver, A.; Wicker, C.
Regulation by a protein-free carbohydrate-rich diet of rat pancreatic mRNAs encoding trypsin and elastase isoenzymes. 268: 471
Dall'olio, F.
——; Malagolini, N.; Di Stefano, G.; Ciambella, M.; Serafini-Cessi, F.
Postnatal development of rat colon epithelial cells is associated with changes in the expression of the β1,4-N-acetylgalactosaminyltransferase involved in the synthesis of Sd^a antigen and of α2,6-sialyltransferase activity towards N-acetyl-lactosamine. 270: 519
Damblon, C. See Adam, M.
Damiani, E. See Salvatori, S.
Daniel, J. L. See Williams, J. A.
Danielsen, C. C.
Age-related thermal stability and susceptibility to proteolysis of rat bone collagen. 272: 697
Dankert, J. R. See Watts, M. J.
Dannies, P. S. See Law, G. J.
Danoff, S. K. See Theibert, A. B.
Danpure, C. J. See Takada, Y.
Darrah, P. M.
——; Kay, S. A.; Teakle, G. R.; Griffiths, W. T.
Cloning and sequencing of protochlorophyllide reductase. 265: 789
Das, A. M.
——; Harris, D. A.
Regulation of the mitochondrial ATP synthase in intact rat cardiomyocytes. 266: 355
Das, S. R.
——; Bhardwaj, N.; Gouras, P.
Synthesis of retinoids by human retinal epithelium and transfer to rod outer segments. 268: 201
Daveau, M. See Conner, J.
Davenport, A. P. See Nunez, D. J. R.
Daviaud, D. See Denis-Pouxviel, C.
David, C. See Hull, S. R.
Davidson, A. M. See Halestrap, A. P.
——; Halestrap, A. P.
Partial inhibition by cyclosporin A of the swelling of liver mitochondria in vivo and in vitro induced by sub-micromolar [calcium], but not by butyrate. Evidence for two distinct swelling mechanisms. 268: 147
Davidson, J. S. See Macrae, M. B.; Van der Merwe, P. A.
Davie, J. R. See Hendzel, M. J.
Davies, A. See Madon, R. J.
——; Ciardelli, T. L.; Lienhard, G. E.; Boyle, J. M.; Whetton, A. D.; Baldwin, S. A.
Site-specific antibodies as probes of the topology and function of the human erythrocyte glucose transporter. 266: 799
Davies, D. S. See Edwards, R. J.
Davies, J. R. See Thornton, D. J.
Davies, M. P. A. See Merritt, J. E.
——; Hallam, T. J.; Merritt, J. E.
A role for calcium and protein kinase C in agonist-stimulated adhesion of human neutrophils. 267: 13
Davis, H. W.
——; McDonald, J. M.
Insulin receptor function is inhibited by guanosine 5'-[γ-thio]triphosphate (GTP[S]). 270: 401
Davis, R. J. See Alvarez, E.
Dawson, A. P. See Cullen, P. J.; Shears, S. B.
Dawson, T. L. See Cowper, K. B.
Day, I. N. M.
——; Hinks, L. J.; Thompson, R. J.
The structure of the human gene encoding protein gene product 9.5 (PGP9.5), a neuron-specific ubiquitin C-terminal hydrolase. 268: 521
Day, P. J. R.
——; Bevan, I. S.; Gurney, S. J.; Young, L. S.; Walker, M. R.
Synthesis in vitro and application of biotinylated DNA probes for human papilloma virus type 16 by utilizing the polymerase chain reaction. 267: 119
Dean, N. M.
——; Boynton, A. L.
Angiotensin II causes phosphatidylinositol turnover and increases 1,2-diacylglycerol mass but is not mitogenic in rat liver T51B cells. 269: 347

De Arriaga, D. See Rua, J.
De Baere, I. See Vanfleteren, J. R.
De Bruyne, C. K. See Vangrysperre, W.
Decanniere, C. See Vanstapel, F.
De Foresta, B. See Le Maire, M.
Degnin, C. See White, M. W.
Dehlinger-Kremer, M. See Schaefer, R.
Deinum, J.
——; Goethe, P. O.; Skogloef, A.
Effect of temperature and chloride on steady-state inhibition of angiotensin I-converting enzyme by enalaprilat and ramiprilat. 272: 415
De Jaegere, S.
——; Wuytack, F.; Eggermont, J. A.; Verboomen, H.; Casteels, R.
Molecular cloning and sequencing of the plasma-membrane calcium pump of pig smooth muscle. 271: 655
De Jong, M. D. See Willems, P. H. G. M.
DeJoseph, M. R. See Jessy, J.
De Laat, S. W. See Tilly, B. C.
Delacour, A. See Beaude, P.
De Lean, A. See Larose, L.; Rondeau, J. J.
Delers, F. See Conner, J.
De Ley, M. See Tahon, J. P.
Delpiano, M. A. See Cross, A. R.
Delvaux, A. See Takazawa, K.
Demacker, P. N. M.
——; Mol, M. J. T. M.; Stalenhoef, A. F. H.
Increased hepatic lipase activity and increased direct removal of very-low-density lipoprotein remnants in Watanabe heritable hyperlipidemic (WHHL) rabbits treated with ethinylestradiol. 272: 647
De Mattei, M. See Treves, S.
De Mercoyrol, L.
——; Soulie, J. M.; Job, C.; Job, D.; Dussert, C.; Palmari, J.; Rasigni, M.; Rasigni, G.
Abortive intermediates in transcription by wheat-germ RNA polymerase II. Dynamic aspects of enzyme/template interactions in selection of the enzyme synthetic mode. 269: 651
Demeule, M. See Beliveau, R.
Demos, M. See Salari, H.
Den Blaauwen, J. See Mattia, E.
Denis-Pouxviel, C.
——; Gauthier, T.; Daviaud, D.; Murat, J. C.
Phosphofructokinase 2 and glycolysis in HT29 human colon adenocarcinoma cell line. Regulation by insulin and phorbol esters. 268: 465
Denton, R. M. See Borthwick, A. C.; Rutter, G. A.
Denyer, G. S. See Cooney, G. J.
DePierre, J. W. See Mankowitz, L.
De Pont, J. J. H. H. M. See Van der Hijden, H. T. W. M.; Willems, P. H. G. M.
Derisbourg, P.
——; Wieruszeski, J. M.; Montreuil, J.; Spik, G.
Primary structure of glycans isolated from human leukocyte lactotransferrin. Absence of fucose residues questions the proposed mechanism of hyposideremia. 269: 821
De Rosa, M. See Nicolaus, B.
Desai, M. See Wadsworth, J. D. F.
DeSante, D. C. See Peavy, D. E.
Desbuquois, B. See Authier, F.
Deschodt-Lanckman, M. See Vanneste, Y.
De Smedt, H. See Van den Bosch, L.
De Whalley, C. V. See Jessup, W.
Dho, S.
——; Grinstein, S.; Corey, E. J.; Su, W. G.; Pace-Asciak, C. R.
Hepoxilin A_3 induces changes in cytosolic calcium, intracellular pH and membrane potential in human neutrophils. 266: 63
Diaz-Guerra, M. J. M.
——; Bosca, L.
Lack of translocation of protein kinase C from the cytosol to the membranes in vasopressin-stimulated hepatocytes. 269: 163
Dickens, M. See Brindle, N. P. J.
Dickenson, J. M. See Nieduszynski, I. A.
——; Huckerby, T. N.; Nieduszynski, I. A.
Two linkage-region fragments isolated from skeletal keratan sulfate contain a sulfated N-acetylglucosamine residue. 269: 55
Dickinson, K. See Hitchcock, C. A.
Dickson, A. J. See Hamer, M. J.
Dickson, D. P. E. See Reid, N. M. K.
Diefenbach, R. See Thomas, G.
Dieppe, P. See Garnett, J.
Dietl, M. M. See Bruns, C.
DiFeo, T. J.
——; Addison, A. W.; Stephanos, J. J.
Kinetic and spectroscopic studies of hemoglobin and myoglobin from Urechis caupo. Distal residue effects. 269: 739
Di Ilio, C.
——; Aceto, A.; Bucciarelli, T.; Angelucci, S.; Felaco, M.; Grilli, A.; Federici, G.
Glutathione transferase isoenzymes from human prostate. 271: 481
Dimaline, R. See Vanneste, Y.
Di Marzo, V. See Zaidi, M.
Dimitriadis, G. D. See Parry-Billings, M.
Dinh, T. T. See Murray, J. J.
Diocee, B. K. See Souness, J. E.
Dirrig, S. See Faller, B.
Di Stefano, G. See Dall'olio, F.
Dittmer, J. See Palacin, M.
Dixon, C. J. See Sanchez-Bueno, A.; Schoefl, C.; Woods, N. M.
——; Woods, N. M.; Cuthbertson, K. S. R.; Cobbold, P. H.
Evidence for two calcium-mobilizing purinoceptors on rat hepatocytes. 269: 499
Dodd, I. See Fears, R.
Dodds, A. W.
——; Law, S. K. A.
The complement component C4 of mammals. 265: 495
Dohm, G. L. See Contreras, I.; Kern, M.
Dolly, J. O. See Wadsworth, J. D. F.
Domae, K. See Hayashi, H.
Domuado, D. See Beaude, P.
Donatelli, M. R. See Schaeffer, J. M.
Donker-Koopman, W. E. See Aerts, J. M. F. G.
Donner, J. See Elbashir, M. I.
Dopnan, S. See Doyle, J. M.
Dorn, C. C. See Rice, W. R.
Douce, R. See Macherel, D.
Douste-Blazy, L. See Radom, J.
Downes, C. P. See King, W. G.; Stephens, L. R.; Vallance, S. J.
Downey, G. P. See Trudel, S.
Dowton, S. B.
——; McGrew, S. D.
Rat serum amyloid P component. Analysis of cDNA sequence and gene expression. 270: 553
Doyle, J. M.
——; Schinina, M. E.; Bossa, F.; Doonan, S.
The amino acid sequence of cytosolic aspartate aminotransferase from human liver. 270: 651
Drabikowska, A. K.
——; Wozniak, G.
Modification of uridine phosphorylase from Escherichia coli by diethyl pyrocarbonate. Evidence for a histidine residue in the active site of the enzyme. 270: 319
Dresel, H. A. See Ottnad, E.
Drucker, D. J. See Rosen, C. F.
D'Silva, C.
Inhibition and recognition studies on the glutathione-binding site of equine liver glutathione S-transferase. 271: 161
Synthesis of carboxy-residue-modified coenzyme derivatives as probes to the mechanism of glutathione enzymes. 271: 167
Duan, D. S.
——; Nagashima, T.; Hoshino, T.; Waldman, F.; Pawlak, K.; Sadee, W.
Mechanisms of 2'-deoxyguanosine toxicity in mouse T-lymphoma cells with purine nucleoside phosphorylase deficiency and resistance to inhibition of ribonucleotide reductase by dGTP. 268: 725
Dudeja, P. K. See Wali, R. K.
Duee, P. H. See Prip-Buus, C.
Dueland, S.
——; Blomhoff, R.; Pedersen, J. I.
Uptake and degradation of vitamin D binding protein and vitamin D binding protein-actin complex in vivo in the rat. 267: 721
Duerden, J. M.
——; Gibbons, G. F.
Storage, mobilization and secretion of cytosolic triacylglycerol in hepatocyte cultures. The role of insulin. 272: 583
——; Marsh, B.; Burnham, F. J.; Gibbons, G. F.
Regulation of hepatic synthesis and secretion of cholesterol and glycerolipids in animals maintained in different nutritional states. 271: 761
Dufer, J. See Monboisse, J. C.
Dufy, B. See Mollard, P.
Duggleby, R. G. See Szedlacsek, S. E.; Thomas, G.
Duluc, I. See Freund, J. N.
Du Maine, A. See Van der Ende, A.
Dumont, J. E. See Takazawa, K.
Dunaevskii, Ya. E. See Belozerskii, M. A.
Dunaway, G. A.
——; Kasten, T. P.; Crabtree, S.; Mhaskar, Y.
Age-related changes in subunit composition and regulation of hepatic 6-phosphofructo-1-kinase. 266: 823
Dunbar, B. S. See Ledley, F. D.
Dunlop, M. See Metz, S. A.
Dunlop, M. E.
——; Larkins, R. G.
Insulin-dependent contractility of glomerular mesangial cells in response to angiotensin II, platelet-activating factor and endothelin is attenuated by prostaglandin E_2. 272: 561
Dunn, B. M. See Jupp, R. A.
Duperray, A. See Troesch, A.
Durban, E. See Chan, P. K.
Durieu-Trautmann, O. See Koman, A.

Duronio, V. See Salari, H.
Insulin receptor is phosphorylated in response to treatment of HepG2 cells with insulin-like growth factor I. 270: 27
Durrant, A. J. See Ferreira, L. M. A.; Kellett, L. E.
Durst, F. See Werck-Reichhart, D.
Dusart, J. See Jacob, F.
Dussert, C. See De Mercoyrol, L.
Dutta, M.
——; Bandyopadhyay, R.; Ghosh, C.; Basu, M. K.
Fluidity-dependent magnesium ATPase activity in membranes from Leishmania donovani promastigotes 265: 923
Dyer, J.
——; Beechey, R. B.; Gorvel, J. P.; Smith, R. T.; Wootton, R.; Shirazi-Beechey, S. P.
Glycyl-L-proline transport in rabbit enterocyte basolateral-membrane vesicles. 269: 565
Dyson, K. See Beckett, G. J.

Eady, R. R. See Harvey, I.
Eady, S. See Nieduszynski, I. A.
Earp, D. J. See Crickmore, N.
Earp, H. S. See Hepler, J. R.
East, J. M. See Michelangeli, F.
Easterby, J. S.
Integration of temporal analysis and control analysis of metabolic systems. 269: 255
Eaton, S. See Bartlett, K.
Eberhard, D. A.
——; Cooper, C. L.; Low, M. G.; Holz, R. W.
Evidence that the inositol phospholipids are necessary for exocytosis. Loss of inositol phospholipids and inhibition of secretion in permeabilized cells caused by a bacterial phospholipase C and removal of ATP. 268: 15
Ebner, S. See Burnol, A. F.
Eckel, J.
——; Gerlach-Eskuchen, E.; Reinauer, H.
G-protein-mediated regulation of the insulin-responsive glucose transporter in isolated cardiac myocytes. 272: 691
Edgell, N. J. See Borthwick, A. C.
Edmondson, D. E. See Boylan, M. H.
Edwards, R. H. T. See MacLennan, P. A.
Edwards, R. J.
——; Singleton, A. M.; Murray, B. P.; Sesardic, D.; Rich, K. J.; Davies, D. S.; Boobis, A. R.
An anti-peptide antibody targeted to a specific region of rat cytochrome P-450IA2 inhibits enzyme activity. 266: 497
Eeckhout, Y.
Possible role and mechanism of action of dissolved calcium in the degradation of bone collagen by lysosomal cathepsins and collagenase. 272: 529
Eggermont, J. A. See De Jaegere, S.
——; Wuytack, F.; Casteels, R.
Characterization of the mRNAs encoding the gene 2 sarcoplasmic/endoplasmic-reticulum calcium pump in pig smooth muscle. 266: 901
——; Wuytack, F.; Verbist, J.; Casteels, R.
Expression of endoplasmic-reticulum calcium-pump isoforms and of phospholamban in pig smooth-muscle tissues. 271: 649
Eguchi, G. See Morita, H.
Eijsink, V. G. H. See Van den Burg, B.
Eising, R. See Ni, W.
Ekdahl, K. N. See Nilsson, B.
Ekebacke, A. See Forsberg, G.
Elbashir, M. I.
——; Brodin, T.; Aakerstroem, B.; Donner, J.
Monoclonal antibodies to the pituitary growth-hormone receptor by the anti-idiotypic approach. Production and initial characterization. 266: 467
El-Fakahany, E. E. See Lai, W. S.
Eliopoulos, E. E. See Clarke, J. B.
Ellar, D. J. See Crickmore, N.
Ellory, J. C. See Odoom, J. E.
Elton, C. W. See Kern, M.
Ely, J. A.
——; Hunyady, L.; Baukal, A. J.; Catt, K. J.
Inositol 1,3,4,5-tetrakisphosphate stimulates calcium release from bovine adrenal microsomes by a mechanism independent of the inositol 1,4,5-trisphosphate receptor. 268: 333
Emerich, D. W. See Preston, G. G.
Emery, S. See Slater, T. F.
Emiliani, C.
——; Beccari, T.; Tabilio, A.; Orlacchio, A.; Hosseini, R.; Stirling, J. L.
An enzyme with properties similar to those of β-N-acetylhexosaminidase S is expressed in the promyelocytic cell line HL-60. 267: 111
——; Falzetti, F.; Orlacchio, A.; Stirling, J. L.
Treatment of HL-60 cells with dimethyl sulfoxide inhibits the formation of β-N-acetylhexosaminidase S. 272: 211
Emori, Y. See Homma, Y.
Enerbaeck, S. See Rojas, C.
Engel, P. C. See Syed, S. E. H.
Engesser, K. H. See Pieper, D. H.
England, P. J. See Murray, K. J.
Ennis, S. See Moynihan, J. B.
Enrich, C.
——; Tabona, P.; Evans, W. H.
A two-dimensional electrophoretic analysis of the proteins and glycoproteins of liver plasma membrane domains and endosomes. Implications for endocytosis and transcytosis. 271: 171
Entwistle, G.
——; Ap Rees, T.
Lack of fructose-1,6-bisphosphatase in a range of higher plants that store starch. 271: 467
Epand, R. M. See McKenzie, R. C.
Epstein, P. M. See Grasso, J. A.
Erickson, P. F.
——; Maxwell, I. H.; Su, L. J.; Baumann, M.; Glode, L. M.
Sequence of cDNA for rat cystathionine γ-lyase and comparison of deduced amino acid sequence with related Escherichia coli enzymes. 269: 335
Eriksson, J.
——; Gause-Nilsson, I.; Loennroth, P.; Smith, U.
The insulin-like effect of growth hormone on insulin-like growth factor II receptors is opposed by cyclic AMP. Evidence for a common post-receptor pathway for growth hormone and insulin action. 268: 353
Eriksson, S. See Jansson, O.
Ermel, B. See Machicao, F.
Erneux, C. See Takazawa, K.
Ernst, J. D. See Blackwood, R. A.
Erpicum, T. See Matagne, A.
Ervin, S. J. See Casero, R. A. Jr.
Esch, F. See Li, Q.
Escher, E. See Larose, L.; Rondeau, J. J.
Esposito, E. See Nicolaus, B.
Essig, D. A. See Gregory, P.
Esterbauer, H. See Juergens, G.
Estridge, J. K.
——; Kemp, L. M.; Latchman, D. S.
The herpes simplex virus protein Vmw65 can trans-activate both viral and cellular promoters in neuronal cells. 271: 273
Esumi, H. See Takada, Y.
Etherton, T. D. See Magri, K. A.
Eto, I. See Ha, T.
Ettinger, M. J. See Palida, F. A.; Waldrop, G. L.
Evans, E. G. V. See Hitchcock, C. A.
Evans, J. L.
——; Quistorff, B.; Witters, L. A.
Hepatic zonation of acetyl-CoA carboxylase activity. 270: 665
Evans, R. D.
——; Ilic, V.; Williamson, D. H.
Metabolic effects of platelet-activating factor in rats in vivo. Stimulation of hepatic glycogenolysis and lipogenesis. 269: 269
Evans, R. K. See Theibert, A. B.
Evans, W. H. See Ali, N.; Enrich, C.; Traub, L. M.
Evanson, J. M. See Taylor, D. J.
Evers, E. A. I. M. See Vanfleteren, J. R.
Eyer, J.
——; White, D.; Gagnon, C.
Presence of a new microtubule cold-stabilizing factor in bull sperm dynein preparations. 270: 821

Factor, S. M. See Takahashi, S.
Fain, J. N. See Claro, E.
Falany, C. N. See Hirshey, S. J.; Radominska, A.
Falany, J. See Radominska, A.
Faller, B.
——; Dirrig, S.; Rabaud, M.; Bieth, J. G.
Kinetics of the inhibition of human pancreatic elastase by recombinant eglin c. Influence of elastin. 270: 639
Falzetti, F. See Emiliani, C.
Fannon, A. M.
——; Moscarello, M. A.
Myelin basic protein is affected by reduced synthesis of myelin proteolipid protein in the jimpy mouse. 268: 105
Faraci, W. S. See Bakker, A. V.
Farias, R. N. See Angel, R. C.
Farrar, W. L. See Harel-Bellan, A.; Korner, M.; Linnekin, D.
Farrow, N. A.
——; Kanamori, K.; Ross, B. D.; Parivar, F.
A nitrogen-15 NMR study of cerebral, hepatic and renal nitrogen metabolism in hyperammonemic rats. 270: 473
Fattah, D. See Proudfoot, A. E. I.
Fattorini, L. See Amicosante, G.
Faulkner, A. See Vernon, R. G.
Fawcett, H. A. C. See Madon, R. J.
Fearnley, I. M.
——; Walker, J. E.; Martinus, R. D.; Jolly, R. D.; Kirkland, K. B.; Shaw, G. J.; Palmer, D. N.
The sequence of the major protein stored in ovine ceroid lipofuscinosis

is identical with that of the dicyclohexylcarbodiimide-reactive proteolipid of mitochondrial ATP synthase. 268: 751
Fears, R.
——; Dodd, I.; Ferres, H.; Robinson, J. H.
Kinetic studies on novel plasminogen activators. Demonstration of fibrin enhancement for hybrid enzymes comprising the A-chain of plasmin (Lys-78) and B-chain of tissue-type plasminogen activator (Ile-276) or urokinase (Ile-159). 266: 693
Federici, G. See Di Ilio, C.
Feeney, J. See Sixl, F.
Fein, A. See Robinson, P. R.
Feinstein, M. B. See O'Rourke, F.
Felaco, M. See Di Ilio, C.
Fellows, L. E. See Winchester, B. G.
Ferguson, M. A. J. See Bailyes, E. M.
Ferguson, S. J. See Carr, G. J.
Fernandez, D. See Manser, E.
Fernandez-Cabrera, C. See Lozano, R. M.
Fernandez-Gallardo, S. See Garcia, M. d. C.
Fernandez-Lobato, M.
——; Cannon, M.; Mitlin, J. A.; Mount, R. C.; Jimenez, A.
Characterization of Saccharomyces cerevisiae strains displaying high- or low-level resistance to trichothecene antibiotics. 267: 709
Ferragut, J. A. See Gavilanes, F.
Ferraro, J. C. See Zamorski, M. A.
Ferre, P. See Narkewicz, M. R.; Smadja, C.
Ferreira, L. M. A. See Kellett, L. E.
——; Durrant, A. J.; Hall, J.; Hazlewood, G. P.; Gilbert, H. J.
Spatial separation of protein domains is not necessary for catalytic activity or substrate binding in a xylanase. 269: 261
Ferrer, J. V.
——; Gasco, E.; Sastre, J.; Pallardo, F. V.; Asensi, M.; Vina, J.
Age-related changes in glutathione synthesis in the eye lens. 269: 531
Ferres, H. See Fears, R.
Ferris, C. D. See Theibert, A. B.
Ferwerda, H. See Hessels, J.
Ferwerda, W. See Pels Rijcken, W. R.
Feuerstein, B. G. See Basu, H. S.
Fevery, J. See Kotal, P.
Field, C. J.
——; Wu, G.; Metroz-Dayer, M. D.; Montambault, M.; Marliss, E. B.
Lactate production is the major metabolic fate of glucose in splenocytes and is altered in spontaneously diabetic BB rats. 272: 445
Field, F. J. See Kam, N. T. P.
Figler, N. L. See Hussaini, I. M.
Fimmel, A. L.
——; Karp, P. E.; Norris, U.
Mutations within the uncE gene affecting assembly of the F_1F_0-ATPase of Escherichia coli. 269: 303
Findlay, J. B. C. See Clarke, J. B.; Navaratnam, N.
Fiore, S.
——; Nicolaou, K. C.; Caulfield, T.; Kataoka, H.; Serhan, C. N.
Evaluation of synthetic sphingosine, lysosphingolipids and glycosphingolipids as inhibitors of functional responses of human neutrophils. 266: 25
Fischer, J. E. See Hasselgren, P. O.
Fisher, K. See Lowe, D. J.
Fisher, M. J. See Green, A. K.
Flatmark, T. See Fukami, M. H.
Flatt, P. R. See Barnett, C. R.
Flavell, R. A. See Allen, H.
Fleet, G. See Winchester, B.; Winchester, B. G.
Fleet, G. W. J. See Axamawaty, M. T. H.
Flint, D. J. See Madon, R. J.; Vernon, R. G.
Flouret, B. See Michaud, C.
Foley, J. J. See Mattern, M. R.
Folk, J. E. See Martinet, N.
Foltzer-Jourdainne, C. See Freund, J. N.
Foot, E. See Leighton, B.
Forrester, L. M. See Ball, S. E.; Miles, J. S.
Forsberg, G.
——; Palm, G.; Ekebacke, A.; Josephson, S.; Hartmanis, M.
Separation and characterization of modified variants of recombinant human insulin-like growth factor I derived from a fusion protein secreted from Escherichia coli. 271: 357
Forstner, G. G. See McCool, D. J.
Forstner, J. F. See McCool, D. J.
Foster, C. J. See Johnson, G. R.
Fouchier, F.
——; Baltz, T.; Rougon, G.
Identification of glycosylphosphatidylinositol-specific phospholipases C in mouse brain membranes. 269: 321
Foulkes, N. S. See Poggi, V.
Fowler, C. J.
——; Braennstroem, G.
Kinetic and inhibitor profiles of soluble and particulate inositol 1,4,5-trisphosphate 5-phosphatase from GH_3 and IMR-32 cells. 271: 735
Fox, J. W. See Carabaza, A.
Fox, K. R.
——; Kentebe, E.
Footprinting studies on the effect of echinomycin on the structure of a bent DNA fragment. 269: 217
Franceschini, N. See Amicosante, G.
Francis, M. J. O. See Murrell, G. A. C.
Frangione, B. See Ghiso, J.
Frankland, R. L. See Cooney, G. J.
Fransson, L. A. See Schmidtchen, A.
——; Havsmark, B.; Silverberg, I.
A method for the sequence analysis of dermatan sulfate. 269: 381
Freedman, R. B. See Bulleid, N. J.; Sheikh, A.; Sugrue, R.; Williamson, R. A.
Freeman, C. See Bielicki, J.
Freeman, D. A. See Nagy, L.
Freeman, S. N.
——; Rennie, P. S.; Chao, J.; Lund, L. R.; Andreasen, P. A.
Urokinase- and tissue-type plasminogen activators are suppressed by cortisol in the involuting prostate of castrated rats. 269: 189
Freije, J. M. P. See Balbin, M.
Frelin, C. See Vigne, P.
Frere, J. M. See Adam, M.; Amicosante, G.; Jacob, F.; Matagne, A.
Freund, J. N.
——; Duluc, I.; Foltzer-Jourdainne, C.; Gosse, F.; Raul, F.
Specific expression of lactase in the jejunum and colon during postnatal development and hormone treatments in the rat. 268: 99
Frey, S.
——; Tamm, L. K.
Membrane insertion and lateral diffusion of fluorescence-labeled cytochrome c oxidase subunit IV signal peptide in charged and uncharged phospholipid bilayers. 272: 713
Frias, I. See Treadway, J. L.
Friedman, J. E. See Kern, M.
Friedrich, E. See Ottnad, E.
Fries, E. See Sjoeberg, E. M.
Fritsche, U. See Robitzki, A.
Fritz, I. B. See Tsuruta, J. K.
Frost, S. C.
——; Schwalbe, M. S.
Uptake and binding of radiolabeled phenylarsine oxide in 3T3-L1 adipocytes. 269: 589
Fruchart, J. C. See Barbaras, R.
Fruen, B. R.
——; Lester, B. R.
Down's syndrome fibroblasts exhibit enhanced inositol uptake. 270: 119
Frutiger, S. See Hughes, G. J.
Fu, T.
——; Okano, Y.; Zhang, W.; Ozeki, T.; Mitsui, Y.; Nozawa, Y.
Receptor-linked early events induced by vasoactive intestinal contractor (VIC) on neuroblastoma and vascular smooth-muscle cells. 272: 71
Fueyo, A. See Balbin, M.
Fujiki, H. See Nam, K. Y.
Fujiwara, T. See Oda, K.
Fukami, M. H.
——; Haavik, J.; Flatmark, T.
Phenylalanine as substrate for tyrosine hydroxylase in bovine adrenal chromaffin cells. 268: 525
Fulceri, R.
——; Bellomo, G.; Gamberucci, A.; Benedetti, A.
Magnesium-ATP-dependent accumulation of calcium ions and inorganic phosphate in a liver reticular pool. 272: 549
Fuller, D. J. M.
——; Carper, S. W.; Clay, L.; Chen, J. R.; Gerner, E. W.
Polyamine regulation of heat-shock-induced spermidine N^1-acetyltransferase activity. 267: 601
Fuller, S. J.
——; Gaitanaki, C. J.; Sugden, P. H.
Effects of catecholamines on protein synthesis in cardiac myocytes and perfused hearts isolated from adult rats. Stimulation of translation is mediated through the α_1-adrenoceptor. 266: 727
Funder, J. E. See Clements, J. A.
Furlan, S. See Salvatori, S.

Gabibov, A. G. See Piskarev, V. E.
Gabizon, R.
——; Prusiner, S. B.
Prion liposomes. 266: 1
Gabriac, B. See Werck-Reichhart, D.
Gacesa, P. See Narbad, A.
Gadsby, P. M. A. See Blackmore, R. S.
Gaede, G.
——; Wilps, H.; Kellner, R.
Isolation and structure of a novel charged member of the red-pigment-concentrating hormone-adipokinetic hormone family of peptides isolated from the corpora cardiaca of the blowfly Phormia terraenovae (Diptera). 269: 309
Gagnon, C. See Eyer, J.
Gagnon, J. See Gregory, P.; Macherel, D.; Meyer, J.
Gahl, W. A. See Blom, H. J.
Gaitanaki, C. J. See Fuller, S. J.
Gajic, D. See Rosen, C. F.
Gallagher, J. T. See Turnbull, J. E.
Galper, J. B. See Barnett, J. V.
Gambacorta, A. See Nicolaus, B.
Gamberucci, A. See Fulceri, R.

Gamet, L. See Murat, J. C.
Ganapathi, M. K.
——; Mackiewicz, A.; Samols, D.; Brabe=
nec, A.; Kushner, I.; Schultz, D.; Hu, S. I.
Induction of C–reactive protein by cytokines in human hepatoma cell lines is potentiated by caffeine. 269: 41
Ganapathy, V. See Tiruppathi, C.
Ganem, B. See Bernotas, R. C.
Ganis, B. See Porter, C. W.
Ganz, T. See Burgener, R.
Garattini, E. See Terao, M.
Garcia, C. See Garcia, M. d. C.
Garcia, M. See Varon, R.
Garcia, M. d. C.
——; Fernandez–Gallardo, S.; Gijon, M. A.; Garcia, C.; Nieto, M. L.; Sanchez Crespo, M.
Biosynthesis of platelet–activating factor (PAF) in human polymorpho= nuclear leukocytes. The role of lyso–PAF disposal and free arachi= donic acid. 268: 91
Garcia–Blanco, F. See Arriaga, P.
Garcia Canovas, F. See Rodriguez, P.; Varon, R.
Garcia–Carmona, F. See Bru, R.
Garcia de la Asuncion, J. See Bar= ber, T.
Garcia–Sainz, J. A.
——; Hernandez–Sotomayor, S. M. T.; Macias–Silva, M.
Melittin stimulates liver glycogenoly= sis and the release of prostaglandin D_2 and thromboxane B_2. 269: 273
Garcia–Sancho, J. See Alonso, M. T.; Montero, M.
Gardemann, A.
——; Beck, H.; Jungermann, K.
Differential control of glycogenolysis and flow by arterial and portal acetylcholine in perfused rat liver. 271: 599
Gardner, S. D. See Plevin, R.
Gariepy, J. See Ramotar, K.
Garland, L. G. See Thompson, N. T.
Garlick, P. J. See Southorn, B. G.
Garlick, R. K.
——; Giese, R. W.
Dissociative binding of α– and β–sul= foxides of biotinylamidoethyl–3–(4–= hydroxy–3–[^{125}I]iodophenyl)propion= amide to avidin. 268: 611
Garner, C. See Young, S. P.
Garner, C. D. See Harvey, I.
Garnett, J.
——; Dieppe, P.
The effects of serum and human albumin on calcium hydroxyapatite crystal growth. 266: 863
Garretson, L. See Shoshan–Barmatz, V.
Garrity, M. J. See Brass, E. P.
Gasco, E. See Ferrer, J. V.
Gaskell, S. J. See Schaffer, M. H.
Gaspar, V. See Kwan, C. Y.
Gasser, K. W. See Thevenod, F.
Gasset, M.
——; Onaderra, M.; Thomas, P. G.; Gavilanes, J. G.
Fusion of phospholipid vesicles pro= duced by the antitumor protein α–sarcin. 265: 815
Gati, W. P. See Agbanyo, F. R.
——; Lin, A. N.; Wang, T. I.; Young, J. D.; Paterson, A. R. P.
Parasite–induced processes for adeno= sine permeation in mouse erythro= cytes infected with the malarial parasite Plasmodium yoelii. 272: 277
Gat–Yablonski, G.
——; Sagi–Eisenberg, R.
Differential down–regulation of pro= tein kinase C selectively affects IgE–dependent exocytosis and inosi= tol trisphosphate formation. 270: 679
Evaluation of the role of inositol trisphosphate in IgE–dependent exocytosis. 270: 685
Gaudry, M. See Vidal–Cros, A.
Gause–Nilsson, I. See Eriksson, J.
Gauthier, T. See Denis–Pouxviel, C.
Gavilanes, F.
——; Gomez–Gutierrez, J.; Aracil, M.; Gonzalez–Ros, J. M.; Ferragut, J. A.; Guerrero, E.; Peterson, D. L.
Hepatitis B surface antigen. Role of lipids in maintaining the structural and antigenic properties of protein components. 265: 857
Gavilanes, J. G. See Gasset, M.
Gavin, C. E.
——; Gunter, K. K.; Gunter, T. E.
Manganese and calcium efflux kinet= ics in brain mitochondria. Rele= vance to manganese toxicity. 266: 329
Gawler, D. J.
——; Potter, B. V. L.; Nahorski, S. R.
Inositol 1,3,4,5–tetrakisphosphate–in= duced release of intracellular calcium in SH–SY5Y neuroblastoma cells. 272: 519
Gear, A. R. L. See Jones, G. D.
Gee, N. S. See Whiting, P.
Geipel, U.
——; Just, I.; Aktories, K.
Inhibition of cytochalasin D–stimulat= ed G–actin ATPase by ADP–ribosy= lation with Clostridium perfringens iota toxin. 266: 335
Genet, R.
——; Lederer, F.
The carbanion of nitroethane is an inhibitor of, and not a substrate for, flavocytochrome b_2 [L–(+)–lactate dehydrogenase]. 266: 301
George, S. J. See Berry, M. J.
Georgescaud, D. See Grouselle, M.
Geras–Raaka, E. See Cubitt, A. B.
Gerlach–Eskuchen, E. See Eckel, J.
Gerner, E. W. See Fuller, D. J. M.
Gerok, W. See Haeussinger, D.; Vom Dahl, S.
Gershengorn, M. C. See Cubitt, A. B.
Gerth, C. See Buckwitz, D.
Getz, G. S. See Tonsgard, J. H.
Geurten, P. See Van Breda, E.
Gevers, W. See Arnold, J. E.
Geyer, H. See Holschbach, C.
Ghadiminejad, I.
——; Saggerson, E. D.
The relationship of rat liver overt carnitine palmitoyltransferase to the mitochondrial malonyl–CoA binding entity and to the latent palmitoyltransferase. 270: 787
Ghazarian, J. G. See Mandel, M. L.
Ghidoni, R. See Trinchera, M.
Ghiso, J.
——; Haltia, M.; Prelli, F.; Novello, J.; Frangione, B.
Gelsolin variant (Asn–187) in familial amyloidosis, Finnish type. 272: 827
Ghosh, C. See Dutta, M.
Gianni, M. See Terao, M.
Giardina, B. See Brix, O.
——; Brix, O.; Clementi, M. E.; Scatena, R.; Nicoletti, B.; Cicchetti, R.; Ar= gentin, G.; Condo, S. G.
Differences between horse and human hemoglobins in effects of organic and inorganic anions on oxygen binding. 266: 897
Gibb, G. M.
——; Ragan, C. I.
Identification of the subunits of bo= vine NADH dehydrogenase which are encoded by the mitochondrial genome. 265: 903
Gibb, L. See Waddell, I. D.
Gibbons, G. F. See Duerden, J. M.
Assembly and secretion of hepatic very–low–density lipoprotein. 268: 1
Gibson, G. G. See Barnett, C. R.
Gibson, G. J. See Taylor, J. A.
Gibson, R. M.
——; Christensen, H.; Waley, S. G.
Site–directed mutagenesis of β–lacta= mase I. Single and double mutants of Glu–166 and Lys–73. 272: 613
Gierschik, P. See Camps, M.
Giese, R. W. See Garlick, R. K.
Gijon, M. A. See Garcia, M. d. C.
Gilbert, H. J. See Ferreira, L. M. A.; Kellett, L. E.
Gilkes, N. R. See Pilz, I.
Gillard, N. See McKernan, R. M.
Gimenez, C. See Zafra, F.
Girard, J. See Burnol, A. F.; Narkew= icz, M. R.; Prip–Buus, C.; Smadja, C.
Girard, T. J.
——; McCourt, D.; Novotny, W. F.; MacPhail, L. A.; Likert, K. M.; Broze, G. J. Jr.
Endogenous phosphorylation of the lipoprotein–associated coagulation inhibitor at serine–2. 270: 621
Girones, N. See Alvarez, E.
Giroux, S. See Strevey, J.
Gitlin, G.
——; Bayer, E. A.; Wilchek, M.
Studies on the biotin–binding sites of avidin and streptavidin. Tyrosine residues are involved in the binding site. 269: 527
Giuliani, A. See Hopfer, R. L.
Glancey, M. J. See Miles, J. S.
Glasier, M. A. See Hobkirk, R.
Glatz, J. F. C. See Van Breda, E.
Glimcher, M. J. See Mikuni–Taka= gaki, Y.
Glode, L. M. See Erickson, P. F.
Glomset, J. A. See Lemaitre, R. N.
Glynn, P. See Chantry, A.
Goddard, J. P. See Gonos, E. S.
Goethe, P. O. See Deinum, J.
Goh, P. Y. See Manser, E.
Goldberg, H. J.
——; Viegas, M. M.; Margolis, B. L.; Schlessinger, J.; Skorecki, K. L.
The tyrosine kinase activity of the epidermal growth factor receptor is necessary for phospholipase A_2 activation. 267: 461
Golds, E. E. See Nyirkos, P.
Golub, S. B. See Bateman, J. F.
Gomeza, J. See Zafra, F.
Gomez–Gutierrez, J. See Gavilanes, F.
Gomperts, B. D. See Churcher, Y.
Goni, F. M. See Urbaneja, M. A.
Gonias, S. L. See Hussaini, I. M.
Gonos, E. S.
——; Goddard, J. P.
The role of the 5′–flanking sequence of a human $tRNA^{Glu}$ gene in modu= lation of its transcriptional activity in vitro. 272: 797
Gonzalez–Manas, J. M. See Urbane= ja, M. A.
Gonzalez–Ros, J. M. See Gavilanes, F.
Goodhew, C. F.
——; Wilson, I. B. H.; Hunter, D. J. B.; Pettigrew, G. W.
The cellular location and specificity of bacterial cytochrome c peroxidas= es. 271: 707

Goodwin, G. H. See Perkins, N. D.
Gorchein, A.
Measurement of 5-aminolevulinate synthase activity by gas–liquid chromatography with electron-capture detection. 270: 103
Gordon, B. A. See Mesmer, O. T.
Gordon, M. J. See Crabtree, B.
Gordon, S. See Calder, P. C.
Gorman, N. See Sinclair, J. F.
Gorvel, J. P. See Dyer, J.
Gosse, F. See Freund, J. N.
Goth, M. See Stathopoulos, V. M.
Gottesman, M. M. See Salminen, A.
Gould, G. W. See Calderhead, D. M.
Gouras, P. See Das, S. R.
Goureau, O.
——; Tanfin, Z.; Harbon, S.
Prostaglandins and muscarinic agonists induce cyclic AMP attenuation by two distinct mechanisms in the pregnant-rat myometrium. Interaction between cyclic AMP and calcium signals. 271: 667
Gow, L. A. See Chauvaux, S.
Goward, C. R.
——; Murphy, J. P.; Atkinson, T.; Barstow, D. A.
Expression and purification of a truncated recombinant streptococcal Protein G. 267: 171
Grabowsky, B. See Schaefer, R.
Gramzow, M. See Robitzki, A.
Granier, B. See Matagne, A.
Grant, M. E. See Kielty, C. M.
Grant, S. See Beri, R. K.
Grasso, J. A.
——; Bruno, M.; Yates, A. A.; Wei, L.; Epstein, P. M.
Calmodulin dependence of transferrin receptor recycling in rat reticulocytes. 266: 261
Graves, J. D. See Alexander, D. R.
——; Lucas, S. C.; Alexander, D. R.; Cantrell, D. A.
Guanine nucleotide regulation of inositol phospholipid hydrolysis and CD3-antigen phosphorylation in permeabilized T lymphocytes. 265: 407
Green, A. K.
——; Cotton, R. G. H.; Jennings, I.; Fisher, M. J.
Experimental determination of the phosphorylation state of phenylalanine hydroxylase. 265: 563
Green, I. C. See Khawaja, X. Z.; Southern, C.
Green, N. M. See Treves, S.
Greenwood, C. See Blackmore, R. S.; Reid, N. M. K.
Greggia, L. See Trinchera, M.
Gregory, P.
——; Gagnon, J.; Essig, D. A.; Reid, S. K.; Prior, G.; Zak, R.
Differential regulation of actin and myosin isoenzyme synthesis in functionally overloaded skeletal muscle. 265: 525
Grelac, F. See Karniguian, A.
Grell, E. See Van der Hijden, H. T. W. M.
Grenett, H. E. See Ledley, F. D.
Gresser, M. J. See Beharry, S.
Greve, H.
——; Blumberg, P.; Schmidt, G.; Schlumberger, W.; Rauterberg, J.; Kresse, H.
Influence of collagen lattice on the metabolism of small proteoglycan II by cultured fibroblasts. 269: 149
Griendling, K. K. See Barnett, J. V.; Socorro, L.
Griffiths, S. L. See Bushfield, M.
Griffiths, W. T. See Darrah, P. M.; Smith, M. A.
Griglio, S. See Sultan, F.
Grigor, M. R.
——; McDonald, F. J.; Latta, N.; Richardson, C. L.; Tate, W. P.
Transferrin–gene expression in the rat mammary gland. Independence of maternal iron status. 267: 815
Grilli, A. See Di Ilio, C.
Grinham, C. J. See Baxter, A.
Grinstein, S. See Dho, S.; Trudel, S.
Griswold, M. D. See Tsuruta, J. K.
Grodzinsky, A. J. See Sah, R. L. Y.
Grondin, P. See Sultan, C.
Gronich, J. H.
——; Bonventre, J. V.; Nemenoff, R. A.
Purification of a high-molecular-mass form of phospholipase A_2 from rat kidney activated at physiological calcium concentrations. 271: 37
Groot, P. H. E. See Berkhout, T. A.
Grote, M. See Roemisch, J.
Grouselle, M.
——; Tueux, O.; Dabadie, P.; Georgescaud, D.; Mazat, J. P.
Effect of local anesthetics on mitochondrial membrane potential in living cells. 271: 269
Grover, A. K. See Khan, I.
Grubb, A. See Abrahamson, M.
Guellaen, G. See Siegrist, S.
Guerrero, E. See Gavilanes, F.
Guest, J. R. See Ali, S. T.; Russell, G. C.
Guidotti, A.
——; Berkovich, A.; Muhkin, A.; Costa, E.
Diazepam-binding inhibitor: Reply to comments. 265: 928
Guillouzo, A. See Conner, J.
Guinovart, J. J. See Carabaza, A.
Gull, K. See Curling, E. M. A.; Macrae, T. H.
Guma, A.
——; Camps, M.; Palacin, M.; Testar, X.; Zorzano, A.
Protein kinase C activators selectively inhibit insulin-stimulated system A transport activity in skeletal muscle at a post-receptor level. 268: 633
Gunter, K. K. See Gavin, C. E.
Gunter, T. E. See Gavin, C. E.
Gurney, S. J. See Day, P. J. R.
Gustafson, S. See Smedsroed, B.
Gutteridge, J. M. C.
——; Maidt, L.; Poyer, L.
Superoxide dismutase and Fenton chemistry. Reaction of ferric-EDTA complex and ferric-bipyridyl complex with hydrogen peroxide without the apparent formation of iron(II). 269: 169

Ha, T.
——; Morgan, S. L.; Vaughn, W. H.; Eto, I.; Baggott, J. E.
Detection of inhibition of 5-aminoimidazole-4-carboxamide ribotide transformylase by thioinosinic acid and azathioprine by a new colorimetric assay. 272: 339
Haavik, J. See Fukami, M. H.
Hach, M.
——; Pedersen, S. N.; Boerchers, T.; Hoejrup, P.; Knudsen, J.
Determination by photoaffinity labeling of the hydrophobic part of the binding site for acyl-CoA esters on acyl-CoA-binding protein from bovine liver. 271: 231
Hadjidakis, I. See Papadouli, I.
Haedener, A.
——; Alefounder, P. R.; Hart, G. J.; Abell, C.; Battersby, A. R.
Biosynthesis of porphyrins and related macrocycles. Part 36. Investigation of putative active-site lysine residues in hydroxymethylbilane synthase. Preparation and characterization of mutants in which (a) Lys-55, (b) Lys-59 and (c) both Lys-55 and Lys-59 have been replaced by glutamine. 271: 487
Haering, H. U. See Machicao, F.
Haeussinger, D. See Vom Dahl, S.
Nitrogen metabolism in liver: structural and functional organization and physiological relevance. 267: 281
——; Hallbrucker, C.; Vom Dahl, S.; Lang, F.; Gerok, W.
Cell swelling inhibits proteolysis in perfused rat liver. 272: 239
Hafner, R. P.
——; Brown, G. C.; Brand, M. D.
Thyroid-hormone control of state-3 respiration in isolated rat liver mitochondria. 265: 731
Hagelberg, C.
——; Allan, D.
Restricted diffusion of integral membrane proteins and polyphosphoinositides leads to their depletion in microvesicles released from human erythrocytes. 271: 831
Hagmann, W.
——; Korte, M.
Hepatic uptake and metabolic disposition of leukotriene B_4 in rats. 267: 467
Hajjar, D. P.
——; Pomerantz, K. B.; Snow, J. W.
Analysis of the physical state of cholesteryl esters in arterial-smooth-muscle-derived foam cells by differential scanning calorimetry. 268: 693
Hakam, A. See Bauer, P. I.
Hakeem, N. A. See Newton, R. P.
Halenda, S. P.
——; Rehm, A. G.
Evidence for the calcium-dependent activation of phospholipase D in thrombin-stimulated human erythroleukemia cells. 267: 479
Halestrap, A. P. See Davidson, A. M.; Poole, R. C.
——; Davidson, A. M.
Inhibition of calcium-induced large-amplitude swelling of liver and heart mitochondria by cyclosporin is probably caused by the inhibitor binding to mitochondrial-matrix peptidyl-prolyl cis-trans isomerase and preventing it interacting with the adenine nucleotide translocase. 268: 153
Haley, J. See Allen, H.
Hall, C. See Ahmed, S.; Leung, T. K. C.; Manser, E.
Hall, J. See Ferreira, L. M. A.
Hallam, T. J. See Davies, M. P. A.; Merritt, J. E.
Hall-Angeraas, M. See Hasselgren, P. O.
Hallberg, A. See Arkhammar, P.
Hallbrucker, C. See Haeussinger, D.
Haller, H.
——; Smallwood, J. I.; Rasmussen, H.
Protein kinase C translocation in intact vascular smooth muscle strips. 270: 375
Halle-Smith, S. C.
——; Selwyn, M. J.
Respiratory inhibitors and uncouplers prevent the aeration-induced increase in mitochondrial anion conductivity. 266: 689

Hallett, M. B. See Al-Mohanna, F. A.; Jones, J.
Halliday, D. See Leoni, P.
Haltia, M. See Ghiso, J.
Hamako, J. See Mizuochi, T.
Hambleton, P. See Wadsworth, J. D. F.
Hamer, M. J.
——; Dickson, A. J.
Control of glycolysis in cultured chick embryo hepatocytes. Fructose 2,6-bisphosphate content and phosphofructokinase-1 activity are stimulated by insulin and epidermal growth factor. 269: 685
Hamlin, S.
——; Rahman, K.; Carrella, M.; Coleman, R.
Modulation of biliary lipid secretion by forskolin and cyclic AMP analogs. 265: 879
Hamm, H. E. See Robinson, P. R.
Hammel, K. E. See Kersten, P. J.
Hanke, D. E. See Biffen, M.
Hanley, M. R. See Law, G. J.; Poyner, D. R.
Hannah, K. A. See Axamawaty, M. T. H.
Hansford, R. G. See Moreno-Sanchez, R.
Hara, A. See Ohmura, M.
Harbon, S. See Goureau, O.
Harden, T. K. See Hepler, J. R.
Harel-Bellan, A.
——; Krief, P.; Rimsky, L.; Farrar, W. L.; Mishal, Z.
Flow cytometry resonance energy transfer suggests an association between low-affinity interleukin 2 binding sites and HLA class I molecules. 268: 35
Harris, D. A. See Das, A. M.
Harris, T. J. R. See Williamson, R. A.
Harrison, D. J. See Hayes, J. D.
Harrison, R. A. See Smith, K. F.
Harrison, R. S. See Aulak, K. S.
Hart, C. A. See Johnston, D. J.
Hart, G. J. See Haedener, A.
Hartmanis, M. See Forsberg, G.
Harvey, D. J. See Calder, P. C.
Harvey, I.
——; Arber, J. M.; Eady, R. R.; Smith, B. E.; Garner, C. D.; Hasnain, S. S.
Iron K-edge x-ray-absorption spectroscopy of the iron-vanadium cofactor of the vanadium nitrogenase from Azotobacter chroococcum 266: 929
Harvima, R. J. See Kajander, E. O.
Hasinoff, B. B.
Inhibition and inactivation of NADH-cytochrome c reductase activity of bovine heart submitochondrial particles by the iron(III)-adriamycin complex. 265: 865
Haslam, R. J. See Van der Meulen, J.
Hasnain, S. S. See Harvey, I.
Hasselgren, P. O.
——; Hall-Angeraas, M.; Angeraas, U.; Benson, D.; James, J. H.; Fischer, J. E.
Regulation of total and myofibrillar protein breakdown in rat extensor digitorum longus and soleus muscle incubated flaccid or at resting length. 267: 37
——; Zamir, O.; James, J. H.; Fischer, J. E.
Prostaglandin E_2 does not regulate total or myofibrillar protein breakdown in incubated skeletal muscle from normal or septic rats. 270: 45
Hatch, G. M.
——; Choy, P. C.
Effect of hypoxia on phosphatidylcholine biosynthesis in the isolated hamster heart. 268: 47
Hauschildt, S. See Seifert, R.
——; Lueckhoff, A.; Muelsch, A.; Kohler, J.; Bessler, W.; Busse, R.
Induction and activity of nitric oxide synthase in bone-marrow-derived macrophages are independent of calcium. 270: 351
Hausser, H. See Schmidt, G.
Hauton, J. See Chanussot, F.
Havekes, L. M. See Berkhout, T. A.
Havinga, R. See Smit, M. J.
Havsmark, B. See Fransson, L. A.
Havsteen, B. H. See Varon, R.
Hawkes, T. R.
——; Lewis, T.; Coggins, J. R.; Mousdale, D. M.; Lowe, D. J.; Thorneley, R. N. F.
Chorismate synthase. Pre-steady-state kinetics of phosphate release from 5-enolpyruvylshikimate 3-phosphate. 265: 899
Hawkins, A. R. See Beri, R. K.
Hawkins, P. T. See Poyner, D. R.
Hawkins, R. A. See Jessy, J.
Hay, A. J. See Bhat, K. M.
Hay, W. W. Jr. See Vernon, R. G.
Hayakawa, K. See Oizumi, J.
Hayashi, H.
——; Owada, M. K.; Sonobe, S.; Domae, K.; Yamanouchi, T.; Kakunaga, T.; Kitajima, Y.; Yaoita, H.
Monoclonal antibodies specific to a calcium-bound form of lipocortin I distinguish its calcium-dependent phospholipid-binding ability from its ability to inhibit phospholipase A_2. 269: 709
Hayes, J. D. See Black, S. M.
——; Kerr, L. A.; Harrison, D. J.; Cronshaw, A. D.; Ross, A. G.; Neal, G. E.
Preferential over-expression of the Class Alpha rat Ya_2 glutathione S-transferase subunit in livers bearing aflatoxin-induced pre-neoplastic nodules. Comparison of the primary structures of Ya_1 and Ya_2 with cloned Class Alpha glutathione S-transferase cDNA sequences. 268: 295
——; Wolf, C. R.
Molecular mechanisms of drug resistance. 272: 281
Hayter, P. M. See Curling, E. M. A.
Hayzer, D. J.
——; Iynedjian, P. B.
Alternative splicing of glucokinase mRNA in rat liver. 270: 261
Hazleman, B. L. See Cawston, T. E.
Hazlewood, G. P. See Ferreira, L. M. A.; Kellett, L. E.
Heap, R. B. See Brigstock, D. R.
Hedeskov, C. J. See Thams, P.
Heimburger, N. See Roemisch, J.
Heimgartner, U.
——; Kozulic, B.; Mosbach, K.
Reversible and irreversible cross-linking of immunoglobulin heavy chains through their carbohydrate residues 267: 585
Heino, J.
——; Heinonen, T.
Interleukin-1β prevents the stimulatory effect of transforming growth factor-β on collagen gene expression in human skin fibroblasts. 271: 827
Heinonen, T. See Heino, J.
Heinrich, P. C.
——; Castell, J. V.; Andus, T.
Interleukin-6 and the acute phase response. 265: 621
Heinzel, G. See Krause, J.
Helliger, W. See Lindner, H.
Henderson, C. J.
——; Scott, A. R.; Yang, C. S.; Wolf, C. R.
Testosterone-mediated regulation of mouse renal cytochrome P-450 isoenzymes. 266: 675
Henderson, L. See Cross, A. R.
Henderson, W. R. Jr. See Metcalfe, D. D.
Hendil, K. B.
——; Lauridsen, A. M. B.; Seglen, P. O.
Both endocytic and endogenous protein degradation in fibroblasts is stimulated by serum/amino acid deprivation and inhibited by 3-methyladenine. 272: 577
Hendzel, M. J.
——; Davie, J. R.
Nucleosomal histones of transcriptionally active/competent chromatin preferentially exchange with newly synthesized histones in quiescent chicken erythrocytes. 271: 67
Hensley, P. See Berkovich, A.
Hentschel, J. See Cross, A. R.
Hepler, J. R.
——; Jeffs, R. A.; Huckle, W. R.; Outlaw, H. E.; Rhee, S. G.; Earp, H. S.; Harden, T. K.
Evidence that the epidermal growth factor receptor and nontyrosine kinase hormone receptors stimulate phosphoinositide hydrolysis by independent pathways. 270: 337
Herington, A. C. See Ooi, G. T.
Hermans, M. M. P. See Hoefsloot, L. H.
Hernandez-Sotomayor, S. M. T. See Garcia-Sainz, J. A.
Herrera, E. See Lasuncion, M. A.
Hesketh, J. See Horne, Z.
Hessels, J.
——; Ferwerda, H.; Kingma, A. W.; Muskiet, F. A. J.
Inhibition of polyamine oxidase in rats improves the sensitivity of urinary polyamines as markers for cell death. 266: 843
Hettiarachchi, M. See Clark, M. G.
Hew, C. See McLaurin, J.
Hewlins, M. J. E. See Narbad, A.
Hidasi, V. See Polgar, J.
Higashi, K. See Hoek, J. B.
Higazi, A. A. R.
——; Mayer, M.
Inhibition of plasmin by fibrinogen. 269: 299
Hill, J. See White, M. W.
Hiltunen, J. K. See Kilponen, J. M.
Hinks, L. J. See Day, I. N. M.
Hinsch, K. D. See Schnefel, S.
Hipkin, C. R. See Kay, C. J.
Hirai, M.
——; Shimizu, N.
Purification of two distinct proteins of approximate M_r 80,000 from human epithelial cells and identification as proper substrates for protein kinase C. 270: 583
Hiron, M. See Conner, J.
Hirshey, S. J.
——; Falany, C. N.
Purification and characterization of rat liver minoxidil sulfotransferase. 270: 721
Hitaka, T.
——; Mizutani, T.; Watanabe, K.; Totsuka, T.
The high content of natural suppressor serine tRNA in dystrophic mouse muscle. 266: 201
Hitchcock, C. A.
——; Dickinson, K.; Brown, S. B.; Evans, E. G. V.; Adams, D. J.
Interaction of azole antifungal antibi-

otics with cytochrome P-450-dependent 14α-sterol demethylase purified from Candida albicans. 266: 475

Hoadley, M. E.
——; Seif, M. W.; Aplin, J. D. Menstrual-cycle-dependent expression of keratan sulfate in human endometrium. 266: 757

Hobkirk, R.
——; Glasier, M. A.; Brown, L. Y. Purification and some characteristics of an estrogen sulfotransferase from guinea pig adrenal gland and its non-identity with adrenal pregnenolone sulfotransferase. 268: 759

Hodgman, T. C. See Crickmore, N.

Hodgson, M. E.
——; Shears, S. B. Rat liver contains a potent endogenous inhibitor of inositol 1,3,4,5-tetrakisphosphate 3-phosphatase. 267: 831

Hoefsloot, L. H.
——; Hoogeveen-Westerveld, M.; Reuser, A. J. J.; Oostra, B. A. Characterization of the human lysosomal α-glucosidase gene. 272: 493
——; Willemsen, R.; Kroos, M. A.; Hoogeveen-Westerveld, M.; Hermans, M. M. P.; Van der Ploeg, A. T.; Oostra, B. A.; Reuser, A. J. J. Expression and routing of human lysosomal α-glucosidase in transiently transfected mammalian cells. 272: 485

Hoejrup, P. See Hach, M.

Hoek, J. B.
——; Taraschi, T. F.; Higashi, K.; Rubin, E.; Thomas, A. P. Phospholipase C activation by ethanol in rat hepatocytes is unaffected by chronic ethanol feeding. 272: 59

Hoer, A.
——; Hoer, D.; Oberdisse, E. Properties of a soluble inositol 1,3,4,5-tetrakisphosphate 3-phosphatase from porcine brain. 270: 715

Hoer, D. See Hoer, A.

Hogg, N. See Wilson, M. T.

Hogue, B. A. See Moreno-Sanchez, R.

Hojima, Y. See Kadler, K. E.

Holder, J. C.
——; Zammit, V. A.; Robinson, D. S. The preferential uptake of very-low-density lipoprotein cholesteryl ester by rat liver in vivo. 272: 735

Holman, G. D. See Clark, A. E.

Holmsen, H. See Verhoeven, A. J. M.

Holness, M. J. See Sugden, M. C.
——; Sugden, M. C. Pyruvate dehydrogenase activities and rates of lipogenesis during the fed-to-starved transition in liver and brown adipose tissue of the rat. 268: 77
Glucose utilization in heart, diaphragm and skeletal muscle during the fed-to-starved transition. 270: 245

Holschbach, C.
——; Schneider, J.; Geyer, H. Glycosylation of the envelope glycoprotein gp130 of simian immunodeficiency virus from sooty mangabey (Cercocebus atys). 267: 759

Holz, R. W. See Eberhard, D. A.

Holzknecht, R. A. See Tuchman, M.

Homma, Y.
——; Emori, Y.; Shibasaki, F.; Suzuki, K.; Takenawa, T. Isolation and characterization of a γ-type phosphoinositide-specific phospholipase C (PLC-γ_2). 269: 13

Honda, A.
——; Raz, A.; Needleman, P. Induction of cyclooxygenase synthesis in human promyelocytic leukemia (HL-60) cells during monocytic or granulocytic differentiation. 272: 259

Hood, D. A.
Coordinate expression of cytochrome c oxidase subunit III and VIc mRNAs in rat tissues. 269: 503

Hoogerbrugge, C. M. See Jansen, J.

Hoogeveen-Westerveld, M. See Hoefsloot, L. H.

Hooghwinkel, G. J. M. See Pels Rijcken, W. R.

Hooper, N. M. See Rached, E.
Angiotensin converting enzyme: how reliable is the fluorimetric assay with benzoyl-Gly-His-Leu as substrate?. 270: 840
——; Hryszko, J.; Turner, A. J. Purification and characterization of pig kidney aminopeptidase P. A glycosyl-phosphatidylinositol-anchored ectoenzyme. 267: 509
——; Keen, J. N.; Turner, A. J. Characterization of the glycosyl-phosphatidylinositol-anchored human renal dipeptidase reveals that it is more extensively glycosylated than the pig enzyme. 265: 429

Hopfer, R. L.
——; Johnson, S. W.; Masserini, M.; Giuliani, A.; Alhadeff, J. A. Hydrolysis of fucosyl-G_{M1} ganglioside by purified pellet-associated human brain and human liver α-L-fucosidases without activator proteins or detergents. 266: 491

Hopfer, U. See Thevenod, F.

Hopper, D. J. See Reeve, C. D.

Hopwood, J. J. See Bielicki, J.; Taylor, J. A.

Horne, Z.
——; Hesketh, J. Immunological localization of ribosomes in striated rat muscle. Evidence for myofibrillar association and ontological changes in the sub-sarcolemmal:myofibrillar distribution. 268: 231
Increased association of ribosomes with myofibrils during the skeletal-muscle hypertrophy induced either by the β-adrenoceptor agonist clenbuterol or by tenotomy. 272: 831

Horner, A. A.
Rat heparan sulfates. A study of the antithrombin-binding properties of heparan sulfate chains from rat adipose tissue, brain, carcass, heart, intestine, kidneys, liver, lungs, skin and spleen. 266: 553

Horvath, L. See Schlame, M.

Hoshino, T. See Duan, D. S.

Hosokawa, R. See Ohashi-Takeuchi, H.

Hosseini, R. See Emiliani, C.

Hou, C. See Camps, M.

Hoult, J. R. S. See Jessup, W.

Hounslow, A. M. See Potts, J. R.

Houslay, M. D. See Bushfield, M.; Strassheim, D.

Hovik, R. See Bartlett, K.
——; Osmundsen, H.; Berge, R.; Aarsland, A.; Bergseth, S.; Bremer, J. Effects of thia-substituted fatty acids on mitochondrial and peroxisomal β-oxidation. Studies in vivo and in vitro. 270: 167

Howard, S. See Salari, H.

Howard, S. C. See Sanzo, M. A.

Howe, P. H.
——; Cunningham, M. R.; Leof, E. B. Inhibition of mink lung epithelial cell proliferation by transforming growth factor-β is coupled through a pertussis-toxin-sensitive substrate. 266: 537

Howell, K. E. See Luzio, J. P.

Howell, S. See Whiting, P.

Hruby, V. J. See Bushfield, M.
——; Al-Obeidi, F.; Kazmierski, W. Emerging approaches in the molecular design of receptor-selective peptide ligands: conformational, topographical and dynamic considerations. 268: 249

Hryszko, J. See Hooper, N. M.

Hsuan, J. See Allen, H.; Beaubien, B. C.

Hu, S. I. See Ganapathi, M. K.

Huang, C. K.
——; Bonak, V.; Laramee, G. R.; Casnellie, J. E. Protein tyrosine phosphorylation in rabbit peritoneal neutrophils. 269: 431

Huckerby, T. N. See Dickenson, J. M.; Nieduszynski, I. A.

Huckle, W. R. See Hepler, J. R.

Hue, L. See Varela, I.

Hughes, B. P. See Hurst, K. M.; Polverino, A. J.

Hughes, G. J.
——; Frutiger, S.; Paquet, N.; Jaton, J. C. The amino acid sequence of rabbit J chain in secretory immunoglobulin A. 271: 641

Hughes, S. J.
——; Chalk, J. G.; Ashcroft, S. J. H. The role of cytosolic free calcium and protein kinase C in acetylcholine-induced insulin release in the clonal β-cell line, HIT-T15. 267: 227

Hughes-Jones, N. C.
——; Bye, J. M.; Beale, D.; Coadwell, J. Nucleotide sequences and three-dimensional modeling of the V_H and V_L domains of two human monoclonal antibodies specific for the D antigen of the human Rh-blood-group system. 268: 135

Huiatt, T. W. See Chou, R. G. R.

Hull, S. R.
——; Sheng, Z.; Vanderpuye, O.; David, C.; Carraway, K. L. Isolation and partial characterization of ascites sialoglycoprotein-2 of the cell surface sialomucin complex of 13762 rat mammary adenocarcinoma cells. 265: 121

Hulmes, D. J. S. See Shackleton, D. R.

Hulsmann, W. C. See Schoonderwoerd, K.

Humm, S. See Board, M.

Hunt, J. See Sinclair, J. F.

Hunter, C. N. See Self, S. J.

Hunter, D. J. B. See Goodhew, C. F.

Hunter, I. S. See White, P. J.

Hunyady, L. See Ely, J. A.

Hunziker, W. See Crettaz, M.

Hurst, K. M.
——; Hughes, B. P.; Barritt, G. J. The roles of phospholipase D and a GTP-binding protein in guanosine 5'-[γ-thio]triphosphate-stimulated hydrolysis of phosphatidylcholine in rat liver plasma membranes. 272: 749

Hurt, D. See Cunnick, J. M.

Hussaini, I. M.
——; Figler, N. L.; Gonias, S. L. The structure of α_2-macroglobulin-methylamine after papain digestion as determined by electron microscopy. 270: 291

Iacobazzi, V. See Vinas, O.
Iglesias, A. See Lasuncion, M. A.
Ikegawa, R. See Takaoka, M.
Ikehara, M. See Kanaya, S.
Ikehara, Y. See Oda, K.
Ikemoto, M.
——; Tabata, M.; Miyake, T.; Kono, T.; Mori, M.; Totani, M.; Murachi, T.
Expression of human liver arginase in Escherichia coli. Purification and properties of the product. 270: 697
Ilic, V. See Evans, R. D.; Tedstone, A. E.
Imagawa, M.
——; Onozawa, T.; Okumura, K.; Osada, S.; Nishihara, T.; Kondo, M.
Characterization of metallothionein cDNAs induced by cadmium in the nematode Caenorhabditis elegans. 268: 237
Imai, S. See Kajiyama, Y.
Imanishi, Y. See Nam, K. Y.
Ingham, K. C.
——; Brew, S. A.; Atha, D. H.
Interaction of heparin with fibronectin and isolated fibronectin domains. 272: 605
Ingold, K. U. See Slater, T. F.
Inoue, Y.
——; Inouye, Y.; Nagasawa, K.
Conformational equilibria of the L-iduronate residue in non-sulfated di-, tetra- and hexa-saccharides and their alditols derived from dermatan sulfate. 265: 533
Inouye, S. See Shimomura, O.
Inouye, Y. See Inoue, Y.
Ioannides, C. See Barnett, C. R.
Irvine, R. F. See Cullen, P. J.; Stephens, L. R.
Iscan, M. See Radominska, A.
IUPAC–IUB Joint Commission on Biochemical Nomenclature (JCBN) See Nomenclature Committee of the International Union of Biochemistry (NC-IUB)
Iverson, A. J.
——; Bianchi, A.; Nordlund, A. C.; Witters, L. A.
Immunological analysis of acetyl-CoA carboxylase mass, tissue distribution and subunit composition. 269: 365
Ivhed, I. See Kolset, S. O.
Iynedjian, P. B. See Hayzer, D. J.; Narkewicz, M. R.

Jackson, K. W. See Cheng, Q.
Jackson, P.
The use of polyacrylamide-gel electrophoresis for the high-resolution separation of reducing saccharides labeled with the fluorophore 8-aminonaphthalene-1,3,6-trisulfonic acid. Detection of picomolar quantities by an imaging system based on a cooled charge-coupled device. 270: 705
Jackson, R. C. See Koopmann, W. R. Jr.
Jacob, F.
——; Joris, B.; Lepage, S.; Dusart, J.; Frere, J. M.
Role of the conserved amino acids of the 'SDN' loop (Ser^{130}, Asp^{131} and Asn^{132}) in a class A β-lactamase studied by site-directed mutagenesis. 271: 399
Jacob, G. S. See Winchester, B.
Jacob, R. See Carter, T. D.; Merritt, J. E.
Jacobasch, G. See Buckwitz, D.
Jacobs, J. M. See Lambrecht, R. W.
Jacobs, J. W. See Jupp, R. A.
Jacobsen, C. See Blokkebak-Poulsen, J.
Jaeschke, H.
The pathophysiological significance of increased tight-junctional permeability during estrogen cholestasis. Comments. 266: 620
Jaklitsch, W. M.
——; Kubicek, C. P.
Homocitrate synthase from Penicillium chrysogenum. Localization, purification of the cytosolic isoenzyme, and sensitivity to lysine. 269: 247
Jakobs, K. H. See Camps, M.
Jamal, Z. See Saggerson, E. D.
James, J. H. See Hasselgren, P. O.
James, P. See Rached, E.
Jamil, H.
——; Vance, D. E.
Head-group specificity for feedback regulation of CTP:phosphocholine cytidylyltransferase. 270: 749
Jancsik, V. See Rendon, A.
Janicot, M. See Authier, F.
Jansen, J.
——; Van Buul-Offers, S. C.; Hooger brugge, C. M.; Van den Brande, J. L.
Effects of a single cleavage in insulin-like growth factors I and II on binding to receptors, carrier proteins and antibodies. 266: 513
Jansson, O.
——; Eriksson, S.
Direct photoaffinity-labeling of human deoxycytidine kinase with the feedback inhibitor dCTP. 269: 201
Jaton, J. C. See Hughes, G. J.
Jauregui, H. O. See Waxman, D. J.
Jaxa-Chamiec, A. See Merritt, J. E.
Jayatilleke, E. See Shaw, S.
Jeanrenaud, B. See Cusin, I.; Terretaz, J.
Jefferis, R.
——; Lund, J.; Mizutani, H.; Nakagawa, H.; Kawazoe, Y.; Arata, Y.; Takahashi, N.
A comparative study of the N-linked oligosaccharide structures of human IgG subclass proteins. 268: 529
Jeffery, S.
——; Carter, N. D.; Clark, R. G.; Robinson, I. C. A. F.
The episodic secretory pattern of growth hormone regulates liver carbonic anhydrase III. Studies in normal and mutant growth-hormone-deficient dwarf rats. 266: 69
Jeffs, R. A. See Hepler, J. R.
Jenkins, N. See Bulleid, N. J.; Curling, E. M. A.
Jennings, I. See Green, A. K.
Jensson, O. See Abrahamson, M.
Jessup, W.
——; Rankin, S. M.; De Whalley, C. V.; Hoult, J. R. S.; Scott, J.; Leake, D. S.
α-Tocopherol consumption during low-density-lipoprotein oxidation. 265: 399
Jessy, J.
——; Mans, A. M.; DeJoseph, M. R.; Hawkins, R. A.
Hyperammonemia causes many of the changes found after portacaval shunting. 272: 311
Jette, M. See Beliveau, R.
Jezewska, M. M. See Trembacz, H.
Jia, Q. See Rosen, C. F.
Jimenez, A. See Fernandez-Lobato, M.
Job, C. See De Mercoyrol, L.
Job, D. See De Mercoyrol, L.
Jobe, H. See Jonas, A. J.
Johnson, D. W. See Robinson, B. S.
Johnson, G. R.
——; Arik, L.; Pitts, B. J. R.; Foster, C. J.
Rapid receptor-mediated catabolism of ^{125}I-atrial natriuretic factor by vascular endothelial cells. 268: 771
Johnson, J. A.
——; Clark, R. B.
Multiple non-specific effects of sphingosine on adenylate cyclase and cyclic AMP accumulation in S49 lymphoma cells preclude its use as a specific inhibitor of protein kinase C. 268: 507
——; Neal, T. L.; Collins, J. H.; Siegel, F. L.
Characterization of methylation of rat liver cytosolic glutathione S-transferases by using reverse-phase HPLC and chromatofocusing. 270: 483
Johnson, S. W. See Hopfer, R. L.
Johnston, D. J.
——; Hart, C. A.; McLennan, A. G.
Variation in intracellular P^1P^4-bis(5'-adenosyl)tetraphosphate (Ap_4A) in virus-infected cells. 268: 791
Jolly, R. D. See Fearnley, I. M.
Joly, F.
——; Vilgrain, I.; Bossant, M. J.; Besou, G.; Benveniste, J.; Ninio, E.
Biosynthesis of paf-acether. Activators of protein kinase C stimulate cultured mast cell acetyltransferase without stimulating paf-acether synthesis. 271: 501
Jonas, A. J.
——; Conrad, P.; Jobe, H.
Neutral-sugar transport by rat liver lysosomes. 272: 323
——; Jobe, H.
N-Acetyl-D-glucosamine countertransport in lysosomal membrane vesicles. 268: 41
Jonas, H. A.
——; Cox, A. J.
Insulin-like growth factor binding to the atypical insulin receptors of a human lymphoid-derived cell line (IM-9). 266: 737
Jondal, M. See Chow, S. C.
Jones, G. D. See Wilson, M. T.
——; Gear, A. R. L.
Rapid blood platelet activation: continuous- and quenched-flow versus stopped-flow approaches. Comments. 265: 305
Jones, G. E. See Rist, R. J.
Jones, J.
——; Hallett, M. B.; Morgan, B. P.
Reversible cell damage by T-cell perforins. Calcium influx and propidium iodide uptake into K562 cells in the absence of lysis. 267: 303
Jones, L. R. See Krause, K. H.
Jones, O. T. G. See Cross, A. R.; Smith, M. A.; Yea, C. M.
Jonsson, L. See Bafor, M.
Joost, H. G. See Weiland, M.
Joris, B. See Jacob, F.; Matagne, A.
Jose, P. J. See Beaubien, B. C.
Josephson, S. See Forsberg, G.
Juergens, G.
——; Ashy, A.; Esterbauer, H.
Detection of new epitopes formed upon oxidation of low-density lipoprotein, lipoprotein (a) and very-low-density lipoprotein. Use of an antiserum against 4-hydroxynonenal-modified low-density lipoprotein. 265: 605

Juhasz, A. See Carroll, R.
Jung, D. See Rendon, A.
Jung, G. See Seifert, R.
Jung, S. See Bakker, A. V.
Jungermann, K. See Gardemann, A.
Jungmann, J. See Mausolf, A.
Jupp, R. A.
——; Dunn, B. M.; Jacobs, J. W.; Vlasuk, G.; Arcuri, K. E.; Veber, D. F.; Perlow, D. S.; Payne, L. S.; Boger, J.
The selectivity of statine-based inhibitors against various human aspartic proteinases. 265: 871
Just, I. See Geipel, U.

Kacser, H. See Acerenza, L.; Melendez-Hevia, E.
Kadir, F. H. A. See Reid, N. M. K.
Kadler, K. E.
——; Hojima, Y.; Prockop, D. J.
Collagen fibrils in vitro grow from pointed tips in the C- to N-terminal direction. 268: 339
Kajander, E. O.
——; Harvima, R. J.; Kauppinen, L.; Akerman, K. K.; Martikainen, H.; Pajula, R. L.; Karenlampi, S. O.
Effects of selenomethionine on cell growth and on S-adenosylmethionine metabolism in cultured malignant cells. 267: 767
Kajiyama, Y.
——; Murayama, T.; Kitamura, Y.; Imai, S.; Nomura, Y.
Possible involvement of different GTP-binding proteins in noradrenaline- and thrombin-stimulated release of arachidonic acid in rabbit platelets. 270: 69
Kakkar, V. V. See Krishnamurthi, S.
Kakunaga, T. See Hayashi, H.
Kalyanaraman, B. See Kersten, P. J.
Kam, C. M. See Ueda, T.
Kam, N. T. P.
——; Albright, E.; Mathur, S.; Field, F. J.
Effect of lovastatin on acyl-CoA:cholesterol O-acyltransferase (ACAT) activity and the basolateral-membrane secretion of newly synthesized lipids by CaCo-2 cells. 272: 427
Kamerling, J. P. See Claeyssens, M.
Kan, K. S. See Coleman, R.
——; Coleman, R.
Menadione increases hepatic tight-junctional permeability. Its effect can be decreased by butylated hydroxytoluene and verapamil. 270: 241
Kanamori, K. See Farrow, N. A.
Kanaya, S.
——; Kimura, S.; Katsuda, C.; Ikehara, M.
Role of cysteine residues in ribonuclease H from Escherichia coli. Site-directed mutagenesis and chemical modification. 271: 59
Kande, J. See Burnol, A. F.
Kandel, R. A. See Cruz, T. F.
Kaneko, N. See Takada, Y.
Kaplan, H. See Bietlot, H. P. L.
Kaplan, J. See Ward, D. M.
Karaskova, H. See Piskarev, V. E.
Karczewski, P.
——; Bartel, S.; Krause, E. G.
Differential sensitivity to isoprenaline of troponin I and phospholamban phosphorylation in isolated rat hearts. 266: 115
Kardami, E. See Nickel, B. E.
Karenlampi, S. O. See Kajander, E. O.
Karjalainen, A. See Bygrave, F. L.
Karniguian, A.
——; Grelac, F.; Levy-Toledano, S.; Legrand, Y. J.; Rendu, F.
Collagen-induced platelet activation mainly involves the protein kinase C pathway. 268: 325
Karp, P. E. See Fimmel, A. L.
Kaska, D. D.
——; Kivirikko, K. I.; Myllyla, R.
Purification and characterization of protein disulfide-isomerase from the unicellular green alga Chlamydomonas reinhardii. A 120 kDa dimer antigenically distinct from the vertebrate enzyme. 268: 63
Kasper, C. K. See Spitzer, S. G.
Kasten, T. P. See Dunaway, G. A.
Kataoka, H. See Fiore, S.
Kato, M.
——; Kudoh, J.; Shimizu, N.
The pyrimidine/purine-biased region of the epidermal growth factor receptor gene is sensitive to S1 nuclease and may form an intramolecular triplex. 268: 175
Katsuda, C. See Kanaya, S.
Kau, D. See Kay, C. J.
Kauppinen, L. See Kajander, E. O.
Kawashima, E. H. See Proudfoot, A. E. I.
Kawazoe, Y. See Jefferis, R.
Kay, C. J.
——; Barber, M. J.; Solomonson, L. P.; Kau, D.; Cannons, A. C.; Hipkin, C. R.
Spectroscopic, thermodynamic and kinetic properties of Candida nitrophila nitrate reductase. 272: 545
Kay, R. R. See Stephens, L. R.
Kay, S. A. See Darrah, P. M.
Kaye, A. M. See Somjen, D.
Kazmierski, W. See Hruby, V. J.
Keane, R. M. See Baxter, A.
Keefer, J. See Votta, B.
Keen, J. N. See Hooper, N. M.; Navaratnam, N.; Smallwood, M.
Keep, N. H. See McKie, N.
Keith, J. M. See Cieplak, W. Jr.
Keizer, H. A. See Van Breda, E.
Kekwick, R. G. O. See Sheldon, P. S.
Kellett, L. E.
——; Poole, D. M.; Ferreira, L. M. A.; Durrant, A. J.; Hazlewood, G. P.; Gilbert, H. J.
Xylanase B and an arabinofuranosidase from Pseudomonas fluorescens subsp. cellulosa contain identical cellulose-binding domains and are encoded by adjacent genes. 272: 369
Kellner, R. See Gaede, G.
Kelly, L. E.
Purification and properties of a 23 kDa calcium-binding protein from Drosophila melanogaster. 271: 661
Kemp, B. E. See Sarcevic, B.
Kemp, L. M. See Estridge, J. K.
Kennedy, E. D.
——; Challiss, R. A. J.; Ragan, C. I.; Nahorski, S. R.
Reduced inositol polyphosphate accumulation and inositol supply induced by lithium in stimulated cerebral cortex slices. 267: 781
Kennerly, D. A. See Murray, J. J.
Kenny, A. J. See Bourne, A.
Kentebe, E. See Fox, K. R.
Kerbey, A. L. See Cooney, G. J.; Marchington, D. R.
Kern, M.
——; Wells, J. A.; Stephens, J. M.; Elton, C. W.; Friedman, J. E.; Tapscott, E. B.; Pekala, P. H.; Dohm, G. L.
Insulin responsiveness in skeletal muscle is determined by glucose transporter (Glut4) protein level. 270: 397
Kernevez, J. P. See Cortassa, S.
Kerr, L. A. See Hayes, J. D.
Kerr, M. A. See Mazengera, R. L.; Stocks, S. C.
The structure and function of human IgA. 271: 285
Kersken, H. See Lumpert, C. J.
Kersten, P. J.
——; Kalyanaraman, B.; Hammel, K. E.; Reinhammar, B.; Kirk, T. K.
Comparison of lignin peroxidase, horseradish peroxidase and laccase in the oxidation of methoxybenzenes. 268: 475
Kersters-Hilderson, H. See Vangrysperre, W.
Key, L. L. Jr. See Wallin, R.
Khalaf, N. See Yu, K. T.
Khan, I.
——; Spencer, G. G.; Samson, S. E.; Crine, P.; Boileau, G.; Grover, A. K.
Abundance of sarcoplasmic reticulum calcium pump isoforms in stomach and cardiac muscles. 268: 415
Khan, M. Y.
——; Medow, M. S.; Newman, S. A.
Unfolding transitions of fibronectin and its domains. Stabilization and structural alteration of the N-terminal domain by heparin. 270: 33
Khawaja, X. Z.
——; Green, I. C.; Thorpe, J. R.; Titheradge, M. A.
The occurrence and receptor specificity of endogenous opioid peptides within the pancreas and liver of the rat. Comparison with brain. 267: 233
Kielty, C. M.
——; Boot-Handford, R. P.; Ayad, S.; Shuttleworth, C. A.; Grant, M. E.
Molecular composition of type VI collagen. Evidence for chain heterogeneity in mammalian tissues and cultured cells. 272: 787
Kilburn, D. G. See Pilz, I.
Kilponen, J. M.
——; Palosaari, P. M.; Hiltunen, J. K.
Occurrence of a long-chain Δ^3,Δ^2-enoyl-CoA isomerase in rat liver. 269: 223
Kimata, K. See Morita, H.
Kimura, S. See Kanaya, S.; Nam, K. Y.
Kindberg, G. M.
——; Magnusson, S.; Berg, T.; Smedsroed, B.
Receptor-mediated endocytosis of ovalbumin by two carbohydrate-specific receptors in rat liver cells. The intracellular transport of ovalbumin to lysosomes is faster in liver endothelial cells than in parenchymal cells. 270: 197
——; Stang, E.; Andersen, K. J.; Roos, N.; Berg, T.
Intracellular transport of endocytosed proteins in rat liver endothelial cells. 270: 205
Kindmark, H. See Arkhammar, P.
King, G. F. See Odoom, J. E.
King, H. J. See Wadsworth, J. D. F.
King, M. See Mantle, M.
King, M. J.
——; Sale, G. J.
Dephosphorylation of insulin-receptor autophosphorylation sites by particulate and soluble phosphotyrosyl-protein phosphatases. 266: 251

King, R. J. B. See Levy, J.
King, R. W. See Sixl, F.
King, W. C. See Lemaitre, R. N.
King, W. G.
——; Downes, C. P.; Prestwich, G. D.; Rittenhouse, S. E.
Calcium–stimulatable and protein kinase C–inhibitable accumulation of inositol 1,3,4,6–tetrakisphosphate in human platelets. 270: 125
Kingma, A. W. See Hessels, J.
Kinsella, J. E. See Kristjansson, M. M.
Kirk, T. K. See Kersten, P. J.
Kirkland, K. B. See Fearnley, I. M.
Kirsch, T.
——; Von der Mark, K.
Isolation of bovine type X collagen and immunolocalization in growth–plate cartilage. 265: 453
Kishi, Y. See Shimomura, O.
Kitagawa, K. See Calderhead, D. M.
Kitajima, Y. See Hayashi, H.
Kitamura, Y. See Kajiyama, Y.
Kitasato, H. See Omatsu–Kanbe, M.
Kivirikko, K. I. See Kaska, D. D.
Klasing, K. C. See Laurin, D. E.
Klebanoff, S. J. See Metcalfe, D. D.
Klip, A. See Bilan, P. J.
Klosa, M. See Verspohl, E. J.
Kluepfel, D.
——; Vats–Mehta, S.; Aumont, F.; Shareck, F.; Morosoli, R.
Purification and characterization of a new xylanase (xylanase B) produced by Streptomyces lividans 66. 267: 45
Knackmuss, H. J. See Kuhm, A. E.; Pieper, D. H.
Knodgen, B. See Bolkenius, F. N.
Knowler, J. T. See Bushfield, M.
Knowles, R. G. See Moncada, S.
——; Merrett, M.; Salter, M.; Moncada, S.
Differential induction of brain, lung and liver nitric oxide synthase by endotoxin in the rat. 270: 833
——; Palacios, M.; Palmer, R. M. J.; Moncada, S.
Kinetic characteristics of nitric oxide synthase from rat brain. 269: 207
Knudsen, J. See Hach, M.; Rasmussen, J. T.
——; Nielsen, M.
Diazepam–binding inhibitor: a neuropeptide and/or an acyl–CoA ester binding protein? Comments. 265: 927
Kobayashi, R.
——; Nakayama, R.; Ohta, A.; Sakai, F.; Sakuragi, S.; Tashima, Y.
Identification of the 32 kDa components of bovine lens EDTA–extractable protein as endonexins I and II. 266: 505
Kocourek, J. See Piskarev, V. E.
Kofod, H. See Thams, P.
Kohl, C. See Prip–Buus, C.
Kohler, J. See Hauschildt, S.
Kohmoto, K. See Sakai, S.
Kohno, M.
——; Nishizawa, N.; Tsujimoto, M.; Nomoto, H.
Mitogenic signaling pathway of tumor necrosis factor involves the rapid tyrosine phosphorylation of 41,000–M_r and 43,000–M_r cytosol proteins. 267: 91
Koklitis, P. See Williamson, R. A.
Kolesnick, R. N.
1,2–Diacylglycerols overcome cyclic AMP–mediated inhibition of phosphatidylcholine synthesis in GH_3 pituitary cells. 267: 17
Kolodziej, M. P.
——; Zammit, V. A.
Reevaluation of the interaction of malonyl–CoA with the rat liver mitochondrial carnitine palmitoyltransferase system by using purified outer membranes. 267: 85
Sensitivity of inhibition of rat liver mitochondrial outer–membrane carnitine palmitoyltransferase by malonyl–CoA to chemical– and temperature–induced changes in membrane fluidity. 272: 421
Kolset, S. O.
——; Sakurai, K.; Ivhed, I.; Oevervatn, A.; Suzuki, S.
The effect of β–D–xylosides on the proliferation and proteoglycan biosynthesis of monoblastic U–937 cells. 265: 637
Koman, A.
——; Durieu–Trautmann, O.; Couraud, P. O.; Strosberg, A. D.; Weksler, B. B.
Modulation of muscarinic–receptor expression in human embryonic lung fibroblasts by platelet–derived growth factor. 270: 409
Kondo, M. See Imagawa, M.
Konno, R.
——; Niwa, A.; Yasumura, Y.
Intestinal bacterial origin of D–alanine in urine of mutant mice lacking D–amino acid oxidase. 268: 263
Kono, T. See Ikemoto, M.
Koopmann, W. R. Jr.
——; Jackson, R. C.
Calcium– and guanine–nucleotide–dependent exocytosis in permeabilized rat mast cells. Modulation by protein kinase C. 265: 365
Kopitz, J.
——; Rist, B.; Bohley, P.
Post–translational arginylation of ornithine decarboxylase from rat hepatocytes. 267: 343
Kopp, R.
——; Mayer, P.; Pfeiffer, A.
Agonist–induced desensitization of cholinergically stimulated phosphoinositide breakdown is independent of endogenously activated protein kinase C in HT–29 human colon carcinoma cells. 269: 73
Koreh, K. See Monaco, M. E.
Kornafel, K. S. See Tonsgard, J. H.
Korner, M.
——; Bellan, A. H.; Brini, A. T.; Farrar, W. L.
Characterization of the human immunodeficiency virus type 1 enhancer–binding proteins from the human T–cell line Jurkat. 265: 547
Korte, M. See Hagmann, W.
Koshio, O. See Shiba, T.
Koshte, V. L.
——; Van Dijk, W.; Van der Stelt, M. E.; Aalberse, R. C.
Isolation and characterization of BanLec–I, a mannoside–binding lectin from Musa paradisiac (banana). 272: 721
Kotal, P.
——; Fevery, J.
Urobilinogen–i is a major derivative of bilirubin in bile of homozygous Gunn rats. 268: 181
Kotlar, T. J. See Borensztajn, J.
Kowlessur, D. See Templeton, W.
——; Thomas, E. W.; Topham, C. M.; Templeton, W.; Brocklehurst, K.
Dependence of the P_2–S_2 stereochemical selectivity of papain on the nature of the catalytic–site chemistry. Quantification of selectivity in the catalyzed hydrolysis of the enantiomeric N–acetylphenylalanyl–glycine 4–nitroanilides. 266: 653
Kozma, R. See Ahmed, S.
Kozulic, B. See Heimgartner, U.
Kraayenbrink, M. See Thornton, D. J.
Kramer–Schmitt, S. See Van der Hijden, H. T. W. M.
Krause, E. G. See Karczewski, P.
Krause, J.
——; Seydel, W.; Heinzel, G.; Tanswell, P.
Different receptors mediate the hepatic catabolism of tissue–type plasminogen activator and urokinase. 267: 647
Krause, K. H.
——; Simmerman, H. K. B.; Jones, L. R.; Campbell, K. P.
Sequence similarity of calreticulin with a calcium–binding protein that copurifies with an $Ins(1,4,5)P_3$–sensitive calcium store in HL–60 cells. 270: 545
Kraus–Friedmann, N. See Shoshan–Barmatz, V.
Krauss, R. S. See Rotenberg, S. A.
Kresse, H. See Breuer, B.; Greve, H.; Schmidt, G.
Krief, P. See Harel–Bellan, A.
Krishnamurthi, S.
——; Morgan, W. A.; Kakkar, V. V.
Extracellular sodium, but not sodium/hydrogen ion exchange, is necessary for receptor–mediated arachidonate release in platelets. 265: 155
Kristjansson, M. M.
——; Kinsella, J. E.
Alkaline serine proteinase from Thermomonospora fusca YX. Stability to heat and denaturants. 270: 51
Kroener, S. See Schmalzing, G.
Kroos, M. A. See Hoefsloot, L. H.
Krueger, M. J.
——; McKeown, K.; Ramsay, R. R.; Youngster, S. K.; Singer, T. P.
Mechanism–based inactivation of monoamine oxidases A and B by tetrahydropyridines and dihydropyridines. 268: 219
Ktorza, A. See Takao, F.
Kubicek, C. P. See Jaklitsch, W. M.
Kucera, G. L. See Sorisky, A.
Kuchel, P. W. See Potts, J. R.
Kudoh, J. See Kato, M.
Kuhm, A. E.
——; Schloemann, M.; Knackmuss, H. J.; Pieper, D. H.
Purification and characterization of dichloromuconate cycloisomerase from Alcaligenes eutrophus JMP 134. 266: 877
Kuipers, F. See Bakkeren, H. F.; Smit, M. J.
Kulanthaivel, P. See Tiruppathi, C.
Kulkarni, A. P. See Nelson, J. L.
Kulys, J. See Vienozinskis, J.
Kun, E. See Bauer, P. I.
Kushner, I. See Ganapathi, M. K.
Kwan, C. Y.
——; Sipos, S.; Gaspar, V.
Alloxan inhibits ligand binding to adrenoceptors of vascular smooth muscle microsomes. 270: 137

Labbe, J. P.
——; Mejean, C.; Benyamin, Y.; Roustan, C.
Characterization of an actin–myosin head interface in the 40–113 region of actin using specific antibodies as probes. 271: 407

Laboure, A. M. See Laulhere, J. P.
Labrie, F. See Baker, M. E.
Lacal, P. M.
——; Balsinde, J.; Cabanas, C.; Bernabeu, C.; Sanchez-Madrid, F.; Mollinedo, F.
The CD11c antigen couples concanavalin A binding to generation of superoxide anion in human phagocytes. 268: 707
Lacoste, E. R.
——; Miozzo, M. C.; Curtino, J. A.
A glycogen precursor associated with membrane in retina. 267: 775
Lafont, H. See Chanussot, F.
Lagrange, D. See Sultan, F.
Lai, W. S.
——; Rogers, T. B.; El-Fakahany, E. E.
Protein kinase C is involved in desensitization of muscarinic receptors induced by phorbol esters but not by receptor agonists. 267: 23
Lamande, S. R. See Chan, D.
Lambert, D. G.
——; Nahorski, S. R.
Muscarinic-receptor-mediated changes in intracellular calcium and inositol 1,4,5-trisphosphate mass in human neuroblastoma cell line, SH-SY5Y. 265: 555
Lambotte, L. See Vanneste, Y.
Lambrecht, L. See Sinclair, J. F.
Lambrecht, R. W.
——; Jacobs, J. M.; Sinclair, P. R.; Sinclair, J. F.
Inhibition of uroporphyrinogen decarboxylase activity. The role of cytochrome P-450-mediated uroporphyrinogen oxidation. 269: 437
Lambrechts, A. C. See Tilly, B. C.
Lambris, J. D. See Nilsson, B.
Lammers, R. See Soos, M. A.
Lanfredi, M. See Treves, S.
Lang, F. See Haeussinger, D.
Lang, M. A. See Miles, J. S.
Lapenson, D. P. See Waxman, D. J.
Laperche, Y. See Siegrist, S.
Lapetina, E. G. See Siess, W.
Lappin, D. F.
——; Birnie, G. D.; Whaley, K.
Modulation by interferons of the expression of monocyte complement genes. 268: 387
——; Whaley, K.
Interferon-induced transcriptional and post-transcriptional modulation of factor H and C4 binding-protein synthesis in human monocytes. 271: 767
Laramee, G. R. See Huang, C. K.
Larkins, R. G. See Dunlop, M. E.; Macaulay, S. L.
Larose, L.
——; McNicoll, N.; Rondeau, J. J.; Escher, E.; De Lean, A.
Photoaffinity labeling of atrial natriuretic factor (ANF)-R1 receptor by underivatized ^{125}I-ANF. Involvement of lipid peroxidation. 267: 379
Larrabee, M. G.
Evaluation of the pentose phosphate pathway from carbon-14 dioxide data. Fallibility of a classic equation when applied to non-homogeneous tissues. 272: 127
Lassegue, B. See Barnett, J. V.
Lasuncion, M. A.
——; Iglesias, A.; Skottova, N.; Orozco, E.; Herrera, E.
High-density lipoprotein subpopulations as substrates for the transfer of cholesteryl esters to very-low-density lipoproteins. 270: 441
Latchman, D. S. See Estridge, J. K.; Perkins, N. D.
Eukaryotic transcription factors. 270: 281
Latta, N. See Grigor, M. R.
Lau, P. C. K. See Masson, L.
Laulhere, J. P.
——; Laboure, A. M.; Briat, J. F.
Photoreduction and incorporation of iron into ferritins. 269: 79
Laurent, T. C. See Smedsroed, B.
Lauridsen, A. M. B. See Hendil, K. B.
Laurin, D. E.
——; Klasing, K. C.
Roles of synthesis and degradation in the regulation of metallothionein accretion in a chicken macrophage cell line. 268: 459
Laury, M. C. See Takao, F.
Laux, T.
——; Schweizer, M.
Dietary-induced pre-translational control of rat fatty acid synthase. 266: 793
Lavan, B. E. See Bushfield, M.
Law, G. J.
——; Pachter, J. A.; Thastrup, O.; Hanley, M. R.; Dannies, P. S.
Thapsigargin, but not caffeine, blocks the ability of thyrotropin-releasing hormone to release calcium from an intracellular store in GH_4C_1 pituitary cells. 267: 359
Law, S. K. A. See Dodds, A. W.
Lawson, D. See Rosa, A. L.
Lawton, B. C. See Baxter, A.
Laynez, J. See Arriaga, P.
Lazo, P. S. See Rubiera, C.
Leadlay, P. F. See McKie, N.; Williams, K. P.
Leake, D. S. See Jessup, W.
——; Rankin, S. M.
The oxidative modification of low-density lipoproteins by macrophages. 270: 741
Leatherbarrow, R. J. See Self, S. J.
Lebret, M. See Rendu, F.
Lebreton, J. P. See Conner, J.
Lebrun, M. See Macherel, D.
Lederer, F. See Authier, F.; Genet, R.
Ledley, F. D. See Wilkemeyer, M. F.
——; Grenett, H. E.; Dunbar, B. S.; Woo, S. L. C.
Mouse phenylalanine hydroxylase. Homology and divergence from human phenylalanine hydroxylase. 267: 399
Lee, A. G. See Michelangeli, F.
Lee, H. J. See Chiou, S. H.
Lee, J. A. C. See Schoefl, C.
Lee, K. R. See Chang, G. G.
Legrand, D.
——; Mazurier, J.; Colavizza, D.; Montreuil, J.; Spik, G.
Properties of the iron-binding site of the N-terminal lobe of human and bovine lactotransferrins. Importance of the glycan moiety and of the non-covalent interactions between the N- and C-terminal lobes in the stability of the iron-binding site. 266: 575
Legrand, Y. J. See Karniguian, A.
Lehmann, W. See Sinnett-Smith, J.
Leibach, F. H. See Tiruppathi, C.
Leigh, B. K. See Merritt, J. E.
Leighton, B. See Parry-Billings, M.
——; Foot, E.
The effects of amylin on carbohydrate metabolism in skeletal muscle in vitro and in vivo. 269: 19
Leighton, J. See Pfeilschifter, J.
Leingang, K. A. See Tordjman, K. M.
Lejeune, C. See Takazawa, K.
Lelias, J. M. See Whitehead, A. S.
Le Maire, M.
——; Thauvette, L.; De Foresta, B.; Viel, A.; Beauregard, G.; Potier, M.
Effects of ionizing radiations on proteins. Evidence of non-random fragmentations and a caution in the use of the method for determination of molecular mass. 267: 431
Lemaitre, R. N.
——; King, W. C.; MacDonald, M. L.; Glomset, J. A.
Distribution of distinct arachidonoyl-specific and non-specific isoenzymes of diacylglycerol kinase in baboon (Papio cynocephalus) tissues. 266: 291
Lemasters, J. J. See Cowper, K. B.
Lemay, G.
——; Zollinger, M.; Waksman, G.; Roques, B. P.; Crine, P.; Boileau, G.
Recombinant neutral endopeptidase-24.11 expressed in mouse neuroblastoma cells is associated with neurite membranes. 267: 447
Lemieux, R. U. See Nikrad, P. V.
Lemos, M. See Takazawa, K.
Lenton, L. See Bygrave, F. L.
Leof, E. B. See Howe, P. H.
Leoni, P.
——; Carli, F.; Halliday, D.
Intermediate filaments in smooth muscle from pregnant and non-pregnant human uterus. 269: 31
Leonil, J.
——; Molle, D.
Liberation of tryptic fragments from caseinomacropeptide of bovine κ-casein involved in platelet function. Kinetic study. 271: 247
Lepage, S. See Jacob, F.
Leroith, D. See Magri, K. A.
Lescure, A. M.
——; Massenet, O.; Briat, J. F.
Purification and characterization of an iron-induced ferritin from soybean (Glycine max) cell suspensions. 272: 147
Lester, B. R. See Fruen, B. R.
Lestingi, M. See Montecucco, A.
Leterrier, J. F.
——; Linden, M.; Nelson, B. D.
How do microtubules interact in vitro with purified subcellular organelles?. 269: 556
Leturque, A. See Burnol, A. F.
Leung, T. K. C.
——; Rajendran, M. Y.; Monfries, C.; Hall, C.; Lim, L.
The human heat-shock protein family. Expression of a novel heat-inducible HSP70 (HSP70B') and isolation of its cDNA and genomic DNA 267: 125
Levade, T. See Radom, J.
Levi, A. J. See Poole, R. C.
Levy, J.
——; King, R. J. B.
GTP analogs cause preferential translocation of an 18 kDa cytosolic G-protein to the membrane fraction in the ZR-75-1 human breast cancer cell line. 271: 223
Levy, Z. See Bar, S.
Levy-Toledano, S. See Karniguian, A.; Rendu, F.
Lewendon, A.
——; Shaw, W. V.
Elimination of a reactive thiol group from the active site of chloramphenicol acetyltransferase. 272: 499
Lewis, T. See Hawkes, T. R.
Leyland, D. M.
——; Turner, P. C.; Beynon, R. J.

Effect of denervation on the expression of glycogen phosphorylase in mouse skeletal muscle. 272: 231

Li, G.
——; Regazzi, R.; Ullrich, S.; Pralong, W. F.; Wollheim, C. B.
Potentiation of stimulus–induced insulin secretion in protein kinase C–deficient RINm5F cells. 272: 637

Li, Q.
——; Blacher, R.; Esch, F.; Congote, L. F.
Isolation from fetal bovine serum of an apolipoprotein–H–like protein which inhibits thymidine incorporation in fetal calf erythroid cells. 267: 261

Lienhard, G. E. See Calderhead, D. M.; Davies, A.

Likert, K. M. See Girard, T. J.

Lim, C. K. See Luo, J.

Lim, H. H. See Ahmed, S.

Lim, L. See Ahmed, S.; Leung, T. K. C.; Manser, E.

Lin, A. N. See Gati, W. P.

Lindahl, T. L.
——; Ohlsson, P. I.; Wiman, B.
The mechanism of the reaction between human plasminogen–activator inhibitor 1 and tissue plasminogen activator. 265: 109

Lindahl, U. See Bourin, M. C.

Linden, M. See Leterrier, J. F.

Lindert, K. A. See Cowper, K. B.

Lindner, H.
——; Helliger, W.; Puschendorf, B.
Separation of rat tissue histone H1 subtypes by reverse–phase HPLC. Identification and assignment to a standard H1 nomenclature. 269: 359

Lingwood, C. See Ramotar, K.

Linke, R. P. See Steinkasserer, A.

Linnekin, D.
——; Farrar, W. L.
Signal transduction of human interleukin 3 and granulocyte–macrophage colony–stimulating factor through serine and tyrosine phosphorylation. 271: 317

Lisman, J. E. See Robinson, P. R.

Little, P. J. See Woodcock, E. A.

Littlewood, C. J. See Brown, K. D.

Liu, D. F.
——; Wang, D.; Stracher, A.
The accessibility of the thiol groups of G– and F–actin of rabbit muscle. 266: 453

Liu, Q. R. See Chan, P. K.

Liu, Y. L. See Sugden, M. C.

Lo, T. C. Y. See Mesmer, O. T.

Lochs, H.
——; Morse, E. L.; Adibi, S. A.
Uptake and metabolism of dipeptides by human red blood cells. 271: 133

Locht, C. See Cieplak, W. Jr.

Lockwood, T. D. See Thorne, D. P.

Lodge, J. M.
——; Minchin, S. D.; Piddock, L. J. V.; Busby, S. J. W.
Cloning, sequencing and analysis of the structural gene and regulatory region of the Pseudomonas aerugi=nosa chromosomal ampC β–lactamase. 272: 627

Loennroth, P. See Eriksson, J.

Loeser, R. See Wallin, R.

Loi, R. See Warren, J. B.

Loizeau, M. See Burnol, A. F.

Lomis, T. J. See Schor, N. F.

Lonergan, P. A. See Palida, F. A.

Longhi, R. See Borgese, N.

Longo, E. A. See McCormack, J. G.

Lontie, R. See Tahon, J. P.

Loo, L. See Manser, E.

Loomis–Husselbee, J. W. See Shears, S. B.

Lopez Bernal, A. See Varney, M. A.

Lopez–Otin, C. See Balbin, M.

Lopez–Soriano, F. J. See Argiles, J. M.

Lopez Torres, M. See Barja de Quiroga, G.

Lotersztajn, S. See McKenzie, R. C.

Loucaides, G. See Beckett, G. J.

Low, M. G. See Eberhard, D. A.

Lowe, D. J. See Hawkes, T. R.
——; Fisher, K.; Thorneley, R. N. F.
Klebsiella pneumoniae nitrogenase. Mechanism of acetylene reduction and its inhibition by carbon monoxide. 272: 621

Lowe, P. A. See Sugrue, R.

Lowe, P. N. See Williams, K. P.

Lozano, R. M.
——; Fernandez–Cabrera, C.; Ramirez, J. M.
The contribution of the carotenoid to the visible circular dichroism of the light–harvesting antenna of Rhodospirillum rubrum. 270: 469

Lucas, S. C. See Alexander, D. R.; Graves, J. D.

Lueckhoff, A. See Hauschildt, S.

Lumpert, C. J.
——; Kersken, H.; Plattner, H.
Cell surface complexes ('cortexes') isolated from Paramecium tetraurelia cells as a model system for analyzing exocytosis in vitro in conjunction with microinjection studies. 269: 639

Lund, J. See Jefferis, R.

Lund, L. R. See Freeman, S. N.

Lundwall, A. See Abrahamson, M.

Lunn, J. E.
——; Ap Rees, T.
Apparent equilibrium constant and mass–action ratio for sucrose–phosphate synthase in seeds of Pisum sativum. 267: 739

Luo, J.
——; Lim, C. K.
Decarboxylation of uroporphyrinogen III by erythrocyte uroporphyrinogen decarboxylase. Evidence for a random decarboxylation mechanism. 268: 513

Lutton, C. See Sultan, F.

Luu The Van See Baker, M. E.

Luzio, J. P. See Bailyes, E. M.; Brake, B.
——; Brake, B.; Banting, G.; Howell, K. E.; Braghetta, P.; Stanley, K. K.
Identification, sequencing and expression of an integral membrane protein of the trans–Golgi network (TGN38). 270: 97

Luzzatto, L. See Poggi, V.

Lynch, A. M. See Yates, A. P.

Lynham, J. A. See Murray, K. J.

Lynn, K. R. See Watson, D. C.

McAdam, D. P. See Agbanyo, F. R.

Macara, I. G. See Stathopoulos, V. M.

Macaulay, S. L.
——; Larkins, R. G.
Isolation of insulin–sensitive phosphatidylinositol–glycan from rat adipocytes. Its impaired breakdown in the streptozotocin–diabetic rat. 271: 427

McCann, P. P. See Byers, T. L.

McCarthy, S. A. See Merritt, J. E.

Maccioni, H. J. F. See Rosa, A. L.

McConathy, W. J. See Cheng, Q.

McCool, D. J.
——; Marcon, M. A.; Forstner, J. F.; Forstner, G. G.
The T84 human colonic adenocarcinoma cell line produces mucin in culture and releases it in response to various secretagogues. 267: 491

McCormack, J. G. See Rutter, G. A.
——; Longo, E. A.; Corkey, B. E.
Glucose–induced activation of pyruvate dehydrogenase in isolated rat pancreatic islets. 267: 527

McCourt, D. See Girard, T. J.

McDonald, F. J. See Grigor, M. R.

McDonald, J. M. See Davis, H. W.

MacDonald, M. L. See Lemaitre, R. N.

McGlone, K. See McIlhinney, R. A. J.

McGregor, S. J.
——; Naves, M. L.; Oria, R.; Vass, J. K.; Brock, J. H.
Effect of aluminum on iron uptake and transferrin–receptor expression by human erythroleukemia K562 cells. 272: 377

McGrew, S. D. See Dowton, S. B.

Macherel, D.
——; Lebrun, M.; Gagnon, J.; Neuburger, M.; Douce, R.
cDNA cloning, primary structure and gene expression for H–protein, a component of the glycine–cleavage system (glycine decarboxylase) of pea (Pisum sativum) leaf mitochondria. 268: 783

Machicao, F.
——; Mushack, J.; Seffer, E.; Ermel, B.; Haering, H. U.
Mannose, glucosamine and inositol monophosphate inhibit the effects of insulin on lipogenesis. Further evidence for a role for inositol phosphate–oligosaccharides in insulin action. 266: 909

Macias–Silva, M. See Garcia–Sainz, J. A.

McIlhinney, R. A. J.
——; McGlone, K.
Evidence for a non–myristoylated pool of the 80 kDa protein kinase C substrate of rat brain. 271: 681

McIntosh, J. E. A. See McIntosh, R. P.

McIntosh, R. P.
——; McIntosh, J. E. A.
Metabolism of the biologically active inositol phosphates Ins(1,4,5)P_3 and Ins(1,3,4,5)P_4 by ovarian follicles of Xenopus laevis. 268: 141

MacIntyre, I. See Zaidi, M.

Mackay, A. G.
——; Oliver, J. D.; Rogers, M. P.
Regulation of lipoprotein lipase activity and mRNA content in rat epididymal adipose tissue in vitro by recombinant tumor necrosis factor. 269: 123

McKenzie, F. R.
——; Milligan, G.
δ–Opioid–receptor–mediated inhibition of adenylate cyclase is transduced specifically by the guanine–nucleotide–binding protein G_i2. 267: 391

McKenzie, R. C.
——; Lotersztajn, S.; Pavoine, C.; Pecker, F.; Epand, R. M.; Orlowski, R. C.
Inhibition of the calcium pump by human parathyroid hormone–(1–34) and human calcitonin in liver plasma membranes. 266: 817

McKeown, K. See Krueger, M. J.

MacKerell, A. D. Jr. See Abriola, D. P.

McKernan, R. M.
——; Biggs, C. S.; Gillard, N.; Quirk, K.; Ragan, C. I.
Molecular size of the 5-HT_3 receptor solubilized from NCB 20 cells. 269: 623
McKie, N.
——; Keep, N. H.; Patchett, M. L.; Leadlay, P. F.
Adenosylcobalamin-dependent methylmalonyl-CoA mutase from Propionibacterium shermanii. Active holoenzyme produced from Escherichia coli. 269: 293
Mackiewicz, A. See Ganapathi, M. K.
McLaren, A. W. See Miles, J. S.
McLaurin, J.
——; Hew, C.; Moscarello, M. A.
Myelin basic protein does not contain a phosphatidylinositol anchor. 269: 278
McLennan, A. G. See Johnston, D. J.
MacLennan, D. H. See Treves, S.
MacLennan, P. A.
——; Edwards, R. H. T.
Protein turnover is elevated in muscle of mdx mice in vivo. 268: 795
McMahon, K. K. See Piron, K. J.
McNicoll, N. See Larose, L.; Rondeau, J. J.
MacNulty, E. E.
——; Plevin, R.; Wakelam, M. J. O.
Stimulation of the hydrolysis of phosphatidylinositol 4,5-bisphosphate and phosphatidylcholine by endothelin, a complete mitogen for rat-1 fibroblasts. 272: 761
MacPhail, L. A. See Girard, T. J.
Macrae, M. B.
——; Davidson, J. S.; Millar, R. P.; Van der Merwe, P. A.
Cyclic AMP stimulates luteinizing-hormone (lutropin) exocytosis in permeabilized sheep anterior-pituitary cells. Synergism with protein kinase C and calcium. 271: 635
Macrae, T. H.
——; Gull, K.
Purification and assembly in vitro of tubulin from Trypanosoma brucei brucei. 265: 87
Madapallimattam, G.
——; Bennick, A.
Phosphopeptides derived from human salivary acidic proline-rich proteins. Biological activities and concentration in saliva. 270: 297
Maddix, S. P. See Slater, T. F.
Madhabala, R. See Porter, C. W.
Madon, R. J.
——; Martin, S.; Davies, A.; Fawcett, H. A. C.; Flint, D. J.; Baldwin, S. A.
Identification and characterization of glucose transport proteins in plasma membrane- and Golgi vesicle-enriched fractions prepared from lactating rat mammary gland. 272: 99
Madri, J. A. See Yannariello-Brown, J.
Maeda, K. See Morita, H.
Maeda, S.
——; Nagasawa, S.
Effect of sodium chloride concentration on fluid-phase assembly and stability of the C3 convertase of the classical pathway of the complement system. 271: 749
Maerki, F. See Pfeilschifter, J.
Maes, G. See Tahon, J. P.
Magnusson, S. See Kindberg, G. M.
Magri, K. A.
——; Adamo, M.; Leroith, D.; Etherton, T. D.
The inhibition of insulin action and glucose metabolism by porcine growth hormone in porcine adipocytes is not the result of any decrease in insulin binding or insulin receptor kinase activity. 266: 107
Mahanta, S. K.
——; Sastry, M. V. K.; Surolia, A.
Topography of the combining region of a Thomsen-Friedenreich-antigen-specific lectin jacalin (Artocarpus integrifolia agglutinin). A thermodynamic and circular-dichroism spectroscopic study. 265: 831
Mahaut-Smith, M. P. See Sage, S. O.
Maidt, L. See Gutteridge, J. M. C.
Mak, O. T. See Tai, C. L.
Malagolini, N. See Dall'olio, F.
Malaisse, W. J. See Willem, R.
Rat liver glucose-6-phosphatase: a corrigendum. Comments. 266: 619
Malaisse-Lagae, F. See Willem, R.
Malatesta, F. See Sarti, P.
Malcolm, R. R. See Spitz, D. R.
Malmstroem, A. See Schmidtchen, A.
Mandel, M. L.
——; Moorthy, B.; Ghazarian, J. G.
Reciprocal post-translational regulation of renal 1α- and 24-hydroxylases of 25-hydroxyvitamin D_3 by phosphorylation of ferredoxin. mRNA-directed cell-free synthesis and immunoisolation of ferredoxin. 266: 385
Mankowitz, L.
——; Castro, V. M.; Mannervik, B.; Rydstroem, J.; DePierre, J. W.
Increase in the amount of glutathione transferase 4-4 in the rat adrenal gland after hypophysectomy and down-regulation by subsequent treatment with adrenocorticotrophic hormone. 265: 147
Mann, D. A. See Barton, C. H.
Mannervik, B. See Mankowitz, L.
Mannherz, H. G. See Stochaj, U.
Mans, A. M. See Jessy, J.
Manser, E.
——; Fernandez, D.; Loo, L.; Goh, P. Y.; Monfries, C.; Hall, C.; Lim, L.
Human carboxypeptidase E. Isolation and characterization of the cDNA, sequence conservation, expression and processing in vitro. 267: 517
Mantei, N. See Rached, E.
Mantle, M.
——; Stewart, G.; Zayas, G.; King, M.
The disulfide-bond content and rheological properties of intestinal mucins from normal subjects and patients with cystic fibrosis. 266: 597
Mar, V. L. See Cieplak, W. Jr.
Marchington, D. R.
——; Kerbey, A. L.; Randle, P. J.
Longer-term regulation of pyruvate dehydrogenase kinase in cultured rat cardiac myocytes. 267: 245
Marcon, M. A. See McCool, D. J.
Margalit, R. See Cohen, S.
Margolis, B. L. See Goldberg, H. J.
Margreth, A. See Salvatori, S.
Marguerie, G. See Troesch, A.
Marino, G. See Morris, H. R.
Marklund, S. L. See Sandstroem, B. E.
Expression of extracellular superoxide dismutase by human cell lines. 266: 213
Marliss, E. B. See Field, C. J.
Marquet, A. See Vidal-Cros, A.
Marraud, M. See Papadouli, I.
Marsault, R. See Vigne, P.
Marsh, B. See Duerden, J. M.
Marsh, M. N. See Tatham, A. S.
Marston, F. A. O. See Sugrue, R.; Williamson, R. A.
Marston, S.
Stoichiometry and stability of caldesmon in native thin filaments from sheep aorta smooth muscle. 272: 305
Marszalek, J. See Verhoeven, A. J. M.
Martikainen, H. See Kajander, E. O.
Martin, G. See Baverel, G.
Martin, J. See Perez-Gil, J.
——; Perez-Gil, J.; Acebal, C.; Arche, R.
Theoretical approach to the steady-state kinetics of a bi-substrate acyl-transfer enzyme reaction that follows a hydrolysable-acyl-enzyme-based mechanism. Application to the study of lysophosphatidylcholine:lysophosphatidylcholine acyltransferase from rabbit lung. 266: 47
Martin, M. T. See Christensen, H.
Martin, S. See Madon, R. J.
Martin, W. See Souness, J. E.
Martinet, N.
——; Beninati, S.; Nigra, T. P.; Folk, J. E.
N^1N^8-Bis(γ-glutamyl)spermidine cross-linking in epidermal-cell envelopes. Comparison of cross-link levels in normal and psoriatic cell envelopes. 271: 305
Martinez-Suarez, J. V. See Murray, I. A.
Martin-Sanz, P.
——; Vance, J. E.; Brindley, D. N.
Stimulation of apolipoprotein secretion in very-low-density and high-density lipoproteins from cultured rat hepatocytes by dexamethasone. 271: 575
Martinus, R. D. See Fearnley, I. M.
Marton, L. J. See Basu, H. S.
Mas, A. See Palida, F. A.
Mason, A. B.
——; Brown, S. A.; Church, W. R.
A highly conserved surface loop in the C-terminal domain of ovotransferrin (residues 570-584) is remote from the receptor-binding site. 266: 393
Mason, R. M. See Crossman, M. V.; Spencer, C. A.
Mason, R. W.
Characterization of the active site of human multicatalytic proteinase. 265: 479
Massenet, O. See Lescure, A. M.
Masserini, M. See Hopfer, R. L.; Sarti, P.
——; Palestini, P.; Pitto, M.; Chigorno, V.; Tomasi, M.; Tettamanti, G.
Cyclic AMP accumulation in HeLa cells induced by cholera toxin. Involvement of the ceramide moiety of GM1 ganglioside. 271: 107
Massillon, D. See Van de Werve, G.
Masson, L.
——; Prefontaine, G.; Peloquin, L.; Lau, P. C. K.; Brousseau, R.
Comparative analysis of the individual protoxin components in P1 crystals of Bacillus thuringiensis subsp. kurstaki isolates NRD-12 and HD-1. 269: 507
Matagne, A.
——; Misselyn-Bauduin, A. M.; Joris, B.; Erpicum, T.; Granier, B.; Frere, J. M.
The diversity of the catalytic properties of class A β-lactamases. 265: 131

Matheson, B. A. See Clements, J. A.
Mathur, S. See Kam, N. T. P.
Mato, J. M. See Varela, I.
Matsuda, M. See Abe, T.
Matsumoto, N. See Shiba, T.
Matsumoto, T. See Takeuchi, Y.
Matsumura, Y. See Takaoka, M.
Matsushita, M. See Mizuochi, T.
Mattern, M. R.
——; Mong, S.; Mong, S. M.; Bartus, J. O.; Sarau, H. M.; Clark, M. A.; Foley, J. J.; Crooke, S. T.
Transient activation of topoisomerase I in leukotriene D_4 signal transduction in human cells. 265: 101
Mattia, E.
——; Den Blaauwen, J.; Van Renswoude, J.
Role of protein synthesis in the accumulation of ferritin mRNA during exposure of cells to iron. 267: 553
Mauco, G. See Sultan, C.
Mausolf, A.
——; Jungmann, J.; Robenek, H.; Prehm, P.
Shedding of hyaluronate synthase from streptococci. 267: 191
Mawby, W. J. See Wainwright, S. D.
Maxwell, I. H. See Erickson, P. F.
Maxwell, J. L.
——; Terracio, L.; Borg, T. K.; Baynes, J. W.; Thorpe, S. R.
A fluorescent residualizing label for studies on protein uptake and catabolism in vivo and in vitro. 267: 155
Maya, M. See Vranckx, R.
Mayer, H. See Somjen, D.
Mayer, M. See Higazi, A. A. R.
Mayer, P. See Kopp, R.
Mayes, P. A. See Mindham, M. A.
Mayfield, R. K. See Chen, L. M.
Mayr, G. W. See Schaefer, R.
Mazat, J. P. See Grouselle, M.
Mazengera, R. L.
——; Kerr, M. A.
The specificity of the IgA receptor purified from human neutrophils. 272: 159
Maziarz, R. See Allen, H.
Mazurier, J. See Legrand, D.
Medd, S. M. See Runswick, M. J.
Medina, J. M. See Bolanos, J. P.
Medow, M. S. See Khan, M. Y.
Meier, P. See Richter, C.
Meijer, P. See Princen, H. M. G.
Mejean, C. See Labbe, J. P.
Meldolesi, J. See Treves, S.
Meldrum, R. A.
——; Shall, S.; Trentham, D. R.; Wharton, C. W.
Kinetics and mechanism of DNA repair. Preparation, purification and some properties of caged dideoxynucleoside triphosphates. 266: 885
——; Shall, S.; Wharton, C. W.
Kinetics and mechanism of DNA repair. Evaluation of caged compounds for use in studies of UV-induced DNA repair. 266: 891
Melendez-Hevia, E.
——; Torres, N. V.; Sicilia, J.; Kacser, H.
Control analysis of transition times in metabolic systems. 265: 195
Melkko, J. See Smedsroed, B.
Melling, J. See Wadsworth, J. D. F.
Meloche, S. See Rondeau, J. J.
Mende-Mueller, L. See Sinclair, J. F.
Menendez, M. See Arriaga, P.
Menniti, F. S. See Nogimori, K.
Mercan, D. See Swillens, S.
Merrett, M. See Knowles, R. G.
Merritt, J. E. See Davies, M. P. A.; Sage, S. O.
——; Armstrong, W. P.; Benham, C. D.; Hallam, T. J.; Jacob, R.; Jaxa-Chamiec, A.; Leigh, B. K.; McCarthy, S. A.; Moores, K. E.; Rink, T. J.
SK&F 96365, a novel inhibitor of receptor-mediated calcium entry. 271: 515
——; McCarthy, S. A.; Davies, M. P. A.; Moores, K. E.
Use of fluo-3 to measure cytosolic calcium in platelets and neutrophils. Loading cells with the dye, calibration of traces, measurements in the presence of plasma, and buffering of cytosolic calcium. 269: 513
Merryweather, A. T.
——; Crampton, J. M.; Townson, H.
Purification and properties of an esterase from organophosphate-resistant strain of the mosquito Culex quinquefasciatus. 266: 83
Mesmer, O. T.
——; Gordon, B. A.; Rupar, C. A.; Lo, T. C. Y.
Use of a genetic variant to study the hexose transport properties of human skin fibroblasts. 265: 823
Metcalfe, D. D.
——; Thompson, H. L.; Klebanoff, S. J.; Henderson, W. R. Jr.
Oxidative degradation of rat mast cell heparin proteoglycan. 272: 51
Metroz-Dayer, M. D. See Field, C. J.
Metz, J. See Vieira-Makings, E.
Metz, S. A.
——; Dunlop, M.
Stimulation of insulin release by phospholipase D. A potential role for endogenous phosphatidic acid in pancreatic islet function. 270: 427
Metzger, J. See Seifert, R.
Meunier, J. C. See Nury, S.
Meyer, J.
——; Gagnon, J.; Sieker, L. C.; Van Dorsselaer, A.; Moulis, J. M.
Rubredoxin from Clostridium thermosaccharolyticum. Amino acid sequence, mass-spectrometric and preliminary crystallographic data. 271: 839
Mhaskar, Y. See Dunaway, G. A.
Michaelis, J.
——; Vissers, M. C. M.; Winterbourn, C. C.
Human neutrophil collagenase cleaves α_1-antitrypsin. 270: 809
Michaud, C.
——; Parquet, C.; Flouret, B.; Blanot, D.; Van Heijenoort, J.
Revised interpretation of the sequence containing the murE gene encoding the UDP-N-acetylmuramyl-tripeptide synthetase of Escherichia coli. 269: 277
Michaud, L. See Potier, M.
Michel, A. See Vanneste, Y.
Michelangeli, F.
——; Colyer, J.; East, J. M.; Lee, A. G.
Effect of pH on the activity of the calcium-magnesium-activated ATPase of sarcoplasmic reticulum. 267: 423
Michoudet, C. See Baverel, G.
Middleton, A.
——; Middleton, B.
Agents which increase cyclic AMP have diverse effects on low-density-lipoprotein-receptor function in human vascular smooth-muscle cells and skin fibroblasts. 267: 607
Middleton, B. See Middleton, A.
Mikuni-Takagaki, Y.
——; Glimcher, M. J.
Post-translational processing of chicken bone phosphoproteins. Identification of the bone phosphoproteins of embryonic tibia. 268: 585
Post-translational processing of chicken bone phosphoproteins. Identification of bone (phospho)protein kinase. 268: 593
Miles, J. S.
——; McLaren, A. W.; Forrester, L. M.; Glancey, M. J.; Lang, M. A.; Wolf, C. R.
Identification of the human liver cytochrome P-450 responsible for coumarin 7-hydroxylase activity. 267: 365
Millar, R. P. See Macrae, M. B.; Van der Merwe, P. A.
Miller, N. E. See Mindham, M. A.
Miller, R. C. Jr. See Pilz, I.
Milligan, G. See Bushfield, M.; McKenzie, F. R.; Strassheim, D.
——; Saggerson, E. D.
Concurrent up-regulation of guanine-nucleotide-binding proteins $G_i1\alpha$, $G_i2\alpha$ and $G_i3\alpha$ in adipocytes of hypothyroid rats. 270: 765
Mills, D. See Murray, K. J.
Mills, G. See Cruz, T. F.
Minchin, S. D. See Lodge, J. M.
Mindham, M. A.
——; Mayes, P. A.; Miller, N. E.
Reverse cholesterol transport in the isolated perfused rat spleen. 268: 499
Miozzo, M. C. See Lacoste, E. R.
Mira, E. See Nieto, A.
Miralpeix, M. See Bollen, M.
Mishal, Z. See Harel-Bellan, A.
Misselyn-Bauduin, A. M. See Magtagne, A.
Missiaen, L. See Van den Bosch, L.
Mitlin, J. A. See Fernandez-Lobato, M.
Mitsui, Y. See Fu, T.
Miyake, T. See Ikemoto, M.
Miyata, Y. See Takaoka, M.
Mizuochi, T.
——; Hamako, J.; Titani, K.; Matsushita, M.; Okada, H.
Structures of the asparagine-linked oligosaccharides of guinea pig factor B of the alternative complement pathway. 272: 533
Mizutani, H. See Jefferis, R.
Mizutani, T. See Hitaka, T.
Moir, A. M. B.
——; Zammit, V. A.
Changes in the properties of cytosolic acetyl-CoA carboxylase studies in cold-clamped liver samples from fed, starved and starved-refed rats. 272: 511
Mol, M. J. T. M. See Demacker, P. N. M.
Mollard, P.
——; Dufy, B.; Vacher, P.; Barker, J. L.; Schlegel, W.
Thyrotropin-releasing hormone activates a $[calcium]_i$-dependent potassium current in GH_3 pituitary cells via Ins(1,4,5)P_3-sensitive and Ins(1,4,5)P_3-insensitive mechanisms. 268: 345
Molle, D. See Leonil, J.
Mollinedo, F. See Lacal, P. M.
Mollner, S. See Bushfield, M.
Moloney, M. G. See Baldwin, J. E.
Monaco, M. E.
——; Attinasi, M.; Koreh, K.
Effect of dual agonists on phosphoi-

nositide pools in WRK-1 cells. 269: 633
Monasterio, O. See Zepeda, S.
Monboisse, J. C.
——; Bellon, G.; Randoux, A.; Dufer, J.; Borel, J. P.
Activation of human neutrophils by type I collagen. Requirement of two different sequences. 270: 459
Moncada, S. See Knowles, R. G.
——; Knowles, R. G.
Kinetics of nitric oxide synthase: a reply. 271: 564
Monfries, C. See Ahmed, S.; Leung, T. K. C.; Manser, E.
Mong, S. See Mattern, M. R.; Votta, B.
Mong, S. M. See Mattern, M. R.
Montambault, M. See Field, C. J.
Monte, M. J.
——; Parslow, R. A.; Coleman, R.
Inhibitory action of cyclobutyrol on the secretion of biliary cholesterol and phospholipids. 266: 165
Montecucco, A.
——; Lestingi, M.; Pedrali-Noy, G.; Spadari, S.; Ciarrocchi, G.
Use of ATP, dATP and their α-thio derivatives to study DNA ligase adenylation. 271: 265
——; Pedrali-Noy, G.; Spadari, S.; Lestingi, M.; Ciarrocchi, G.
Effects of DNA-binding drugs on T4 DNA ligase. 266: 379
Montero, M.
——; Alvarez, J.; Garcia-Sancho, J.
Uptake of calcium and refilling of intracellular calcium stores in Ehrlich-ascites-tumor cells and in rat thymocytes. 271: 535
Montreuil, J. See Derisbourg, P.; Legrand, D.
Moodie, S. A. See Souness, J. E.
Moolenaar, W. H. See Tilly, B. C.; Verheijden, G. F.
Mooney, N. See Contreras, I.
Moonga, B. S. See Zaidi, M.
Moore, G. R. See Reid, N. M. K.
Moores, K. E. See Merritt, J. E.
Moorhead, G. B. G.
——; Plaxton, W. C.
Purification and characterization of cytosolic aldolase from carrot storage root. 269: 133
Moorthy, B. See Mandel, M. L.
Moreno, S.
——; Sanchez, Y.; Rodriguez, L.
Purification and characterization of the invertase from Schizosaccharomyces pombe. A comparative analysis with the invertase from Saccharomyces cerevisiae. 267: 697
Moreno-Sanchez, R.
——; Hogue, B. A.; Hansford, R. G.
Influence of NAD-linked dehydrogenase activity on flux through oxidative phosphorylation. 268: 421
Morero, R. D. See Angel, R. C.
Morgan, A.
——; Burgoyne, R. D.
Stimulation of calcium-independent catecholamine secretion from digitonin-permeabilized bovine adrenal chromaffin cells by guanine nucleotide analogs. Relationship to arachidonate release. 269: 521
Relationship between arachidonic acid release and calcium-dependent exocytosis in digitonin-permeabilized bovine adrenal chromaffin cells. 271: 571
Morgan, B. P. See Jones, J.; Watts, M. J.
Morgan, S. L. See Ha, T.
Morgan, W. A. See Krishnamurthi, S.
Morgenstern, R. See Andersson, C.
Mori, M. See Ikemoto, M.
Morimoto, B. H.
——; Brady, J. F.; Atkinson, D. E.
Effect of level of dietary protein on arginine-stimulated citrulline synthesis. Correlation with mitochondrial N-acetylglutamate concentrations. 272: 671
Morimoto, S. See Takaoka, M.
Morin, J. See Smadja, C.
Morino, A. See Nam, K. Y.
Morita, H.
——; Takeuchi, T.; Suzuki, S.; Maeda, K.; Yamada, K.; Eguchi, G.; Kimata, K.
Aortic endothelial cells synthesize a large chondroitin sulfate proteoglycan capable of binding to hyaluronate. 265: 61
Morosoli, R. See Kluepfel, D.
Morris, D. R. See White, M. W.
Morris, G. N. See Pullarkat, R. K.
Morris, H. G. See Nieduszynski, I. A.
Morris, H. R. See Williamson, R. A.; Zaidi, M.
——; Pucci, P.; Panico, M.; Marino, G.
Protein folding/refolding analysis by mass spectrometry. Scrambling of disulfide bridges in insulin. 268: 803
Morris, P. G. See Badar-Goffer, R. S.
Morrison, B. D. See Treadway, J. L.
Morrissey, J. J. See Waxman, D. J.
Morse, E. L. See Lochs, H.
Mort, J. S. See Nguyen Quang
Mortensen, R. F. See Whitehead, A. S.
Morton, L. F. See Zijenah, L. S.
Mosbach, K. See Heimgartner, U.
Moscarello, M. A. See Fannon, A. M.; McLaurin, J.
Moulis, J. M. See Meyer, J.
Mount, R. C. See Fernandez-Lobato, M.
Mourey, R. J.
——; Verma, A.; Supattapone, S.; Snyder, S. H.
Purification and characterization of the inositol 1,4,5-trisphosphate receptor protein from rat vas deferens. 272: 383
Mousdale, D. M. See Hawkes, T. R.
Mouton, W. L. See Vandenplas, M. L.
Moynihan, J. B.
——; Ennis, S.
Acetazolamide-insensitive carbonic anhydrase activities in liver and tonic skeletal muscle of adult male rats with streptozotocin-induced diabetes mellitus. 272: 553
Mueckler, M. See Tordjman, K. M.
Mueller, W. E. G. See Robitzki, A.
Muelsch, A. See Hauschildt, S.
Muhkin, A. See Guidotti, A.
Mulder, G. J. See Adang, A. E. P.
Muller, G. See Rabouille, C.
Murachi, T. See Ikemoto, M.
Muramatsu, M. See Black, S. M.
Murat, J. C. See Denis-Pouxviel, C.
——; Gamet, L.; Cazenave, Y.; Trocheris, J.
Questions about the use of [^{3}H]thymidine incorporation as a reliable method to estimate cell proliferation rate. 270: 563
Murayama, T. See Kajiyama, Y.
Murer, H. See Palacin, M.
Murphy, G. J. See Bushfield, M.
Murphy, J. P. See Goward, C. R.
Murphy, M.
Kinetic characteristics of nitric oxide synthase from rat brain. Comments. 271: 563
Murray, B. P. See Edwards, R. J.
Murray, I. A.
——; Martinez-Suarez, J. V.; Close, T. J.; Shaw, W. V.
Nucleotide sequences of genes encoding the type II chloramphenicol acetyltransferases of Escherichia coli and Haemophilus influenzae, which are sensitive to inhibition by thiol-reactive reagents. 272: 505
Murray, J. J.
——; Dinh, T. T.; Truett, A. P. III.; Kennerly, D. A.
Isolation and enzymic assay of choline and phosphocholine present in cell extracts with picomole sensitivity. 270: 63
Murray, K. J.
——; England, P. J.; Lynham, J. A.; Mills, D.; Schmitz-Peiffer, C.; Reeves, M. L.
Use of a synthetic dodecapeptide (malantide) to measure the cyclic AMP-dependent protein kinase activity ratio in a variety of tissues. 267: 703
Murrell, G. A. C.
——; Francis, M. J. O.; Bromley, L.
Modulation of fibroblast proliferation by oxygen free radicals. 265: 659
Murthy, M. S. R.
——; Pande, S. V.
Characterization of a solubilized malonyl-CoA-sensitive carnitine palmitoyltransferase from the mitochondrial outer membrane as a protein distinct from the malonyl-CoA-insensitive carnitine palmitoyltransferase of the inner membrane. 268: 599
——; Ramsay, R. R.; Pande, S. V.
Acyl-CoA chain length affects the specificity of various carnitine palmitoyltransferases with respect to carnitine analogs. Possible application in the discrimination of different carnitine palmitoyltransferase activities. 267: 273
Mushack, J. See Machicao, F.
Musicki, B. See Shimomura, O.
Muskiet, F. A. J. See Hessels, J.
Muszbek, L. See Polgar, J.
Myllyla, R. See Kaska, D. D.

Naftalin, R. J. See Rist, R. J.
——; Rist, R. J.
Effects of phorbol, dexamethasone and starvation on 3-O-methyl-D-glucose transport by rat thymocytes. Modulation of transport by altered trans effects. 265: 251
Nagasawa, K. See Inoue, Y.
Nagasawa, S. See Maeda, S.
Nagashima, T. See Duan, D. S.
Nagata, K. See Waxman, D. J.
Naggert, J. See Amy, C. M.
Nagy, L.
——; Freeman, D. A.
Cholesterol movement between the plasma membrane and the cholesteryl ester droplets of cultured Leydig tumor cells. 271: 809
Nahorski, S. R. See Baird, J. G.; Challiss, R. A. J.; Gawler, D. J.; Kennedy, E. D.; Lambert, D. G.; Wojcikiewicz, R. J. H.
Naik, S. See Waxman, D. J.
Nakada, M. T.
——; Stadel, J. M.; Crooke, S. T.
Mobilization of extracellular calcium by prostaglandin $F_{2\alpha}$ can be modulated by fluoride in 3T3-L1 fibroblasts. 272: 167

Nakagawa, H. See Jefferis, R.
Nakagawa, M. See Ohmura, M.
Nakajima, Y. See Yamada, K.
Nakayama, R. See Kobayashi, R.
Nakhasi, H. L. See Siegrist, S.
Nam, K. Y.
——; Morino, A.; Kimura, S.; Fujiki, H.; Imanishi, Y.
Modulation of phospholipase A_2 activity by the tumor promoters phorbol esters and teleocidin. 268: 169
Namgoong, S. K. See Axamawaty, M. T. H.; Winchester, B.
Narbad, A.
——; Hewlins, M. J. E.; Gacesa, P.; Russell, N. J.
The use of carbon-13 NMR spectroscopy to monitor alginate biosynthesis in mucoid Pseudomonas aeruginosa. 267: 579
Narkewicz, M. R.
——; Iynedjian, P. B.; Ferre, P.; Girard, J.
Insulin and triiodothyronine induce glucokinase mRNA in primary cultures of neonatal rat hepatocytes. 271: 585
Nash, R. J. See Winchester, B. G.
Natori, S. See Yamada, K.
Navaratnam, N.
——; Findlay, J. B. C.; Keen, J. N.; Watkins, W. M.
Purification, properties and partial amino acid sequence of the blood-group-A-gene associated α-3-N-acetylgalactosaminyltransferase from human gut mucosal tissue. 271: 93
Naves, M. L. See McGregor, S. J.
Navratil, J. See Piskarev, V. E.
Neal, G. E. See Hayes, J. D.
Neal, T. L. See Johnson, J. A.
Needleman, P. See Honda, A.; Raz, A.
Nehls-Sahabandu, M. See Schaefer, R.
Nelson, B. D. See Leterrier, J. F.
Nelson, J. L.
——; Kulkarni, A. P.
Partial purification and characterization of a peroxidase activity from human placenta. 268: 739
Nemenoff, R. A. See Gronich, J. H.
Neubig, R. R. See Zamorski, M. A.
Neuburger, M. See Macherel, D.
Neuman, S. See Bar, S.
Newby, A. C. See Blayney, L. M.; Skladanowski, A. C.
Newman, S. A. See Khan, M. Y.
Newsholme, E. A. See Board, M.; Calder, P. C.; Parry-Billings, M.; Szondy, Z.
Newton, J. S. See Carter, T. D.
Newton, R. P.
——; Salvage, B. J.; Hakeem, N. A.
Cytidylate cyclase: development of assay and determination of kinetic properties of a cytidine 3',5'-cyclic monophosphate-synthesizing enzyme. 265: 581
Nguyen Quang
——; Mort, J. S.; Roughley, P. J.
Cartilage proteoglycan aggregate is degraded more extensively by cathepsin L than by cathepsin B. 266: 569
Ni, W.
——; Trelease, R. N.; Eising, R.
Two temporally synthesized charge subunits interact to form the five isoforms of cottonseed (Gossypium hirsutum) catalase. 269: 233
Nicholls, C. See Crickmore, N.
Nicholls, P. See Wrigglesworth, J. M.
Nickel, B. E.
——; Kardami, E.; Cattini, P. A.
Differential expression of human placental growth-hormone variant and chorionic somatomammotropin in culture. 267: 653
Nicks, J. L. See Niki, I.
Nicol, F. See Arthur, J. R.; Beckett, G. J.
Nicolaou, K. C. See Fiore, S.
Nicolaus, B.
——; Trincone, A.; Esposito, E.; Vaccaro, M. R.; Gambacorta, A.; De Rosa, M.
Calditol tetraether lipids of the archaebacterium Sulfolobus solfataricus. Biosynthetic studies. 266: 785
Nicolet, T. G.
——; Scemama, J. L.; Pradayrol, L.; Seva, C.; Vaysse, N.
Characterization of putrescine- and spermidine-transport systems of a rat pancreatic acinar tumoral cell line (AR4-2J). 269: 629
Nicoletti, B. See Giardina, B.
Nieduszynski, I. A. See Dickenson, J. M.
——; Huckerby, T. N.; Dickenson, J. M.; Brown, G. M.; Tai, G. H.; Morris, H. G.; Eady, S.
There are two major types of skeletal keratan sulfates. 271: 243
Nielsen, M. See Knudsen, J.
Nieto, A.
——; Mira, E.; Castano, J. G.
Transcriptional regulation of rat liver protein disulfide-isomerase gene by insulin and in diabetes. 267: 317
Nieto, M. L. See Garcia, M. d. C.
Nigra, T. P. See Martinet, N.
Niki, I.
——; Nicks, J. L.; Ashcroft, S. J. H.
The β-cell glibenclamide receptor is an ADP-binding protein. 268: 713
Nikles, A. C. See Cham, B. E.
Nikrad, P. V.
——; Pearlstone, J. R.; Carpenter, M. R.; Lemieux, R. U.; Smillie, L. B.
Molecular-mass heterogeneity of Griffonia simplicifolia lectin IV subunits. Differences in the oligosaccharide moieties in the N-terminal region. 272: 343
Nilsson, B.
——; Ekdahl, K. N.; Avila, D.; Nilsson, U. R.; Lambris, J. D.
Neoantigens in complement component C3 as detected by monoclonal antibodies. Mapping of the recognized epitopes by synthetic peptides. 268: 55
Nilsson, T. See Arkhammar, P.
Nilsson, U. R. See Nilsson, B.
Nimmo, H. G. See White, P. J.
Ninio, E. See Joly, F.
Nishihara, T. See Imagawa, M.
Nishizawa, N. See Kohno, M.
Niwa, A. See Konno, R.
Nix, C. E. See Sundseth, S. S.
Noat, G. See Cheron, G.
Nodes, J. T. See Slater, T. F.
Nogimori, K.
——; Menniti, F. S.; Putney, J. W. Jr.
Identification in extracts from AR4-2J cells of inositol 1,4,5-trisphosphate by its susceptibility to inositol 1,4,5-trisphosphate 3-kinase and 5-phosphatase. 269: 195
Noguchi, T. See Ohashi-Takeuchi, H.
Nomenclature Committee of the International Union of Biochemistry (NC-IUB)
——; IUPAC-IUB Joint Commission on Biochemical Nomenclature (JCBN)
Newsletter 1989. Issue 1. 265: i
Nomoto, H. See Kohno, M.
Nomura, Y. See Kajiyama, Y.
Nordlund, A. C. See Iverson, A. J.
Norris, U. See Fimmel, A. L.
Norsten, C.
——; Cronholm, T.
Compartmentation of acetyl CoA studied by analysis of tricarboxylic acid cycle acids and 3-hydroxybutyrate in bile of rats given [2,2,2-$^2H_3$]ethanol. 265: 569
Novello, J. See Ghiso, J.
Novotny, W. F. See Girard, T. J.
Noyes, B. E. See Schaffer, M. H.
Nozawa, Y. See Fu, T.
Nudel, U. See Bar, S.
Nunez, D. J. R.
——; Davenport, A. P.; Brown, M. J.
Atrial natriuretic factor mRNA and binding sites in the adrenal gland. 271: 555
Nunez, E. A. See Vranckx, R.
Nunn, D. L.
——; Potter, B. V. L.; Taylor, C. W.
Molecular target sizes of inositol 1,4,5-trisphosphate receptors in liver and cerebellum. 265: 393
——; Taylor, C. W.
Liver inositol 1,4,5-trisphosphate-binding sites are the calcium-mobilizing receptors. 270: 227
Nury, S.
——; Meunier, J. C.
Molecular mechanisms of the irreversible thermal denaturation of guinea pig liver transglutaminase. 266: 487
Nycander, M.
——; Bjoerk, I.
Evidence by chemical modification that tryptophan-104 of the cysteine-proteinase inhibitor chicken cystatin is located in or near the proteinase-binding site. 271: 281
Nyirkos, P.
——; Golds, E. E.
Human synovial cells secrete a 39 kDa protein similar to a bovine mammary protein expressed during the non-lactating period. 269: 265

Obendorf, D. See Weiler, R.
Oberdisse, E. See Hoer, A.
Octave, J. N. See Robbi, M.
Oda, K.
——; Fujiwara, T.; Ikehara, Y.
Brefeldin A arrests the intracellular transport of viral envelope proteins in primary cultured rat hepatocytes and HepG2 cells. 265: 161
Odessey, R. See Boyer, B.
Odoom, J. E.
——; Campbell, I. D.; Ellory, J. C.; King, G. F.
Characterization of peptide fluxes into human erythrocytes. A proton-NMR study. 267: 141
Oedum, L.
——; Rehfeld, J. F.
Expression and processing of procholecystokinin in a rat medullary thyroid carcinoma cell line. 271: 31
Oetjen, E.
——; Schweickhardt, C.; Unthan-Fechner, K.; Probst, I.
Stimulation of glucose production from glycogen by glucagon, noradrenaline and nondegradable adenosine analogs is counteracted by adenosine and ATP in cultured rat hepatocytes. 271: 337

Oevervatn, A. See Kolset, S. O.
Ofosu, F. A. See Yang, X. J.
Ogata, E. See Takeuchi, Y.
Ogata, N.
Preferential association of a transcriptionally active gene with the nuclear matrix of rat fibroblasts transformed by a simian-virus-40-pBR322 recombinant plasmid. 267: 385
O'Hare, T. See Treadway, J. L.
Ohashi-Takeuchi, H.
——; Yamada, N.; Hosokawa, R.; Noguchi, T.
Vesicles with lactate dehydrogenase and without alkaline phosphatase present in the resting zone of epiphyseal cartilage. 266: 309
Ohkawa, K. See Abe, T.
Ohlsson, P. I. See Lindahl, T. L.
Ohmura, M.
——; Hara, A.; Nakagawa, M.; Sawada, H.
Demonstration of 3α(17β)-hydroxysteroid dehydrogenase distinct from 3α-hydroxysteroid dehydrogenase in hamster liver. 266: 583
Ohta, A. See Kobayashi, R.
Ohta, S. See Suzuki, T.
Ohtani, M. See Aono, R.
Oizumi, J.
——; Hayakawa, K.
Lipoamidase (lipoyl-X hydrolase) from pig brain. 266: 427
Lipoamidase is a multiple hydrolase. 271: 45
Okada, H. See Mizuochi, T.
Okano, Y. See Fu, T.
O'Keefe, M. C. See Berkovich, A.
Okumura, K. See Imagawa, M.
Olafsson, I. See Abrahamson, M.
Olashaw, N. E.
——; Rhee, S. G.; Pledger, W. J.
Cyclic AMP agonists induce the phosphorylation of phospholipase C-γ and of a 76 kDa protein coprecipitated by anti-(phospholipase C-γ) monoclonal antibodies in BALB/c-3T3 cells. Relationship to inositol phosphate formation. 272: 297
Oldfield, C.
Evaluation of steady-state kinetic parameters for enzymes solubilized in water-in-oil microemulsion systems. 272: 15
Oliver, J. D. See Mackay, A. G.
Omatsu-Kanbe, M.
——; Kitasato, H.
Insulin stimulates the translocation of sodium/potassium-dependent ATPase molecules from intracellular stores to the plasma membrane in frog skeletal muscle. 272: 727
Onaderra, M. See Gasset, M.
Ong, H. See Rondeau, J. J.
Onozawa, T. See Imagawa, M.
Ooi, G. T.
——; Herington, A. C.
Recognition of insulin-like-growth-factor-binding proteins in serum and amniotic fluid by an antiserum against a low-molecular-mass insulin-like-growth-factor-inhibitor/binding protein. 267: 615
Oostra, B. A. See Hoefsloot, L. H.
Opara, E. See Parry-Billings, M.
Oppert, B. See Cunnick, J. M.
Oratore, A. See Amicosante, G.
Orchard, K. H. See Perkins, N. D.
Orefici, G. See Amicosante, G.
Oria, R. See McGregor, S. J.
Orlacchio, A. See Emiliani, C.
Orlowski, R. C. See McKenzie, R. C.
O'Rourke, F.
——; Feinstein, M. B.
The inositol 1,4,5-trisphosphate receptor binding sites of platelet membranes. pH-dependency, inhibition by polymeric sulfates, and the possible presence of arginine at the binding site. 267: 297
Orozco, E. See Lasuncion, M. A.
Osada, S. See Imagawa, M.
Osawa, T. See Shiba, T.
Osbaldeston, N. J. See Rutter, G. A.
Osmundsen, H. See Bartlett, K.; Hovik, R.
Ostafe, V. See Szedlacsek, S. E.
Ostrovskii, D. N. See Artsatbanov, V. Yu.
Ottey, K. A. See Clegg, R. A.
Ottinger, R. See Willem, R.
Ottnad, E.
——; Via, D. P.; Sinn, H.; Friedrich, E.; Ziegler, R.; Dresel, H. A.
Binding characteristics of reduced hepatic receptors for acetylated low-density lipoprotein and maleylated bovine serum albumin. 265: 689
Outlaw, H. E. See Hepler, J. R.
Overnell, J. See Sparla, A. M.
Owada, M. K. See Hayashi, H.
Ozeki, T. See Fu, T.

Pace-Asciak, C. R. See Dho, S.
Pachter, J. A. See Law, G. J.
Pacifici, M.
Independent secretion of proteoglycans and collagens in chick chondrocyte cultures during acute ascorbic acid treatment. 272: 193
Padilla, P. See Correas, I.
Pai, J. K. See Bishop, W. R.
Paine, A. J. See Shean, K.
Pajula, R. L. See Kajander, E. O.
Pakala, R. See Pegg, A. E.
Palacin, M. See Guma, A.; Pola, E.
——; Werner, A.; Dittmer, J.; Murer, H.; Biber, J.
Expression of rat liver sodium/L-alanine cotransport in Xenopus laevis oocytes. Effect of glucagon in vivo. 270: 189
Palacios, J. M. See Bruns, C.
Palacios, M. See Knowles, R. G.
Palestini, P. See Masserini, M.; Sarti, P.
Palida, F. A.
——; Mas, A.; Arola, L.; Bethin, K.; Lonergan, P. A.; Ettinger, M. J.
Cytosolic copper-binding proteins in rat and mouse hepatocytes incubated continuously with copper(II). 268: 359
Pallardo, F. V. See Ferrer, J. V.
Palm, G. See Forsberg, G.
Palmari, J. See De Mercoyrol, L.
Palmer, D. J. See Christie, D. L.
Palmer, D. N. See Fearnley, I. M.
Palmer, F. B. S. C. See Spence, M. W.
Palmer, R. M. See Southorn, B. G.
Palmer, R. M. J. See Knowles, R. G.
Palmer, S. See Cook, S. J.; Plevin, R.
Palmer, T. N. See Spencer, C. A.
Palosaari, P. M. See Kilponen, J. M.
Palsdottir, A. See Abrahamson, M.
Pande, S. V. See Murthy, M. S. R.
Panico, M. See Morris, H. R.; Williamson, R. A.
Papadouli, I.
——; Potamianos, S.; Hadjidakis, I.; Bairaktari, E.; Tsikaris, V.; Sakarellos, C.; Cung Manh Thong; Marraud, M.; Tzartos, S. J.
Antigenic role of single residues within the main immunogenic region of the nicotinic acetylcholine receptor. 269: 239
Paquet, M. R. See Trudel, S.
Paquet, N. See Hughes, G. J.
Paredes, S. See Urbaneja, M. A.
Pares, X. See Richardson, R. M.
Parivar, F. See Farrow, N. A.
Parker, P. J. See Bushfield, M.
Parquet, C. See Michaud, C.
Parry-Billings, M.
——; Dimitriadis, G. D.; Leighton, B.; Bond, J.; Bevan, S. J.; Opara, E.; Newsholme, E. A.
Effects of hyperthyroidism and hypothyroidism on glutamine metabolism by skeletal muscle of the rat. 272: 319
Parslow, R. A. See Monte, M. J.
Partearroyo, M. A. See Urbaneja, M. A.
Parys, J. B. See Van den Bosch, L.
Paska, L. See Preedy, V. R.
Patchett, M. L. See McKie, N.
Paterson, A. R. P. See Agbanyo, F. R.; Gati, W. P.
Paudel, H. K.
——; Carlson, G. M.
The quaternary structure of phosphorylase kinase as influenced by low concentrations of urea. Evidence suggesting a structural role for calmodulin. 268: 393
Pauwels, S. See Vanneste, Y.
Pavoine, C. See McKenzie, R. C.
Pawlak, K. See Duan, D. S.
Payne, L. S. See Jupp, R. A.
Payrastre, B.
——; Plantavid, M.; Breton, M.; Chambaz, E.; Chap, H.
Relationship between phosphoinositide kinase activities and protein tyrosine phosphorylation in plasma membranes from A431 cells. 272: 665
Peak, M. See Agius, L.
Pearce, N. J. See Berkhout, T. A.
Pearlstone, J. R. See Nikrad, P. V.
Pearson, J. D. See Carter, T. D.
Pearson, R. B. See Sarcevic, B.
Peavy, D. E.
——; DeSante, D. C.
Protein degradation in cultured fetal hepatocytes. Absence of an inhibitory effect of insulin. 267: 671
Pecker, F. See McKenzie, R. C.
Pedersen, J. I. See Dueland, S.
Pedersen, S. N. See Hach, M.
Pedrali-Noy, G. See Montecucco, A.
Pegg, A. E. See Casero, R. A. Jr.; Porter, C. W.
——; Pakala, R.; Bergeron, R. J.
Induction of spermidine/spermine N¹-acetyltransferase activity in Chinese-hamster ovary cells by N¹N¹¹-bis(ethyl)norspermidine and related compounds. 267: 331
Pegorier, J. P. See Prip-Buus, C.
Pekala, P. H. See Kern, M.
Pelech, S. L. See Salari, H.
Peloquin, L. See Masson, L.
Pels Rijcken, W. R.
——; Hooghwinkel, G. J. M.; Ferwerda, W.
Pyrimidine metabolism and sugar nucleotide synthesis in rat liver. 266: 777
Pendlebury, J. E. See Baxter, A.
Penicaud, L. See Takao, F.
Penning, T. M. See Ricigliano, J. W.
Penttila, K. E.
Role of cysteine and taurine in regulating glutathione synthesis by periportal and perivenous hepatocytes. 269: 659
Perez-Campo, R. See Barja de Quiroga, G.

Perez-Castineira, J. R.
——; Apps, D. K.
Vacuolar hydrogen ion ATPase of adrenal secretory granules. Rapid partial purification and reconstitution into proteoliposomes. 271: 127
Perez-Gil, J. See Martin, J.
——; Martin, J.; Acebal, C.; Arche, R.
Chemical mechanism of lysophosphatidylcholine:lysophosphatidylcholine acyltransferase from rabbit lung. pH-dependence of kinetic parameters. 270: 761
Perkins, N. D.
——; Orchard, K. H.; Collins, M. L. K.; Latchman, D. S.; Goodwin, G. H.
Detection in non-erythroid cells of a factor with the binding characteristics of the erythroid cell transcription factor EF1. 269: 543
Perkins, S. J. See Smith, K. F.
Perlow, D. S. See Jupp, R. A.
Perly, B. See Bossennec, V.
Pertoft, H. See Smedsroed, B.
Pessin, J. E. See Treadway, J. L.
Peters, W. H. M. See Van Ommen, B.
Petersen, A.
——; Quistorff, B.
Inosine/pyruvate/phosphate medium but not adenosine/pyruvate/phosphate medium introduces millimolar amounts of 5-phosphoribosyl 1-pyrophosphate in human erythrocytes. A phosphorus-31 NMR study. 266: 441
Peterson, D. L. See Gavilanes, F.
Petit-Glatron, M. F. See Chambert, R.
Petitou, M. See Bossennec, V.
Petrie, L. See Chesters, J. K.
Petrin, J. M. See Bishop, W. R.
Pettigrew, G. W. See Goodhew, C. F.
Pfeiffer, A. See Kopp, R.
Pfeilschifter, J.
Comparison of extracellular ATP and UTP signaling in rat renal mesangial cells. No indications for the involvement of separate purino- and pyrimidino-ceptors. 272: 469
——; Pignat, W.; Leighton, J.; Maerki, F.; Vosbeck, K.; Alkan, S.
Transforming growth factor β_2 differentially modulates interleukin-1β- and tumor-necrosis-factor-α-stimulated phospholipase A_2 and prostaglandin E_2 synthesis in rat renal mesangial cells. 270: 269
Piacentini, M. See Cocuzzi, E.
Picon, L. See Takao, F.
Piddock, L. J. V. See Lodge, J. M.
Pieper, D. H. See Kuhm, A. E.
——; Stadler-Fritzsche, K.; Knackmuss, H. J.; Engesser, K. H.; Bruce, N. C.; Cain, R. B.
Purification and characterization of 4-methylmuconolactone methylisomerase, a novel enzyme of the modified 3-oxoadipate pathway in the Gram-negative bacterium Alcaligenes eutrophus JMP 134. 271: 529
Pietruszko, R. See Abriola, D. P.; Blatter, E. E.
Pignat, W. See Pfeilschifter, J.
Pilch, P. F. See Treadway, J. L.
Pilz, I.
——; Schwarz, E.; Kilburn, D. G.; Miller, R. C. Jr.; Warren, R. A. J.; Gilkes, N. R.
The tertiary structure of a bacterial cellulase determined by small-angle x-ray-scattering analysis. 271: 277
Pintado, E. See Sage, S. O.
Piron, K. J.
——; McMahon, K. K.
Localization and partial characterization of ADP-ribosylation products in hearts from adult and neonatal rats. 270: 591
Piskarev, V. E.
——; Navratil, J.; Karaskova, H.; Bezouska, K.; Kocourek, J.
Studies on lectins. 75. Interaction of egg-white glycoproteins and their oligosaccharides with the monomer and the hexamer of chicken liver lectin. A multivalent oligosaccharide-combining site exists within the carbohydrate-recognition domain. 270: 755
——; Shuster, A. M.; Gabibov, A. G.; Rabinkov, A. G.
A novel preparative method for the isolation of avidin and riboflavin-binding glycoprotein from chicken egg-white by the use of high-performance liquid chromatography. 265: 301
Pitto, M. See Masserini, M.
Pitts, B. J. R. See Johnson, G. R.
Plaas, A. H. K. See Sah, R. L. Y.
Plaitin, B. See Adam, M.
Plantavid, M. See Payrastre, B.; Sultan, C.
Plattner, H. See Lumpert, C. J.
Plaxton, W. C. See Moorhead, G. B. G.
Pledger, W. J. See Olashaw, N. E.
Pless, J. See Bruns, C.
Plevin, R. See Cook, S. J.; MacNulty, E. E.
——; Palmer, S.; Gardner, S. D.; Wakelam, M. J. O.
Regulation of bombesin-stimulated inositol 1,4,5-trisphosphate generation in Swiss 3T3 fibroblasts by a guanine-nucleotide-binding protein 268: 605
Poggi, V.
——; Town, M.; Foulkes, N. S.; Luzzatto, L.
Identification of a single base change in a new human mutant glucose-6-phosphate dehydrogenase gene by polymerase chain reaction amplification of the entire coding region from genomic DNA. 271: 157
Pola, E.
——; Bertran, J.; Roca, A.; Palacin, M.; Zorzano, A.; Testar, X.
Sensitivity of system A and ASC transport activities to thiol-group-modifying reagents in rat liver plasma-membrane vesicles. Evidence for a direct binding of N-ethylmaleimide and iodoacetamide on A and ASC carriers. 271: 297
Polack, B. See Troesch, A.
Polgar, J.
——; Hidasi, V.; Muszbek, L.
Non-proteolytic activation of cellular protransglutaminase (placenta macrophage factor XIII). 267: 557
Pollack, S. See Weaver, J.
Polverino, A. J.
——; Hughes, B. P.; Barritt, G. J.
NIH-3T3 cells transformed with a ras oncogene exhibit a protein kinase C-mediated inhibition of agonist-stimulated calcium inflow. 271: 309
Pomerantz, K. B. See Hajjar, D. P.
Ponec, M. See Siegenthaler, G.
Poole, D. M. See Kellett, L. E.
Poole, R. C.
——; Cranmer, S. L.; Halestrap, A. P.; Levi, A. J.
Substrate and inhibitor specificity of monocarboxylate transport into heart cells and erythrocytes. Further evidence for the existence of two distinct carriers. 269: 827
Porn, M. I.
——; Slotte, J. P.
Reversible effects of sphingomyelin degradation on cholesterol distribution and metabolism in fibroblasts and transformed neuroblastoma cells. 271: 121
Porter, C. W.
——; Pegg, A. E.; Ganis, B.; Madhabala, R.; Bergeron, R. J.
Combined regulation of ornithine and S-adenosylmethionine decarboxylases by spermine and the spermine analog N^1N^{12}-bis(ethyl)spermine. 268: 207
Postic, C. See Burnol, A. F.
Postlind, H. See Bergman, T.
Potamianos, S. See Papadouli, I.
Potier, M. See Beliveau, R.; Le Maire, M.
——; Michaud, L.; Tranchemontagne, J.; Thauvette, L.
Structure of the lysosomal neuraminidase-β-galactosidase-carboxypeptidase multienzymic complex. 267: 197
Potter, B. V. L. See Gawler, D. J.; Nunn, D. L.; Taylor, C. W.
Potter, J. See Whiting, P.
Potts, J. R.
——; Hounslow, A. M.; Kuchel, P. W.
Exchange of fluorinated glucose across the red-cell membrane measured by fluorine-19 NMR magnetization transfer. 266: 925
Poulos, A. See Robinson, B. S.; Street, J. M.
Powell, S. J. See Vinas, O.
Powers, J. C. See Ueda, T.
Poyer, L. See Gutteridge, J. M. C.
Poyner, D. R.
——; Hawkins, P. T.; Benton, H. P.; Hanley, M. R.
Changes in inositol lipids and phosphates after stimulation of the MAS-transfected NG115-401L-C3 cell line by mitogenic and nonmitogenic stimuli. 271: 605
Pozsgay, M. See Bietlot, H. P. L.
Pozzan, T. See Treves, S.
Prabhakaran, M.
The distribution of physical, chemical and conformational properties in signal and nascent peptides. 269: 691
Pradayrol, L. See Nicolet, T. G.
Pradines-Figueres, A. See Barbaras, R.
Pralong, W. F. See Li, G.
Pratt, A. J. See Baldwin, J. E.
Preedy, V. R.
——; Paska, L.; Sugden, P. H.; Schofield, P. S.; Sugden, M. C.
Protein synthesis in liver and extrahepatic tissues after partial hepatectomy. 267: 325
Prefontaine, G. See Masson, L.
Prehm, P. See Mausolf, A.
Release of hyaluronate from eukaryotic cells. 267: 185
Prelli, F. See Ghiso, J.
Prentki, M. See Ullrich, S.
Preston, G. G.
——; Wall, J. D.; Emerich, D. W.
Purification and properties of acetyl-CoA synthetase from Bradyrhizobium japonicum bacteroids. 267: 179
Prestwich, G. See Blatter, E. E.
Prestwich, G. D. See King, W. G.
Price, N. C. See West, S. M.
Princen, H. M. G.
——; Meijer, P.
Maintenace of bile acid synthesis

and cholesterol 7α–hydroxylase activity in cultured rat hepatocytes. 272: 273
Prior, G. See Gregory, P.
Prip–Buus, C.
——; Pegorier, J. P.; Duee, P. H.; Kohl, C.; Girard, J.
Evidence that the sensitivity of carnitine palmitoyltransferase I to inhibition by malonyl–CoA is an important site of regulation of hepatic fatty acid oxidation in the fetal and newborn rabbit. Perinatal development and effects of pancreatic hormones in cultured rabbit hepatocytes. 269: 409
Pritzker, K. P. H. See Cruz, T. F.
Probst, I. See Oetjen, E.
Prockop, D. J. See Kadler, K. E.
Proefrock, A. See Schnefel, S.
Proud, C. G. See Redpath, N. T.
Proudfoot, A. E. I.
——; Fattah, D.; Kawashima, E. H.; Bernard, A.; Wingfield, P. T.
Preparation and characterization of human interleukin–5 expressed in recombinant Escherichia coli. 270: 357
Proudfoot, D. See Beckett, G. J.
Proudfoot, K. See Slater, T. F.
Prusiner, S. B. See Gabizon, R.
Pucci, P. See Morris, H. R.
Puchois, P. See Barbaras, R.
Puertes, I. R. See Barber, T.
Puigserver, A. See Dakka, N.
Pullarkat, P. S. See Pullarkat, R. K.
Pullarkat, R. K.
——; Pullarkat, P. S.; Morris, G. N.
Phosphorylated dolichols in aging. 265: 891
Purdue, P. E. See Takada, Y.
Puschendorf, B. See Lindner, H.
Putney, J. W. Jr. See Nogimori, K.
Pyne, N. J. See Bushfield, M.

Quilliam, L. A. See Bokoch, G. M.
Quirk, K. See McKernan, R. M.
Quistorff, B. See Evans, J. L.; Petersen, A.

Rabaud, M. See Faller, B.
Raben, D. M. See Wright, T. M.
Rabinkov, A. G. See Piskarev, V. E.
Rabouille, C.
——; Aon, M. A.; Muller, G.; Cartaud, J.; Thomas, D.
The supramolecular organization of ovomucin. Biophysical and morphological studies. 266: 697
Rached, E.
——; Hooper, N. M.; James, P.; Semenza, G.; Turner, A. J.; Mantei, N.
cDNA cloning and expression in Xenopus laevis oocytes of pig renal dipeptidase, a glycosyl–phosphatidylinositol–anchored ectoenzyme. 271: 755
Radda, G. K. See Challiss, R. A. J.
Radom, J.
——; Salvayre, R.; Levade, T.; Douste–Blazy, L.
Influence of chain length of pyrene fatty acids on their uptake and metabolism by Epstein–Barr–virus–transformed lymphoid cell lines from a patient with multisystemic lipid storage myopathy and from control subjects. 269: 107
Radominska, A.
——; Comer, K. A.; Zimniak, P.; Falany, J.; Iscan, M.; Falany, C. N.
Human liver steroid sulfotransferase sulfates bile acids. 272: 597
Ragan, C. I. See Gibb, G. M.; Kennedy, E. D.; McKernan, R. M.; Whiting, P.
Raggi, A. See Ranieri–Raggi, M.
Rahman, K. See Hamlin, S.
Rajamanickam, C. See Subramaniam, A.
Rajendran, M. Y. See Leung, T. K. C.
Rakitzis, E. T.
Kinetic analysis of regeneration by dilution of a covalently modified protein. 268: 669
Utilization of the free energy of the reversible binding of protein and modifying agent towards the rate–enhancement of protein covalent modification. 269: 835
Ramakrishna, S. See Yu, K. T.
Ramirez, J. M. See Lozano, R. M.
Ramotar, K.
——; Boyd, B.; Tyrrell, G.; Gariepy, J.; Lingwood, C.; Brunton, J.
Characterization of Shiga–like toxin I B subunit purified from overproducing clones of the SLT–I B cistron. 272: 805
Ramsay, R. R. See Krueger, M. J.; Murthy, M. S. R.
Ramsden, N. G. See Winchester, B. G.
Randall, R. W. See Thompson, N. T.
Randle, P. J. See Marchington, D. R.
Randoux, A. See Monboisse, J. C.
Ranieri–Raggi, M.
——; Raggi, A.
Regulation of skeletal–muscle AMP deaminase. Evidence for a highly pH–dependent inhibition by ATP of the homogeneous derivative of the rabbit enzyme yielded by limited proteolysis. 272: 755
Rankin, S. M. See Jessup, W.; Leake, D. S.
Rasigni, G. See De Mercoyrol, L.
Rasigni, M. See De Mercoyrol, L.
Rasmussen, H. See Haller, H.
Rasmussen, J. T.
——; Boerchers, T.; Knudsen, J.
Comparison of the binding affinities of acyl–CoA–binding protein and fatty–acid–binding protein for long–chain acyl–CoA esters. 265: 849
Rattigan, S. See Clark, M. G.; Clelland, P. J. F.
Raul, F. See Freund, J. N.
Rauterberg, J. See Greve, H.
Rawlings, N. D.
——; Barrett, A. J.
Bone morphogenetic protein 1 is homologous in part with calcium–dependent serine proteinase. 266: 622
Raz, A. See Honda, A.
——; Needleman, P.
Differential modification of cyclo–oxygenase and peroxidase activities of prostaglandin endoperoxide synthase by proteolytic digestion and hydroperoxides. 269: 603
Reast, R. See Sage, S. O.
Redpath, N. T.
——; Proud, C. G.
Activity of protein phosphatases against initiation factor–2 and elongation factor–2. 272: 175
Reeve, C. D.
——; Carver, M. A.; Hopper, D. J.
Stereochemical aspects of the oxidation of 4–ethylphenol by the bacterial enzyme 4–ethylphenol methylenehydroxylase. 269: 815
Reeves, M. L. See Murray, K. J.
Regazzi, R. See Li, G.
Rehfeld, J. F. See Oedum, L.
Rehm, A. G. See Halenda, S. P.
Reid, G. A. See Walker, M. E.
Reid, N. M. K.
——; Dickson, D. P. E.; Greenwood, C.; Thompson, A.; Kadir, F. H. A.; Moore, G. R.
Evidence for Moessbauer spectroscopy for different forms of iron core in Pseudomonas aeruginosa bacterial ferritin. 272: 263
Reid, S. K. See Gregory, P.
Reinauer, H. See Eckel, J.
Reinhammar, B. See Kersten, P. J.
Reisenauer, A. M.
Affinity labeling of the folate–binding protein in pig intestine. 267: 249
Reithmeier, R. A. F. See See, H.
Remold–O'Donnell, E. See Shelley, C. S.
Remorie, R. See Tilly, B. C.
Remy, M. H. See Beaude, P.
Rendell, N. B. See Warren, J. B.
Rendon, A.
——; Jung, D.; Jancsik, V.
Interaction of microtubules and microtubule–associated proteins (MAPs) with rat brain mitochondria. 269: 555
Rendu, F. See Karniguian, A.
——; Lebret, M.; Tenza, D.; Levy–Toledano, S.
How does fluoroaluminate activate human platelets? 265: 343
Rennie, P. S. See Freeman, S. N.
Reuser, A. J. J. See Hoefsloot, L. H.
Rhee, S. G. See Hepler, J. R.; Olashaw, N. E.
Ricard, J. See Cheron, G.
Rice, R. H. See Chakravarty, R.
——; Rong, X.; Chakravarty, R.
Proteolytic release of keratinocyte transglutaminase. 265: 351
Rice, W. R.
——; Dorn, C. C.; Singleton, F. M.
P_2–purinoceptor regulation of surfactant phosphatidylcholine secretion. Relative roles of calcium and protein kinase C. 266: 407
Rich, K. J. See Edwards, R. J.
Richards, S. M. See Clark, M. G.
Richardson, A. C. See Winchester, B. G.
Richardson, C. L. See Grigor, M. R.
Richardson, P. S. See Thornton, D. J.
Richardson, R. M.
——; Pares, X.; Cuchillo, C. M.
Chemical modification by pyridoxal 5'–phosphate and cyclohexane–1,2–dione indicates that Lys–7 and Arg–10 are involved in the p_2 phosphate–binding subsite of bovine pancreatic ribonuclease A. 267: 593
Richter, C.
——; Meier, P.
Inhibition of pro–oxidant–induced mitochondrial pyridine nucleotide hydrolysis and calcium release by 4–hydroxynonenal. 269: 735
Richter–Freund, M. See Seifert, R.
Ricigliano, J. W.
——; Penning, T. M.
Evidence that enzyme–generated aromatic Michael acceptors covalently modify the nucleotide–binding site of 3α–hydroxysteroid dehydrogenase. 269: 749
Ricketts, M. H. See Vandenplas, M. L.
Ridgwell, K. See Avent, N. D.
Rimsky, L. See Harel–Bellan, A.
Rink, T. J. See Merritt, J. E.; Sage, S. O.

Rist, B. See Kopitz, J.
Rist, R. J. See Naftalin, R. J.
——; Jones, G. E.; Naftalin, R. J.
Synergistic activation of 2-deoxy-D-glucose uptake in rat and murine peritoneal macrophages by human macrophage colony-stimulating factor-stimulated coupling between transport and hexokinase activity and phorbol-dependent stimulation of pentose phosphate-shunt activity. 265: 243
Risteli, J. See Smedsroed, B.
Risteli, L. See Smedsroed, B.
Rits, M. See Whitehead, A. S.
Rittenhouse, S. E. See King, W. G.; Sorisky, A.
Rivera, J. See Varney, M. A.
Robbi, M.
——; Beaufay, H.; Octave, J. N.
Nucleotide sequence of cDNA coding for rat liver pI 6.1 esterase (ES-10), a carboxylesterase located in the lumen of the endoplasmic reticulum. 269: 451
Robenek, H. See Mausolf, A.
Roberts, C. F. See Beri, R. K.
Roberts, R. J. See Spitz, D. R.
Robins, M. J. See Agbanyo, F. R.
Robinson, A.
——; Westwood, O. M. R.; Austen, B. M.
Interactions of signal peptides with signal-recognition particle. 266: 149
Robinson, B. S.
——; Johnson, D. W.; Poulos, A.
Unique molecular species of phosphatidylcholine containing very-long-chain (C_{24}-C_{38}) polyenoic fatty acids in rat brain. 265: 763
Metabolism of hexacosatetraenoic acid ($C_{26:4,n-6}$) in immature rat brain 267: 561
Robinson, C. H. See Cole, P. A.
Robinson, D. S. See Holder, J. C.
Robinson, I. C. A. F. See Jeffery, S.
Robinson, J. H. See Fears, R.
Robinson, P. J. See Sarcevic, B.
Robinson, P. R.
——; Wood, S. F.; Szuts, E. Z.; Fein, A.; Hamm, H. E.; Lisman, J. E.
Light-dependent GTP-binding proteins in squid photoreceptors. 272: 79
Robitzki, A.
——; Schroeder, H. C.; Ugarkovic, D.; Gramzow, M.; Fritsche, U.; Batel, R.; Mueller, W. E. G.
cDNA structure and expression of calpactin, a peptide involved in calcium-dependent cell aggregation in sponges. 271: 415
Robson, R. M. See Chou, R. G. R.
Roca, A. See Pola, E.
Rocamora, N.
——; Agell, N.
Methylation of chick UbI and UbII polyubiquitin genes and their differential expression during spermatogenesis. 267: 821
Rodriguez, L. See Moreno, S.
Rodriguez, P.
——; Rodriguez Lopez, J. N.; Tudela, J.; Varon, R.; Garcia Canovas, F.
Effect of pH on the oxidation pathway of α-methyldopa catalyzed by tyrosinase. 272: 459
Rodriguez Lopez, J. N. See Rodriguez, P.
Roemisch, J.
——; Grote, M.; Weithmann, K. U.; Heimburger, N.; Amann, E.
Annexin proteins PP4 and PP4-X. Comparative characterization of biological activities of placental and recombinant proteins. 272: 223
Roeser, H. P. See Cham, B. E.
Roessner, C. A. See Warren, M. J.
Rogers, L. J.
——; Sykes, G. A.
Conformational changes in Chondrus crispus flavodoxin on dissociation of FMN and reconstitution with flavin analogs. 272: 775
Rogers, M. P. See Mackay, A. G.
Rogers, T. B. See Lai, W. S.
Rohner-Jeanrenaud, F. See Cusin, I.
Rojas, C.
——; Enerbaeck, S.; Bengtsson-Olivecrona, G.
Synthesis and secretion of active lipoprotein lipase in Chinese-hamster ovary (CHO) cells. 271: 11
Romslo, I. See Thorstensen, K.
Rondeau, J. J. See Larose, L.
——; McNicoll, N.; Escher, E.; Meloche, S.; Ong, H.; De Lean, A.
Hydrodynamic properties of the angiotensin II receptor from bovine adrenal zona glomerulosa. 268: 443
Rong, X. See Chakravarty, R.; Rice, R. H.
Roos, N. See Kindberg, G. M.
Roques, B. P. See Lemay, G.
Rorsman, P. See Arkhammar, P.
Rosa, A. L.
——; Alvarez, M. E.; Lawson, D.; Maccioni, H. J. F.
A polypeptide of 59 kDa is associated with bundles of cytoplasmic filaments in Neurospora crassa. 268: 649
Rosa, J. L.
——; Ventura, F.; Carreras, J.; Bartrons, R.
Fructose 2,6-bisphosphate and 6-phosphofructo-2-kinase during liver regeneration. 270: 645
Rose, M. P. See West, A. P.
Rosen, C. F.
——; Gajic, D.; Jia, Q.; Drucker, D. J.
Ultraviolet B radiation induction of ornithine decarboxylase gene expression in mouse epidermis. 270: 565
Rosen, F. S. See Shelley, C. S.
Ross, A. G. See Hayes, J. D.
Ross, B. D. See Farrow, N. A.
Rossi, F. See Wallin, R.
Rotenberg, S. A.
——; Krauss, R. S.; Borner, C. M. B.; Weinstein, I. B.
Characterization of a specific form of protein kinase C overproduced by a C3H $10T^{1/2}$ cell line. 266: 173
Roughley, P. J. See Nguyen Quang
Rougon, G. See Fouchier, F.
Roustan, C. See Labbe, J. P.
Rouy, D.
——; Angles-Cano, E.
The mechanism of activation of plasminogen at the fibrin surface by tissue-type plasminogen activator in a plasma milieu in vitro. Role of α_2-antiplasmin. 271: 51
Rovira, A. See Contreras, I.
Rowan, A. D.
——; Buttle, D. J.; Barrett, A. J.
The cysteine proteinases of the pineapple plant. 266: 869
Rowlinson, S. W. See Barnard, R.
Roy, S. See Banik, U.
Rozengurt, E. See Sinnett-Smith, J.
Rua, J.
——; De Arriaga, D.; Busto, F.; Soler, J.
Isocitrate lyase from Phycomyces blakesleeanus. The role of magnesium ions, kinetics and evidence for two classes of modifiable thiol groups. 272: 359
Rubiera, C.
——; Lazo, P. S.; Shears, S. B.
Polarized subcellular distribution of the 1-, 4- and 5-phosphatase activities that metabolize inositol 1,4,5-trisphosphate in intestinal epithelial cells. 269: 353
Rubin, E. See Hoek, J. B.
Rubin, R. See Benistant, C.
Ruestow, B. See Schlame, M.
Ruff, L. J. See Brass, E. P.
Runswick, M. J. See Vinas, O.
——; Medd, S. M.; Walker, J. E.
The δ-subunit of ATP synthase from bovine heart mitochondria. Complementary DNA sequence of its import precursor cloned with the aid of the polymerase chain reaction. 266: 421
Ruoho, A. E. See Wadzinski, B. E.
Rupar, C. A. See Mesmer, O. T.
Russell, G. C.
——; Guest, J. R.
Overexpression of restructured pyruvate dehydrogenase complexes and site-directed mutagenesis of a potential active-site histidine residue. 269: 443
Russell, N. J. See Narbad, A.
Rutter, G. A.
——; Osbaldeston, N. J.; McCormack, J. G.; Denton, R. M.
Measurement of matrix free magnesium concentration in rat heart mitochondria by using entrapped fluorescent probes. 271: 627
Ryden, P.
——; Selvendran, R. R.
Cell-wall polysaccharides and glycoproteins of parenchymatous tissues of runner bean (Phaseolus coccineus). 269: 393
Rydstroem, J. See Mankowitz, L.

Sadee, W. See Duan, D. S.
Safrany, S. T. See Wojcikiewicz, R. J. H.
Sage, S. O.
——; Pintado, E.; Mahaut-Smith, M. P.; Merritt, J. E.
Rapid kinetics of agonist-evoked changes in cytosolic free calcium concentration in fura-2-loaded human neutrophils. 265: 915
——; Reast, R.; Rink, T. J.
ADP evokes biphasic calcium influx in fura-2-loaded human platelets. Evidence for calcium entry regulated by the intracellular calcium store. 265: 675
——; Rink, T. J.
Reply to 'rapid blood platelet activation: continuous- and quenched-flow versus stopped-flow approaches'. 265: 306
Saggerson, E. D. See Ghadiminejad, I.; Milligan, G.
——; Jamal, Z.
Differences in the properties of A_1-type adenosine receptors in rat white and brown adipocytes. 269: 157
Sagi-Eisenberg, R. See Gat-Yablonski, G.; Traub, L. M.
Sah, R. L. Y.
——; Grodzinsky, A. J.; Plaas, A. H. K.; Sandy, J. D.
Effects of tissue compression on the hyaluronate-binding properties of newly synthesized proteoglycans in cartilage explants. 267: 803
Saini, K.
——; Steele, G.; Thomas, P.
Induction of carcinoembryonic-anti-

gen–gene expression in human colo= rectal carcinoma by sodium buty= rate. 272: 541
——; Thomas, P.; Bhandari, B. Hormonal regulation of stability of glutamine synthetase mRNA in cultured 3T3–L1 adipocytes. 267: 241
Sairam, M. R. Complete dissociation of gonadotropin receptor binding and signal trans= duction in mouse Leydig tumor cells. Obligatory role of glycosyla= tion in hormone action. 265: 667
Sakai, F. See Kobayashi, R.
Sakai, M. See Black, S. M.
Sakai, S.
——; Suzuki, M.; Kohmoto, K. Thermodynamic analysis of the inter= action of prolactin with its receptor in the rabbit mammary–gland mi= crosomes. 269: 647
Sakamoto, K. See Cunnick, J. M.
Sakarellos, C. See Papadouli, I.
Sakuragi, S. See Kobayashi, R.
Sakurai, K. See Kolset, S. O.
Salari, H.
——; Duronio, V.; Howard, S.; Demos, M.; Pelech, S. L. Translocation–independent activation of protein kinase C by platelet–acti= vating factor, thrombin and prosta= cyclin. Lack of correlation with polyphosphoinositide hydrolysis in rabbit platelets. 267: 689
Sale, G. J. See King, M. J.
Salminen, A.
——; Gottesman, M. M. Inhibitor studies indicate that active cathepsin L is probably essential to its own processing in cultured fi= broblasts. 272: 39
Salter, M. See Knowles, R. G.
Salvage, B. J. See Newton, R. P.
Salvatori, S.
——; Damiani, E.; Barhanin, J.; Furlan, S.; Salviati, G.; Margreth, A. Co–localization of the dihydropyridine receptor and the cyclic AMP–bind= ing subunit of an intrinsic protein kinase to the junctional membrane of the transverse tubules of skeletal muscle. 267: 679
Salvayre, R. See Radom, J.
Salviati, G. See Salvatori, S.
Sa Miranda, M. C. See Aerts, J. M. F. G.
Samols, D. See Ganapathi, M. K.
Samson, S. E. See Khan, I.
Sanchez, A. See Alonso, M. T.
Sanchez, L. M. See Balbin, M.
Sanchez, Y. See Moreno, S.
Sanchez–Bueno, A. See Schoefl, C.
——; Dixon, C. J.; Woods, N. M.; Cuth= bertson, K. S. R.; Cobbold, P. H. Inhibitors of protein kinase C prolong the falling phase of each free calcium transient in a hormone–stimulated hepatocyte. 268: 627
Sanchez Crespo, M. See Garcia, M. d. C.
Sanchez–Ferrer, A. See Bru, R.
Sanchez–Madrid, F. See Lacal, P. M.
Sandstroem, B. E.
——; Marklund, S. L. Effects of variation in glutathione peroxidase activity on DNA damage and cell survival in human cells exposed to hydrogen peroxide and t–butyl hydroperoxide. 271: 17
Sandy, J. D. See Sah, R. L. Y.
Sano, S. See Yoshinaga, T.
Sanots, H. See Berry, M. J.
Santander, P. J. See Warren, M. J.
Sanzo, M. A.
——; Howard, S. C.; Wittwer, A. J.; Cochrane, H. M. Binding of tissue plasminogen activa= tor to human aortic endothelial cells. 269: 475
Sarau, H. M. See Mattern, M. R.
Sarcevic, B.
——; Robinson, P. J.; Pearson, R. B.; Kemp, B. E. The smooth muscle 132 kDa cyclic GMP–dependent protein kinase substrate is not myosin light chain kinase or caldesmon. 271: 493
Sarti, P.
——; Antonini, G.; Malatesta, F.; Val= lone, B.; Brunori, M.; Masserini, M.; Palestini, P.; Tettamanti, G. Effect of gangliosides on membrane permeability studied by enzymic and fluorescence–spectroscopy tech= niques. 267: 413
Sarwar, M.
——; Akhtar, M. Cloning of aminoglycoside phospho= transferase (APH) gene from antibi= otic–producing strain of Bacillus circulans into a high–expression vector, pKK223–3. Purification, properties and location of the en= zyme. 268: 671
Sastre, J. See Ferrer, J. V.
Sastry, M. V. K. See Mahanta, S. K.
Sato, K. See Tsuchida, S.
Saurat, J. H. See Siegenthaler, G.
Savu, L. See Vranckx, R.
Savva, D.
——; Tarnoky, A. L.; Vickers, M. F. Genetic characterization of an alloal= bumin, albumin Kashmir, using gene amplification and allele–specif= ic oligonucleotides. 266: 615
Sawada, H. See Ohmura, M.
Scatena, R. See Giardina, B.
Scemama, J. L. See Nicolet, T. G.
Schacter, B. S. See Shaw, P. A.
Schaefer, R.
——; Nehls–Sahabandu, M.; Grabowsky, B.; Dehlinger–Kremer, M.; Schulz, I.; Mayr, G. W. Synthesis and application of photoaf= finity analogs of inositol 1,4,5–tris= phosphate selectively substituted at the 1–phosphate group. 272: 817
Schaeffer, J. M.
——; Donatelli, M. R. Characterization of a high–affinity membrane–associated ornithine decarboxylase from the free–living nematode Caenorhabditis elegans. 270: 599
Schaffer, M. H.
——; Noyes, B. E.; Slaughter, C. A.; Thorne, G. C.; Gaskell, S. J. The fruitfly Drosophila melanogaster contains a novel charged adipokinet= ic–hormone–family peptide. 269: 315
Schersten, T. See Soussi, B.
Schinina, M. E. See Doyle, J. M.
Schlame, M.
——; Horvath, L.; Vigh, L. Relationship between lipid saturation and lipid–protein interaction in liver mitochondria modified by catalytic hydrogenation with refer= ence to cardiolipin molecular spec= ies. 265: 79
——; Ruestow, B. Lysocardiolipin formation and reacy= lation in isolated rat liver mito= chondria. 272: 589
Schlegel, W. See Mollard, P.
Schlessinger, J. See Goldberg, H. J.
Schloemann, M. See Kuhm, A. E.
Schlueter, K. D. See Somjen, D.
Schlumberger, W. See Greve, H.
Schmaier, A. H. See Bradford, H. N.
Schmalzing, G.
——; Kroener, S. Micromolar free calcium exposes ouabain–binding sites in digitonin–= permeabilized Xenopus laevis oo= cytes. 269: 757
Schmid, K. W. See Weiler, R.
Schmidt, G. See Breuer, B.; Greve, H.
——; Hausser, H.; Kresse, H. Extracellular accumulation of small dermatan sulfate proteoglycan II by interference with the secretion–re= capture pathway. 266: 591
Schmidt, W. E. See Weiland, M.
Schmidtchen, A.
——; Carlstedt, I.; Malmstroem, A.; Fransson, L. A. Inventory of human skin fibroblast proteoglycans. Identification of multiple heparan and chondroitin/= dermatan sulfate proteoglycans. 265: 289
Schmitz–Peiffer, C. See Murray, K. J.
Schnefel, S.
——; Proefrock, A.; Hinsch, K. D.; Schulz, I. Cholecystokinin activates G_i1–, G_i2–, G_i3– and several G_s–proteins in rat pancreatic acinar cells. 269: 483
Schneider, J. See Holschbach, C.
Schoefl, C.
——; Sanchez–Bueno, A.; Dixon, C. J.; Woods, N. M.; Lee, J. A. C.; Cuth= bertson, K. S. R.; Cobbold, P. H.; Birchall, J. D. Aluminum perturbs oscillatory phos= phoinositide–mediated calcium signalling in hormone–stimulated hepatocytes. 269: 547
Schofield, P. S. See Preedy, V. R.
Schoonderwoerd, K.
——; Broekhoven–Schokker, S.; Huls= mann, W. C.; Stam, H. Properties of phosphatidate phos= phohydrolase and diacylglycerol acyltransferase activities in the isolated rat heart. Effect of gluca= gon, ischaemia and diabetes. 268: 487
Schor, A. M. See Canfield, A. E.
Schor, N. F.
——; Siuda, J. F.; Lomis, T. J.; Cheng, B. Structural studies on the inactivation of γ–glutamylcysteine synthetase by the disulfide analogs of radiopro= tective cysteamine derivatives. Ef= fects of aminoalkyl and hydroxyal= kyl chain length and ββ–bis–dime= thylation. 267: 291
Schram, A. W. See Aerts, J. M. F. G.
Schroeder, H. C. See Robitzki, A.
Schuermann, A. See Weiland, M.
Schulster, D. See Southern, C.
Schultz, D. See Ganapathi, M. K.
Schultz, G. See Seifert, R.
Schulz, I. See Schaefer, R.; Schnefel, S.
Schwaeble, W. See Steinkasserer, A.
Schwalbe, M. S. See Frost, S. C.
Schwartz, A. L. See Van der Ende, A.
Schwarz, E. See Pilz, I.
Schweickhardt, C. See Oetjen, E.
Schweizer, M. See Laux, T.
Schwietert, H. C. A. See Basu, H. S.
Schwoch, G.
——; Trinczek, B.; Bode, C. Localization of catalytic and regulato= ry subunits of cyclic AMP–depend=

ent protein kinases in mitochondria from various rat tissues. 270: 181
Scott, A. I. See Warren, M. J.
Scott, A. R. See Henderson, C. J.
Scott, J. See Jessup, W.
Scott, J. E.
——; Bosworth, T. R.
A comparative biochemical and ultrastructural study of proteoglycan–collagen interactions in corneal stroma. Functional and metabolic implications. 270: 491
Scott-Woo, G. C.
——; Sutherland, C.; Walsh, M. P.
Kinase activity associated with caldesmon is calcium/calmodulin-dependent kinase II. 268: 367
Seamon, K. B. See Wadzinski, B. E.
Searle, M. S.
——; Wakelin, L. P.
Conformation and dynamics of the deoxyribose rings of a (nogalamycin)$_2$–d(5'–GCATGC)$_2$ complex studied in solution by proton NMR spectroscopy. 269: 341
See, H.
——; Reithmeier, R. A. F.
Identification and characterization of the major stilbene disulfonate- and concanavalin A–binding protein of the porcine renal brush-border membrane as aminopeptidase N. 271: 147
Seffer, E. See Machicao, F.
Segal, A. W. See Teahan, C. G.
Segatore, B. See Amicosante, G.
Seglen, P. O. See Hendil, K. B.
Seif, M. W. See Hoadley, M. E.
Seifert, R.
——; Schultz, G.; Richter-Freund, M.; Metzger, J.; Wiesmueller, K. H.; Jung, G.; Bessler, W. G.; Hauschildt, S.
Activation of superoxide formation and lysozyme release in human neutrophils by the synthetic lipopeptide Pam_3Cys–Ser–$(Lys)_4$. Involvement of guanine-nucleotide-binding proteins and synergism with chemotactic peptides. 267: 795
Seiler, N. See Bolkenius, F. N.
Seitz, H. U. See Wendroth, S.
Selak, M. A.
——; Smith, J. B.
Cathepsin G binding to human platelets. Evidence for a specific receptor. 266: 55
Self, S. J.
——; Hunter, C. N.; Leatherbarrow, R. J.
Molecular cloning, sequencing and expression of cytochrome c_2 from Rhodospirillum rubrum. 265: 599
Selvendran, R. R. See Ryden, P.
Selwood, T.
——; Sinnott, M. L.
A solvent-isotope-effect study of proton transfer during catalysis by Escherichia coli (lacZ) β-galactosidase. 268: 317
Selwyn, M. J. See Halle-Smith, S. C.
Semenza, G. See Rached, E.
Sen, A. K.
Metabolic control analysis. An application of signal flow graphs. 269: 141
Application of electrical analogs for control analysis of simple metabolic pathways. 272: 65
Seppala, R. See Blom, H. J.
Serafini-Cessi, F. See Dall'olio, F.
Serban, M. See Szedlacsek, S. E.
Serhan, C. N. See Fiore, S.
Sesardic, D. See Edwards, R. J.
Setchell, B. A. See Bygrave, F. L.
Seva, C. See Nicolet, T. G.
Severson, D. L. See Carroll, R.
Seydel, W. See Krause, J.
Shackleton, D. R.
——; Hulmes, D. J. S.
Purification of lysyl oxidase from piglet skin by selective interaction with Sephacryl S-200. 266: 917
Shall, S. See Meldrum, R. A.
Shamah, S. M. See Barnett, J. V.
Shanahan, M. F. See Wadzinski, B. E.
Shareck, F. See Kluepfel, D.
Sharpe, M. A. See Wrigglesworth, J. M.
Shaw, E. See Angliker, H.
Shaw, G. J. See Fearnley, I. M.
Shaw, N. M.
——; Bolwell, G. P.; Smith, C.
Wound-induced phenylalanine ammonia-lyase in potato (Solanum tuberosum) tuber disks. Significance of glycosylation and immunolocalization of enzyme subunits. 267: 163
Shaw, P. A.
——; Barka, T.; Woodin, A.; Schacter, B. S.; Cox, J. L.
Expression and induction by β-adrenergic agonists of the cystatin S gene in submandibular glands of developing rats. 265: 115
Shaw, S.
——; Jayatilleke, E.
The role of aldehyde oxidase in ethanol-induced hepatic lipid peroxidation in the rat. 268: 579
Shaw, W. V. See Lewendon, A.; Murray, I. A.
Shean, K.
——; Paine, A. J.
Immunochemical quantification of cytochrome P450IA and IIB subfamilies in the livers of metyrapone-treated rats. Relevance to the ability of metyrapone to prevent the loss of cytochrome P-450 in rat hepatocyte culture. 267: 715
Shears, S. B. See Hodgson, M. E.; Rubiera, C.
——; Dawson, A. P.; Loomis-Husselbee, J. W.; Cullen, P. J.
The perturbation, by aluminum, of receptor-generated calcium transients in hepatocytes is not due to effects of Ins(1,4,5)P_3-stimulated calcium release or Ins(1,4,5)P_3 metabolism by the 5-phosphatase and 3-kinase. 270: 837
Sheehan, J. K. See Thornton, D. J.
——; Carlstedt, I.
Electron microscopy of cervical-mucus glycoproteins and fragments therefrom. The use of colloidal gold to make visible 'naked' protein regions. 265: 169
Sheikh, A.
——; Freedman, R. B.
Translation of preprochymosin in vitro. Evidence for folding of prochymosin to the native conformation. 272: 659
Sheikh, M. I. See Blokkebak-Poulsen, J.
Sheldon, P. S.
——; Kekwick, R. G. O.; Sidebottom, C.; Smith, C. G.; Slabas, A. R.
3-Oxoacyl-(acyl-carrier protein) reductase from avocado (Persea americana) fruit mesocarp. 271: 713
Shelley, C. S.
——; Remold-O'Donnell, E.; Rosen, F. S.; Whitehead, A. S.
Structure of the human sialophorin (CD43) gene. Identification of features atypical of genes encoding integral membrane proteins. 270: 569
Sheng, Z. See Hull, S. R.
Shepherd, V. L.
——; Abdolrasulnia, R.; Stephenson, J.; Crenshaw, C.
Modulation of mannose receptor activity by proteolysis. 270: 771
Sherwood, A. L.
——; Bornstein, P.
Transcriptional control of the α1(I) collagen gene involves orientation- and position-specific intronic sequences. 265: 895
Shewry, P. R. See Tatham, A. S.
——; Tatham, A. S.
The prolamin storage proteins of cereal seeds: structure and evolution. 267: 1
Shiao, M. S. See Chang, G. G.
Shiba, T.
——; Tobe, K.; Koshio, O.; Yamamoto, R.; Shibasaki, Y.; Matsumoto, N.; Toyoshima, S.; Osawa, T.; Akanuma, Y.
Concanavalin A–induced receptor aggregation stimulates the tyrosine kinase activity of the insulin receptor in intact cells. 267: 787
Shibasaki, F. See Homma, Y.
Shibasaki, Y. See Shiba, T.
Shimazu, T. See Watanabe, Y.
Shimizu, N. See Hirai, M.; Kato, M.
Shimomura, O.
——; Inouye, S.; Musicki, B.; Kishi, Y.
Recombinant aequorin and recombinant semisynthetic aequorins. Cellular calcium ion indicators. 270: 309
Shin, H. S. See Wright, T. M.
Shioi, J.
——; Ueda, T.
Artificially imposed electrical potentials drive L-glutamate uptake into synaptic vesicles of bovine cerebral cortex. 267: 63
Shirazi-Beechey, S. P. See Dyer, J.
Shishiba, Y. See Takeuchi, Y.
Shone, C. C. See Wadsworth, J. D. F.
Shoshan-Barmatz, V.
——; Zhang, G. H.; Garretson, L.; Kraus-Friedmann, N.
Distinct ryanodine- and inositol 1,4,5-trisphosphate-binding sites in hepatic microsomes. 268: 699
Shuster, A. M. See Piskarev, V. E.
Shuttleworth, C. A. See Kielty, C. M.
Shuttleworth, T. J.
Receptor-activated calcium entry in exocrine cells does not occur via agonist-sensitive intracellular pools 266: 719
Fluoroaluminate activation of different components of the calcium signal in an exocrine cell. 269: 417
Sicilia, J. See Melendez-Hevia, E.
Siddle, K. See Brindle, N. P. J.; Soos, M. A.
Sidebottom, C. See Sheldon, P. S.
Sidebottom, C. M. See Slabas, A. R.
Siegel, F. L. See Johnson, J. A.
Siegenthaler, G. See Crettaz, M.
——; Saurat, J. H.; Ponec, M.
Retinol and retinal metabolism. Relationship to the state of differentiation of cultured human keratinocytes. 268: 371
Siegrist, S.
——; Laperche, Y.; Chobert, M. N.; Bulle, F.; Nakhasi, H. L.; Guellaen,

G.
Regulation of mouse mammary-gland γ-glutamyltranspeptidase mRNA during pregnancy, lactation and weaning. 267: 621
Sieker, L. C. See Meyer, J.
Siess, W.
——; Lapetina, E. G.
Functional relationship between cyclic AMP-dependent protein phosphorylation and platelet inhibition. 271: 815
Silverberg, I. See Fransson, L. A.
Simard, J. See Baker, M. E.
Simmerman, H. K. B. See Krause, K. H.
Simonides, W. S. See Beekman, R. E.
Simpson, A. W. M.
——; Stampfl, A.; Ashley, C. C.
Evidence for receptor-mediated bivalent-cation entry in A10 vascular smooth muscle cells. 267: 277
Simson, J. A. V. See Xiong, W.
Sinclair, J. F. See Lambrecht, R. W.
——; Wood, S.; Lambrecht, L.; Gorman, N.; Mende-Mueller, L.; Smith, L.; Hunt, J.; Sinclair, P.
Isolation of four forms of acetone-induced cytochrome P-450 in chicken liver by HPLC and their enzymic characterization. 269: 85
Sinclair, P. See Sinclair, J. F.
Sinclair, P. R. See Lambrecht, R. W.
Singer, T. P. See Krueger, M. J.
Singh, H. See Street, J. M.
Singleton, A. M. See Edwards, R. J.
Singleton, F. M. See Rice, W. R.
Sinn, H. See Ottnad, E.
Sinnett-Smith, J.
——; Lehmann, W.; Rozengurt, E.
Bombesin receptor in membranes from Swiss 3T3 cells. Binding characteristics, affinity labeling and modulation by guanine nucleotides. 265: 485
Sinnott, M. L. See Axamawaty, M. T. H.; Selwood, T.
Sipos, S. See Kwan, C. Y.
Sitrin, M. D. See Wali, R. K.
Siuda, J. F. See Schor, N. F.
Sixl, F.
——; King, R. W.; Bracken, M.; Feeney, J.
Fluorine-19 NMR studies of ligand binding to 5-fluorotryptophan- and 3-fluorotyrosine-containing cyclic AMP receptor protein from Escherichia coli. 266: 545
Sjoeberg, E. M.
——; Fries, E.
One of the major sulfated proteins secreted by rat hepatocytes contains low-sulfated chondroitin sulfate. 272: 113
Skladanowski, A. C.
——; Newby, A. C.
Partial purification and properties of an AMP-specific soluble 5'-nucleotidase from pigeon heart. 268: 117
Skogloef, A. See Deinum, J.
Skorecki, K. L. See Goldberg, H. J.
Skottova, N. See Lasuncion, M. A.
Slabas, A. R. See Sheldon, P. S.
——; Windust, J.; Sidebottom, C. M.
Does sequence similarity of human choline esterase, Torpedo acetylcholine esterase and Geotrichum candidum lipase reveal the active site serine residue? 269: 279
Slater, T. F.
——; Cheeseman, K. H.; Benedetto, C.; Collins, M.; Emery, S.; Maddix, S. P.; Nodes, J. T.; Proudfoot, K.; Burton, G. W.; Ingold, K. U.
Studies on the hyperplasia ('regeneration') of the rat liver following partial hepatectomy. Changes in lipid peroxidation and general biochemical aspects. 265: 51
Slaughter, C. A. See Schaffer, M. H.
Slotte, J. P. See Porn, M. I.
Smadja, C.
——; Morin, J.; Ferre, P.; Girard, J.
Initial glucose kinetics and hormonal response to a gastric glucose load in unrestrained post-absorptive and starved rats. 270: 505
Smallwood, J. I. See Haller, H.
Smallwood, M.
——; Keen, J. N.; Bowles, D. J.
Purification and partial sequence analysis of plant annexins. 270: 157
Smedsroed, B. See Kindberg, G. M.
——; Melkko, J.; Risteli, L.; Risteli, J.
Circulating C-terminal propeptide of type I procollagen is cleared mainly via the mannose receptor in liver endothelial cells. 271: 345
——; Pertoft, H.; Gustafson, S.; Laurent, T. C.
Scavenger functions of the liver endothelial cell. 266: 313
Smillie, L. B. See Nikrad, P. V.
Smit, M. J.
——; Temmerman, A. M.; Havinga, R.; Kuipers, F.; Vonk, R. J.
Short- and long-term effects of biliary drainage on hepatic cholesterol metabolism in the rat. 269: 781
Smith, B. E. See Harvey, I.
Smith, B. J. See Williamson, R. A.
Smith, C. See Shaw, N. M.
Smith, C. G. See Sheldon, P. S.
Smith, E. M. See Watford, M.
Smith, J. B. See Selak, M. A.
Smith, K. F.
——; Harrison, R. A.; Perkins, S. J.
Structural comparisons of the native and reactive-center-cleaved forms of α_1-antitrypsin by neutron- and x-ray-scattering in solution. 267: 203
Smith, L. See Sinclair, J. F.
Smith, L. M. See Yang, X. J.
Smith, M. See Beri, R. K.
Smith, M. A.
——; Cross, A. R.; Jones, O. T. G.; Griffiths, W. T.; Stymne, S.; Stobart, K.
Electron-transport components of the 1-acyl-2-oleoyl-sn-glycero-3-phosphocholine Δ^{12}-desaturase (Δ^{12}-desaturase) in microsomal preparations from developing safflower (Carthamus tinctorius L.) cotyledons. 272: 23
Smith, P. See Ahmed, S.
Smith, R. T. See Dyer, J.
Smith, S. See Amy, C. M.
Smith, T. P. See Bailey, C. J.
Smith, U. See Eriksson, J.
Snow, J. W. See Hajjar, D. P.
Snyder, S. H. See Mourey, R. J.; Theibert, A. B.
Socorro, L.
——; Alexander, R. W.; Griendling, K. K.
Cholera toxin modulation of angiotensin II-stimulated inositol phosphate production in cultured vascular smooth muscle cells. 265: 799
Soler, J. See Rua, J.
Solomonson, L. P. See Kay, C. J.
Somjen, D.
——; Binderman, I.; Schlueter, K. D.; Wingender, E.; Mayer, H.; Kaye, A. M.
Stimulation by defined parathyroid hormone fragments of cell proliferation in skeletal-derived cell cultures. 272: 781
Sonnino, S. See Trinchera, M.
Sonobe, S. See Hayashi, H.
Soos, M. A.
——; Whittaker, J.; Lammers, R.; Ullrich, A.; Siddle, K.
Receptors for insulin and insulin-like growth factor-I can form hybrid dimers. Characterization of hybrid receptors in transfected cells. 270: 383
Sorisky, A.
——; Kucera, G. L.; Rittenhouse, S. E.
Stimulated cholesterol-enriched platelets display increased cytosolic calcium and phospholipase A activity independent of changes in inositol trisphosphates and agonist/receptor binding. 265: 747
Soulie, J. M. See De Mercoyrol, L.
Souness, J. E.
——; Diocee, B. K.; Martin, W.; Moodie, S. A.
Pig aortic endothelial-cell cyclic nucleotide phosphodiesterases. Use of phosphodiesterase inhibitors to evaluate their roles in regulating cyclic nucleotide levels in intact cells. 266: 127
Soussi, B.
——; Bylund-Fellenius, A. C.; Schersten, T.; Aangstroem, J.
Proton-NMR evaluation of the ferricytochrome c-cardiolipin interaction. Effect of superoxide radicals. 265: 227
Southern, C.
——; Schulster, D.; Green, I. C.
Inhibition of insulin secretion from rat islets of Langerhans by interleukin-6. An effect distinct from that of interleukin-1. 272: 243
Southorn, B. G.
——; Palmer, R. M.
Inhibitors of phospholipase A_2 block the stimulation of protein synthesis by insulin in L6 myoblasts. 270: 737
——; Palmer, R. M.; Garlick, P. J.
Acute effects of corticosterone on tissue protein synthesis and insulin-sensitivity in rats in vivo. 272: 187
Spacey, G. D. See Thompson, N. T.
Spadari, S. See Montecucco, A.
Sparla, A. M.
——; Overnell, J.
The binding of cadmium to crab cadmium metallothionein. A polarographic investigation. 267: 539
Spassky, A. See Chan, B.
Spence, M. W.
——; Cook, H. W.; Byers, D. M.; Palmer, F. B. S. C.
The role of sphingomyelin in phosphatidylcholine metabolism in cultured human fibroblasts from control and sphingomyelin lipidosis patients and in Chinese hamster ovary cells. 268: 719
Spencer, C. A.
——; Palmer, T. N.; Mason, R. M.
Intermediary metabolism in the Swarm rat chondrosarcoma chondrocyte. 265: 911
Spencer, G. G. See Khan, I.
Spencer, R. W. See Bakker, A. V.
Spik, G. See Derisbourg, P.; Legrand, D.
Spitz, D. R.
——; Malcolm, R. R.; Roberts, R. J.
Cytotoxicity and metabolism of 4-hydroxy-2-nonenal and 2-nonenal in hydrogen peroxide resistant cell lines. Do aldehydic by-products of lipid peroxidation contribute to oxidative stress? 267: 453

Spitzer, S. G.
——; Warn-Cramer, B. J.; Kasper, C. K.; Bajaj, S. P.
Replacement of isoleucine-397 by threonine in the clotting proteinase Factor IXa (Los Angeles and Long Beach variants) affects macromolecular catalysis but not L-tosylarginine methyl ester hydrolysis. Lack of correlation between the ox brain prothrombin time and the mutation site in the variant proteins. 265: 219
Spragg, J. H. See Brown, J. C.
Stabler, S. P. See Brass, E. P.
Stack, R. J.
——; Weisleder, D.
4-O-(1-Carboxyethyl)-L-rhamnose, a second unique acidic sugar found in an extracellular polysaccharide from Butyrivibrio fibrisolvens strain 49. 268: 281
Stadel, J. M. See Nakada, M. T.
Stadler-Fritzsche, K. See Pieper, D. H.
Stalenhoef, A. F. H. See Demacker, P. N. M.
Stalmans, W. See Bollen, M.; Vanstapel, F.
Stam, H. See Schoonderwoerd, K.
Stampfl, A. See Simpson, A. W. M.
Stang, E. See Kindberg, G. M.
Stanley, K. K. See Brake, B.; Luzio, J. P.
Stathopoulos, V. M.
——; Coco-Maroney, A.; Wei, C. W.; Goth, M.; Zaricznyj, C.; Macara, I. C.
Identification of two cytosolic diacylglycerol kinase isoforms in rat brain, and in NIH-3T3 and ras-transformed fibroblasts. 272: 569
Steele, G. See Saini, K.
Steiner, H. J. See Weiler, R.
Steinkasserer, A.
——; Weiss, E. H.; Schwaeble, W.; Linke, R. P.
Heterogeneity of human serum amyloid A protein. Five different variants from one individual demonstrated by cDNA sequence analysis. 268: 187
Stephanos, J. J. See DiFeo, T. J.
Stephens, J. M. See Kern, M.
Stephens, L. R.
——; Berrie, C. P.; Irvine, R. F.
Agonist-stimulated inositol phosphate metabolism in avian erythrocytes. 269: 65
——; Downes, C. P.
Product precursor relationships amongst inositol polyphosphates. Incorporation of inorganic [^{32}P]phosphate into myo-inositol 1,3,4,6-tetrakisphosphate, myo-inositol 1,3,4,5-tetrakisphosphate, myo-inositol 3,4,5,6-tetrakisphosphate and myo-inositol 1,3,4,5,6-pentakisphosphate in intact avian erythrocytes. 265: 435
——; Kay, R. R.; Irvine, R. F.
A myo-inositol D-3 hydroxykinase activity in Dictyostelium. 272: 201
Stephenson, J. See Shepherd, V. L.
Stewart, G. See Mantle, M.
Stirling, J. L. See Emiliani, C.
Stobart, A. K. See Bafor, M.
Stobart, K. See Smith, M. A.
Stochaj, U.
——; Mannherz, H. G.
Affinity labeling of 5'-nucleotidases with 5'-p-fluorosulfonylbenzoyladenosine. 266: 447
Stocks, S. C.
——; Albrechtsen, M.; Kerr, M. A.
Expression of the CD15 differentiation antigen (3-fucosyl-N-acetyl-lactosamine, Le^x) on putative neutrophil adhesion molecules CR3 and NCA-160. 268: 275
Storch, J. See Armstrong, M. K.
Stracher, A. See Liu, D. F.
Strange, P. G. See Curling, E. M. A.
Strassheim, D.
——; Milligan, G.; Houslay, M. D.
Diabetes abolishes the GTP-dependent, but not the receptor-dependent inhibitory function of the inhibitory guanine-nucleotide-binding regulatory protein (G_i) on adipocyte adenylate cyclase activity. 266: 521
Street, J. M.
——; Singh, H.; Poulos, A.
Metabolism of saturated and polyunsaturated very-long-chain fatty acids in fibroblasts from patients with defects in peroxisomal β-oxidation. 269: 671
Strevey, J.
——; Giroux, S.; Beliveau, R.
pH gradient as an additional driving force in the renal reabsorption of phosphate. 271: 687
Stromer, M. H. See Chou, R. G. R.
Strosberg, A. D. See Koman, A.
Strous, G. J. See Van der Ende, A.
Strupish, J. See Wojcikiewicz, R. J. H.
Studer, M. See Terao, M.
Stulp, B. K. See Van den Burg, B.
Stymne, S. See Bafor, M.; Smith, M. A.
Su, L. J. See Erickson, P. F.
Su, W. G. See Dho, S.
Subramaniam, A.
——; Thirunavukkarasu, M.; Rajamanickam, C.
Role of cytosol in the stimulation of RNA transport in vitro during cardiac hypertrophy in rats. 267: 133
Sudo, Y. See Yoshinaga, T.
Sugden, M. C. See Holness, M. J.; Preedy, V. R.
——; Liu, Y. L.; Holness, M. J.
Glucose utilization by skeletal muscles in vivo in experimental hyperthyroidism in the rat. 271: 421
Glucose utilization and disposal in cardiothoracic and skeletal muscles during the starved-to-fed transition in the rat. 272: 133
Sugden, P. H. See Fuller, S. J.; Preedy, V. R.
Sugrue, R.
——; Marston, F. A. O.; Lowe, P. A.; Freedman, R. B.
Denaturation studies on natural and recombinant bovine prochymosin (prorennin). 271: 541
Sultan, C.
——; Breton, M.; Mauco, G.; Grondin, P.; Plantavid, M.; Chap, H.
The novel inositol lipid phosphatidylinositol 3,4-bisphosphate is produced by human blood platelets upon thrombin stimulation. 269: 831
Sultan, F.
——; Cardona-Sanclemente, L. E.; Lagrange, D.; Lutton, C.; Griglio, S.
Lipoprotein lipase and hepatic lipase activities in a hypercholesterolemic (RICO) strain of rat. Effect of dietary cholesterol. 266: 349
Sun, H. See Cortassa, S.
Sun, X. J.
——; Chang, J. Y.
Re-formation of disulfide bonds in reduced antithrombin III. 269: 665
Sundler, R. See Tapper, H.
Sundseth, S. S.
——; Nix, C. E.; Waters, L. C.
Isolation of insecticide resistance-related forms of cytochrome P-450 from Drosophila melanogaster. 265: 213
Supattapone, S. See Mourey, R. J.; Theibert, A. B.
Surolia, A. See Mahanta, S. K.
Sutherland, C. See Scott-Woo, G. C.
Suzuki, K. See Homma, Y.
Suzuki, M. See Sakai, S.
Suzuki, S. See Kolset, S. O.; Morita, H.
Suzuki, T.
——; Takagi, T.; Ohta, S.
Primary structure of a constituent polypeptide chain (AIII) of the giant hemoglobin from the deep-sea tube worm Lamellibrachia. A possible hydrogen sulfide binding site. 266: 221
Swillens, S.
——; Mercan, D.
Computer simulation of a cytosolic calcium oscillator. 271: 835
Syed, S. E. H.
——; Engel, P. C.
A pH-dependent activation-inactivation equilibrium in glutamate dehydrogenase of Clostridium symbiosum. 271: 351
Sykes, G. A. See Rogers, L. J.
Symonds, N. See Abraham, Z. H. L.
Szedlacsek, S. E.
——; Ostafe, V.; Duggleby, R. G.; Serban, M.; Vlad, M. O.
Progress-curve equations for reversible enzyme-catalyzed reactions inhibited by tight-binding inhibitors. 265: 647
Szondy, Z.
——; Newsholme, E. A.
The effect of various concentrations of nucleobases, nucleosides or glutamine on the incorporation of [^{3}H]thymidine into DNA in rat mesenteric-lymph-node lymphocytes stimulated by phytohemagglutinin. 270: 437
Szuts, E. Z. See Robinson, P. R.

Tabata, M. See Ikemoto, M.
Tabilio, A. See Emiliani, C.
Tabona, P. See Enrich, C.
Tachas, G. See Ang, A. H.
Tager, J. M. See Aerts, J. M. F. G.
Tahon, J. P.
——; Maes, G.; Vinckier, C.; Witters, R.; Zeegers-Huyskens, T.; De Ley, M.; Lontie, R.
The reaction of nitrite with the hemocyanin of the Roman snail (Helix pomatia). 271: 779
Tai, C. L.
——; Mak, O. T.; Arai, T.; Tai, H. H.
Monoclonal antibodies that inhibit the enzyme activity of NAD$^+$-dependent 15-hydroxyprostaglandin dehydrogenase. 267: 75
Tai, G. H. See Nieduszynski, I. A.
Tai, H. H. See Tai, C. L.
Takada, K. See Abe, T.
Takada, Y.
——; Kaneko, N.; Esumi, H.; Purdue, P. E.; Danpure, C. J.
Human peroxisomal L-alanine:glyoxylate aminotransferase. Evolutionary loss of a mitochondrial targeting signal by point mutation of the initiation codon. 268: 517
Takagi, T. See Suzuki, T.

Takahashi, A. See Watanabe, Y.
Takahashi, N. See Jefferis, R.
Takahashi, S.
——; Barry, A. C.; Factor, S. M.
Collagen degradation in ischemic rat hearts. 265: 233
Takao, F.
——; Laury, M. C.; Ktorza, A.; Picon, L.; Penicaud, L.
Hyperinsulinemia increases insulin action in vivo in white adipose tissue but not in muscles. 272: 255
Takaoka, M.
——; Miyata, Y.; Takenobu, Y.; Ikegawa, R.; Matsumura, Y.; Morimoto, S.
Mode of cleavage of pig big endothelin-1 by chymotrypsin. Production and degradation of mature endothelin-1. 270: 541
Takaoka, T. See Yagisawa, S.
Takazawa, K.
——; Lemos, M.; Delvaux, A.; Lejeune, C.; Dumont, J. E.; Erneux, C.
Rat brain inositol 1,4,5-trisphosphate 3-kinase. Calcium-sensitivity, purification and antibody production. 268: 213
——; Vandekerckhove, J.; Dumont, J. E.; Erneux, C.
Cloning and expression in Escherichia coli of a rat brain cDNA encoding a calcium/calmodulin-sensitive inositol 1,4,5-trisphosphate 3-kinase. 272: 107
Takemoto, D. J. See Cunnick, J. M.; Whalen, M. M.
Takenawa, T. See Homma, Y.
Takenobu, Y. See Takaoka, M.
Takeuchi, T. See Morita, H.
Takeuchi, Y.
——; Matsumoto, T.; Ogata, E.; Shishiba, Y.
Isolation and characterization of proteoglycans synthesized by mouse osteoblastic cells in culture during the mineralization process. 266: 15
Tamm, L. K. See Frey, S.
Tanfin, Z. See Goureau, O.
Tang, J.
——; Tsou, C.
The insulin A and B chains contain structural information for the formation of the native molecule. Studies with protein disulfide-isomerase. 268: 429
Tanner, J. K. See Woodcock, E. A.
Tanner, M. J. A. See Avent, N. D.; Wainwright, S. D.
Tanswell, P. See Krause, J.
Tapper, H.
——; Sundler, R.
Role of lysosomal and cytosolic pH in the regulation of macrophage lysosomal enzyme secretion. 272: 407
Tapscott, E. B. See Kern, M.
Taraschi, T. F. See Hoek, J. B.
Tarnoky, A. L. See Savva, D.
Tasayco J., M. L. See Blatter, E. E.
Tashima, Y. See Kobayashi, R.
Tate, W. P. See Grigor, M. R.
Tateson, J. E. See Thompson, N. T.
Tatham, A. S. See Shewry, P. R.
——; Marsh, M. N.; Wieser, H.; Shewry, P. R.
Conformational studies of peptides corresponding to the celiac-activating regions of wheat α-gliadin. 270: 313
Tavare, J. M. See Brindle, N. P. J.
Tavazzi, B. See Brix, O.
Taylor, C. W. See Nunn, D. L.
The role of G proteins in transmembrane signaling. 272: 1
——; Potter, B. V. L.
The size of inositol 1,4,5-trisphosphate-sensitive calcium stores depends on inositol 1,4,5-trisphosphate concentration. 266: 189
Taylor, D. J.
——; Evanson, J. M.; Woolley, D. E.
Contrasting effects of the protein kinase C inhibitor, staurosporine, on cytokine and phorbol ester stimulation of fructose 2,6-bisphosphate and prostaglandin E production by fibroblasts in vitro. Comparative studies using interleukin-1α, tumor necrosis factor α, transforming growth factor β, interferon-γ and 12-O-tetradecanoylphorbol 13-acetate. 269: 573
Taylor, G. W. See Warren, J. B.
Taylor, J. A.
——; Gibson, G. J.; Brooks, D. A.; Hopwood, J. J.
Human N-acetylgalactosamine-4-sulfatase biosynthesis and maturation in normal, Maroteaux-Lamy and multiple-sulfatase-deficient fibroblasts. 268: 379
Taylor, K. W. See Ward, T.
Taylor, P. W. See Brown, J. C.
Teahan, C. G.
——; Totty, N.; Casimir, C. M.; Segal, A. W.
Purification of the 47 kDa phosphoprotein associated with the NADPH oxidase of human neutrophils. 267: 485
Teakle, G. R. See Darrah, P. M.
Tedstone, A. E.
——; Ilic, V.; Williamson, D. H.
Reciprocal changes in amino acid metabolism in mammary gland and liver of the lactating rat on starvation and refeeding as indicated by the tissue accumulation of α-amino-[1-^{14}C]isobutyrate. 268: 799
Evidence that use of Triton WR1339 underestimates the triacylglycerol entry rate into the plasma of lactating rats owing to continued accumulation of lipid in the mammary gland. 272: 835
Temmerman, A. M. See Smit, M. J.
Templeton, W. See Kowlessur, D.
——; Kowlessur, D.; Thomas, E. W.; Topham, C. M.; Brocklehurst, K.
A reappraisal of the structural basis of stereochemical recognition in papain. Insensitivity of binding-site-catalytic-site signalling to P_2-chirality in a time-dependent inhibition. 266: 645
Tendler, S. J. B.
Elements of secondary structure in a human epithelial mucin core peptide fragment. 267: 733
Tenza, D. See Rendu, F.
Terao, M.
——; Studer, M.; Gianni, M.; Garattini, E.
Isolation and characterization of the mouse liver/bone/kidney-type alkaline phosphatase gene. 268: 641
Terracio, L. See Maxwell, J. L.
Terrettaz, J. See Cusin, I.
——; Jeanrenaud, B.
Contribution of glycerol and alanine to basal hepatic glucose production in the genetically obese (fa/fa) rat. 270: 803
Tertoolen, L. G. J. See Tilly, B. C.
Testar, X. See Guma, A.; Pola, E.
Tettamanti, G. See Masserini, M.; Sarti, P.; Trinchera, M.
Teutsch, H. See Werck-Reichhart, D.
Thams, P.
——; Capito, K.; Hedeskov, C. J.; Kofod, H.
Phorbol-ester-induced down-regulation of protein kinase C in mouse pancreatic islets. Potentiation of phase 1 and inhibition of phase 2 of glucose-induced insulin secretion. 265: 777
Thastrup, O. See Law, G. J.
Thauvette, L. See Le Maire, M.; Potier, M.
Theibert, A. B.
——; Supattapone, S.; Ferris, C. D.; Danoff, S. K.; Evans, R. K.; Snyder, S. H.
Solubilization and separation of inositol 1,3,4,5-tetrakisphosphate- and inositol 1,4,5-trisphosphate-binding proteins and metabolizing enzymes in rat brain. 267: 441
Thevenod, F.
——; Gasser, K. W.; Hopfer, U.
Dual modulation of chloride conductance by nucleotides in pancreatic and parotid zymogen granules. 272: 119
Thirunavukkarasu, M. See Subramaniam, A.
Thomas, A. P. See Benistant, C.; Hoek, J. B.
Thomas, D. See Cortassa, S.; Rabouille, C.
Thomas, E. W. See Kowlessur, D.; Templeton, W.
Thomas, G.
——; Diefenbach, R.; Duggleby, R. G.
Inactivation of pyruvate decarboxylase by 3-hydroxypyruvate. 266: 305
Thomas, P. See Saini, K.
Thomas, P. G. See Gasset, M.
Thompson, A. See Reid, N. M. K.
Thompson, H. L. See Metcalfe, D. D.
Thompson, J. R. See Wu, G.
Thompson, N. T.
——; Tateson, J. E.; Randall, R. W.; Spacey, G. D.; Bonser, R. W.; Garland, L. G.
The temporal relationship between phospholipase activation, diradylglycerol formation and superoxide production in the human neutrophil. 271: 209
Thompson, R. J. See Day, I. N. M.
Thomson, A. J. See Berry, M. J.; Blackmore, R. S.
Thorn, N. A. See Zhou, A.
Thornalley, P. J.
The glyoxalase system: new developments towards functional characterization of a metabolic pathway fundamental to biological life. 269: 1
Thorne, D. P.
——; Lockwood, T. D.
Effects of insulin, biguanide antihyperglycemic agents and β-adrenergic agonists on pathways of myocardial proteolysis. 266: 713
Thorne, G. C. See Schaffer, M. H.
Thorneley, R. N. F. See Hawkes, T. R.; Lowe, D. J.
Thornton, D. J.
——; Davies, J. R.; Kraayenbrink, M.; Richardson, P. S.; Sheehan, J. K.; Carlstedt, I.
Mucus glycoproteins from 'normal' human tracheobronchial secretion. 265: 179
Thorpe, J. R. See Khawaja, X. Z.
Thorpe, S. R. See Maxwell, J. L.
Thorstensen, K.
——; Romslo, I.
The role of transferrin in the mechanism of cellular iron uptake. 271: 1

Thurman, R. G. See Cowper, K. B.
Tietze, F. See Blom, H. J.
Tilly, B. C.
——; Tertoolen, L. G. J.; Lambrechts, A. C.; Remorie, R.; De Laat, S. W.; Moolenaar, W. H.
Histamine–H_1–receptor–mediated phosphoinositide hydrolysis, calcium signalling and membrane–potential oscillations in human HeLa carcinoma cells. 266: 235
Tippins, J. R. See Zaidi, M.
Tiruppathi, C.
——; Kulanthaivel, P.; Ganapathy, V.; Leibach, F. H.
Evidence for tripeptide/hydrogen ion co–transport in rabbit renal brush–border membrane vesicles. 268: 27
Tisljar, U.
——; Barrett, A. J.
Thiol–dependent metallo–endopeptidase characteristics of Pz–peptidase in rat and rabbit. 267: 531
Titani, K. See Mizuochi, T.
Titheradge, M. A. See Khawaja, X. Z.
Tobe, K. See Shiba, T.
Tomasi, M. See Masserini, M.
Tomkinson, B.
——; Zetterqvist, O.
Immunological cross–reactivity between human tripeptidyl peptidase II and fibronectin. 267: 149
Tonsgard, J. H.
——; Tung, B.; Kornafel, K. S.; Getz, G. S.
Environmentally induced differential amplification of mitochondrial populations. 270: 511
Topham, C. M. See Brocklehurst, K.; Kowlessur, D.; Templeton, W.
Tordjman, K. M.
——; Leingang, K. A.; Mueckler, M.
Differential regulation of the HepG2 and adipocyte/muscle glucose transporters in 3T3L1 adipocytes. Effect of chronic glucose deprivation. 271: 201
Torres, N. V. See Melendez–Hevia, E.
Tosh, D. See Agius, L.
Totani, M. See Ikemoto, M.
Toth, B. See Bollen, M.
Totsuka, T. See Hitaka, T.
Totty, N. See Teahan, C. G.
Totty, N. F. See Beaubien, B. C.
Town, M. See Poggi, V.
Townson, H. See Merryweather, A. T.
Toyoshima, S. See Shiba, T.
Tranchemontagne, J. See Potier, M.
Tranter, H. S. See Wadsworth, J. D. F.
Traub, L. M.
——; Evans, W. H.; Sagi–Eisenberg, R.
A novel 100 kDa protein, localized to receptor–enriched endosomes, is immunologically related to the signal transducing guanine–nucleotide–binding proteins G_i and G_i. 272: 453
Travis, A. J. See Chesters, J. K.
Treadway, J. L.
——; Morrison, B. D.; Wemmie, J. A.; Frias, I.; O'Hare, T.; Pilch, P. F.; Pessin, J. E.
The endogeneous functional turkey erythrocyte and rat liver insulin receptor is an $\alpha_2\beta_2$ heterotetrameric complex. 271: 99
Trelease, R. N. See Ni, W.
Trembacz, H.
——; Jezewska, M. M.
The route of nonenzymic and enzymic breakdown of 5–phosphoribosyl 1–pyrophosphate to ribose 1–phosphate. 271: 621
Trentham, D. R. See Meldrum, R. A.
Treves, S.
——; De Mattei, M.; Lanfredi, M.; Villa, A.; Green, N. M.; MacLennan, D. H.; Meldolesi, J.; Pozzan, T.
Calreticulin is a candidate for a calsequestrin–like function in calcium–storage compartments (calciosomes) of liver and brain. 271: 473
Tribout, M. See Urbaneja, M. A.
Trinchera, M.
——; Ghidoni, R.
Subcellular biosynthesis and transport of gangliosides formed from exogenous lactosylceramide in rat liver. 266: 363
——; Ghidoni, R.; Greggia, L.; Tettamanti, G.
The N–acetylgalactosamine residue of exogenous G_{M2} ganglioside is recycled for glycoconjugate biosynthesis in rat liver. 266: 103
——; Ghidoni, R.; Sonnino, S.; Tettamanti, G.
Recycling of glucosylceramide and sphingosine for the biosynthesis of gangliosides and sphingomyelin in rat liver. 270: 815
Trincone, A. See Nicolaus, B.
Trinczek, B. See Schwoch, G.
Trocheris, V. See Murat, J. C.
Troesch, A.
——; Duperray, A.; Polack, B.; Marguerie, G.
Comparative study of the glycosylation of platelet glycoprotein GPIIb/IIIa and the vitronectin receptor. Differential processing of their β–subunit. 268: 129
Trudel, S.
——; Downey, G. P.; Grinstein, S.; Paquet, M. R.
Activation of permeabilized HL60 cells by vanadate. Evidence for divergent signaling pathways. 269: 127
Truett, A. P. III. See Murray, J. J.
Tsikaris, V. See Papadouli, I.
Tsou, C. See Tang, J.
Tsuchida, S.
——; Sato, K.
Rat spleen glutathione transferases. A new acidic form belonging to the alpha class. 266: 461
Tsujimoto, M. See Kohno, M.
Tsuruta, J. K.
——; Wong, K.; Fritz, I. B.; Griswold, M. D.
Structural analysis of sulfated glycoprotein 2 from amino acid sequence. Relationship to clusterin and serum protein 40,40. 268: 571
Tuchman, M.
——; Holzknecht, R. A.
Human hepatic N–acetylglutamate content and N–acetylglutamate synthase activity. Determination by stable isotope dilution. 271: 325
Tuchweber, B. See Chanussot, F.
Tudela, J. See Rodriguez, P.; Varon, R.
Tueux, O. See Grouselle, M.
Tung, B. See Tonsgard, J. H.
Turnbull, J. E.
——; Gallagher, J. T.
Molecular organization of heparan sulfate from human skin fibroblasts 265: 715
Turner, A. J. See Hooper, N. M.; Rached, E.
Turner, C. H. See Vendrell, J.
Turner, D. L. See Berry, M. J.
Turner, P. C. See Leyland, D. M.
Turner, R. See Wallin, R.
Tyrrell, G. See Ramotar, K.
Tzartos, S. J. See Papadouli, I.

Ueda, T. See Shioi, J.
——; Kam, C. M.; Powers, J. C.
The synthesis of arginylfluoroalkanes, their inhibition of trypsin and blood–coagulation serine proteinases and their anticoagulant activity. 265: 539
Ugarkovic, D. See Robitzki, A.
Ullrich, A. See Soos, M. A.
Ullrich, S. See Li, G.
——; Prentki, M.; Wollheim, C. B.
Somatostatin inhibition of calcium–induced insulin secretion in permeabilized HIT–T15 cells. 270: 273
Ulvsbaeck, M. See Abrahamson, M.
Unthan–Fechner, K. See Oetjen, E.
Urbaneja, M. A.
——; Alonso, A.; Gonzalez–Manas, J. M.; Goni, F. M.; Partearroyo, M. A.; Tribout, M.; Paredes, S.
Detergent solubilization of phospholipid vesicles. Effect of electric charge. 270: 305
Ureta, T. See Zepeda, S.
Uzgiris, E. E.
Antibody organization on lipid films. Influence of pH and interchain disulfide reduction. 272: 45

Vaccaro, M. R. See Nicolaus, B.
Vacher, P. See Mollard, P.
Valentin, E. See Walker, M. E.
Vallance, S. J.
——; Downes, C. P.; Cragoe, E. J.; Whetton, A. D.
Granulocyte–macrophage colony–stimulating factor can stimulate macrophage proliferation via persistent activation of sodium/hydrogen ion antiport. Evidence for two distinct roles for sodium/hydrogen ion antiport activation. 265: 359
Vallet–Collom, I. See Conner, J.
Vallone, B. See Sarti, P.
Van Beeumen, J. See Amicosante, G.
Van Beeumen, J. J. See Vanfleteren, J. R.
Van Berkel, T. J. C. See Bakkeren, H. F.; Bijsterbosch, M. K.
Van Bladeren, P. J. See Van Ommen, B.
Van Breda, E.
——; Keizer, H. A.; Glatz, J. F. C.; Geurten, P.
Use of the intact mouse skeletal–muscle preparation for metabolic studies. Evaluation of the model. 267: 257
Van Bun, S. M. See Vanfleteren, J. R.
Van Buul–Offers, S. C. See Jansen, J.
Vance, D. E. See Jamil, H.
Vance, J. E. See Martin–Sanz, P.
Van Damme, J. See Vangrysperre, W.
Vandekerckhove, J. See Takazawa, K.; Vangrysperre, W.
Van den Bosch, L.
——; De Smedt, H.; Missiaen, L.; Parys, J. B.; Borghgraef, R.
Transport systems for polyamines in the established renal cell line LLC–PK_1. Polarized expression of a sodium–dependent transporter. 265: 609
Van den Brande, J. L. See Jansen, J.
Van den Burg, B.
——; Eijsink, V. G. H.; Stulp, B. K.; Venema, G.
Identification of autodigestion target

sites in Bacillus subtilis neutral proteinase. 272: 93
Vandenplas, M. L.
——; Mouton, W. L.; Vandenplas, S.; Bester, A. J.; Ricketts, M. H.
Increased intracellular calcium is necessary for maximal expression of the proto-oncogene c-jun in the Jurkat T-cell line. 267: 349
Vandenplas, S. See Vandenplas, M. L.
Van der Ende, A.
——; Du Maine, A.; Schwartz, A. L.; Strous, G. J.
Modulation of transferrin-receptor activity and recycling after induced differentiation of BeWo choriocarcinoma cells. 270: 451
Van der Gen, A. See Adang, A. E. P.
Van der Hijden, H. T. W. M.
——; Kramer-Schmitt, S.; Grell, E.; De Pont, J. J. H. H. M.
The basal magnesium-dependent ATPase activity is not part of the hydrogen ion-potassium-transporting ATPase reaction cycle. 267: 565
Van der Merwe, P. A. See Macrae, M. B.
——; Millar, R. P.; Davidson, J. S.
Calcium stimulates luteinizing-hormone (lutropin) exocytosis by a mechanism independent of protein kinase C. 268: 493
Van der Meulen, J.
——; Haslam, R. J.
Phorbol ester treatment of intact rabbit platelets greatly enhances both the basal and guanosine 5'-[γ-thio]triphosphate-stimulated phospholipase D activities of isolated platelet membranes. Physiological activation of phospholipase D may be secondary to activation of phospholipase C. 271: 693
Van der Ploeg, A. T. See Hoefsloot, L. H.
Vanderpuye, O. See Hull, S. R.
Van der Stelt, M. E. See Koshte, V. L.
Van der Westhuyzen, J. See Vieira-Makings, E.
Van de Werken, G. See Vanfleteren, J. R.
Van de Werve, G.
Fasting enhances glycogen synthase activation in hepatocytes from insulin-resistant genetically obese (fa/fa) rats. 269: 789
——; Massillon, D.
Altered regulation of glycogen metabolism by vasopressin and phenylephrine in hepatocytes from insulin-resistant obese (fa/fa) rats. Role of protein kinase C. 269: 795
——; Vidal, H.
On the use of EGTA to assess the effect of calcium on liver microsomal glucose-6-phosphatase. Comments. 270: 837
Van Dijk, W. See Koshte, V. L.
Van Dorsselaer, A. See Meyer, J.
Vanfleteren, J. R.
——; Evers, E. A. I. M.; Van de Werken, G.; Van Beeumen, J. J.
The primary structure of cytochrome c from the nematode Caenorhabditis elegans. 271: 613
——; Van Bun, S. M.; De Baere, I.; Van Beeumen, J. J.
The primary structure of a minor isoform (H1.2) of histone H1 from the nematode Caenorhabditis elegans. 265: 739
Vangrysperre, W.
——; Van Damme, J.; Vandekerckhove, J.; De Bruyne, C. K.; Cornelis, R.; Kersters-Hilderson, H.
Localization of the essential histidine and carboxylate group in D-xylose isomerases. 265: 699
Van Hardeveld, C. See Beekman, R. E.
Van Hecke, P. See Vanstapel, F.
Van Heijenoort, J. See Michaud, C.
Van Iersel, M. J. See Verheijden, G. F.
Vanneste, Y.
——; Pauwels, S.; Lambotte, L.; Michel, A.; Dimaline, R.; Deschodt-Lanckman, M.
Respective roles of kallikrein and endopeptidase 24.11 in the metabolic pathway of atrial natriuretic peptide in the rat. 269: 801
Van Ommen, B.
——; Bogaards, J. J. P.; Peters, W. H. M.; Blaauboer, B.; Van Bladeren, P. J.
Quantification of human hepatic glutathione S-transferases. 269: 609
Van Os, C. H. See Willems, P. H. G. M.
Van Renswoude, J. See Mattia, E.
Vanstapel, F.
——; Waebens, M.; Van Hecke, P.; Decanniere, C.; Stalmans, W.
The cytosolic concentration of phosphate determines the maximal rate of glycogenolysis in perfused rat liver. 266: 207
Van Tilbeurgh, H. See Claeyssens, M.
Van Weely, S. See Aerts, J. M. F. G.
Varela, I.
——; Avila, M.; Mato, J. M.; Hue, L.
Insulin-induced phospho-oligosaccharide stimulates amino acid transport in isolated rat hepatocytes. 267: 541
Varney, M. A.
——; Rivera, J.; Lopez Bernal, A.; Watson, S. P.
Are there subtypes of the inositol 1,4,5-trisphosphate receptor? 269: 211
Varon, R. See Rodriguez, P.
——; Havsteen, B. H.; Garcia, M.; Garcia Canovas, F.; Tudela, J.
Computer program for the expression of the kinetic equations of enzyme reactions as functions of the rate constants and the initial concentrations. 270: 825
Vass, J. K. See McGregor, S. J.
Vats-Mehta, S. See Kluepfel, D.
Vaughn, W. H. See Ha, T.
Vaysse, N. See Nicolet, T. G.
Veber, D. F. See Jupp, R. A.
Vendrell, J.
——; Aviles, F. X.; Vilanova, M.; Turner, C. H.; Crane-Robinson, C.
Proton NMR studies of the isolated activation segment from pig procarboxypeptidase A. 267: 213
Venema, G. See Van den Burg, B.
Ventura, F. See Bollen, M.; Rosa, J. L.
Verbist, J. See Eggermont, J. A.
Verboomen, H. See De Jaegere, S.
Verheijden, G. F.
——; Verlaan, I.; Van Iersel, M. J.; Moolenaar, W. H.
Second messenger modulation of epidermal growth factor receptor function does not occur at the level of receptor dimerization. 271: 215
Verhoeven, A. J. M.
——; Marszalek, J.; Holmsen, H.
Regulation of platelet AMP deaminase activity in situ. 265: 267
Verlaan, I. See Verheijden, G. F.
Verma, A. See Mourey, R. J.
Vermeer, C.
γ-Carboxyglutamate-containing proteins and the vitamin K-dependent carboxylase. 266: 625
Vernon, R. G.
——; Faulkner, A.; Hay, W. W. Jr.; Calvert, D. T.; Flint, D. J.
Insulin resistance of hind-limb tissues in vivo in lactating sheep. 270: 783
Verspohl, E. J.
——; Ammon, H. P. T.; Klosa, M.
Anti-insulin antiserum increases inositol phosphate accumulation in rat pancreatic islets. 267: 339
Via, D. P. See Ottnad, E.
Vickers, M. F. See Savva, D.
Vidal, H. See Van de Werve, G.
Vidal-Cros, A.
——; Gaudry, M.; Marquet, A.
Vitamin K-dependent carboxylation. Mechanistic studies with 3-fluoroglutamate-containing substrates. 266: 749
Viegas, M. M. See Goldberg, H. J.
Vieira-Makings, E.
——; Metz, J.; Van der Westhuyzen, J.; Bottiglieri, T.; Chanarin, I.
Cobalamin neuropathy. Is S-adenosylhomocysteine toxicity a factor? 266: 707
Viel, A. See Le Maire, M.
Vienozinskis, J.
——; Butkus, A.; Cenas, N.; Kulys, J.
The mechanism of the quinone reductase reaction of pig heart lipoamide dehydrogenase. 269: 101
Vigh, L. See Schlame, M.
Vigne, P.
——; Marsault, R.; Breittmayer, J. P.; Frelin, C.
Endothelin stimulates phosphatidylinositol hydrolysis and DNA synthesis in brain capillary endothelial cells. 266: 415
Vijayalakshmi, D. See Agbanyo, F. R.
Vilanova, M. See Vendrell, J.
Vilgrain, I. See Joly, F.
Villa, A. See Treves, S.
Villar-Palasi, C. See Carabaza, A.
Vina, J. See Ferrer, J. V.
Vina, J. R. See Barber, T.
Vinas, O.
——; Powell, S. J.; Runswick, M. J.; Iacobazzi, V.; Walker, J. E.
The ε-subunit of ATP synthase from bovine heart mitochondria. Complementary DNA sequence, expression in bovine tissues and evidence of homologous sequences in man and rat. 265: 321
Vinckier, C. See Tahon, J. P.
Vinick, F. J. See Bakker, A. V.
Vishnubhatla, I. See Bietlot, H. P. L.
Vissers, M. C. M. See Michaelis, J.
Vlad, M. O. See Szedlacsek, S. E.
Vlasuk, G. See Jupp, R. A.
Vom Dahl, S. See Haeussinger, D.
——; Wettstein, M.; Gerok, W.; Haeussinger, D.
Stimulation of release of prostaglandin D_2 and thromboxane B_2 from perfused rat liver by extracellular adenosine. 270: 39
Von der Mark, K. See Kirsch, T.
Vonk, R. J. See Bakkeren, H. F.; Smit, M. J.
Vosbeck, K. See Pfeilschifter, J.

Voskoboinikova, N. E. See Belozerskii, M. A.
Votta, B.
——; Keefer, J.; Mong, S.
Characterization of the soluble leukotriene B_4 receptor from sheep lung membranes. 270: 213
——; Mong, S.
Transition of affinity states for leukotriene B_4 receptors in sheep lung membranes. 265: 841
Vranckx, R.
——; Savu, L.; Maya, M.; Nunez, E. A.
Characterization of a major development–regulated serum thyroxine–binding globulin in the euthyroid mouse. 271: 373
Vrsanska, M. See Claeyssens, M.

Waddell, I. D.
——; Burchell, A.
Glucose–6–phosphatase activity in fed rat liver. Reply to comments. 266: 619
Activation of glucose–6–phosphatase in intact hepatic microsomes. Reply to comments. 270: 839
——; Gibb, L.; Burchell, A.
Calcium activates glucose–6–phosphatase in intact rat hepatic microsomes. 267: 549
Wadsworth, J. D. F.
——; Desai, M.; Tranter, H. S.; King, H. J.; Hambleton, P.; Melling, J.; Dolly, J. O.; Shone, C. C.
Botulinum type F neurotoxin. Large–scale purification and characterization of its binding to rat cerebrocortical synaptosomes. 268: 123
Wadzinski, B. E.
——; Shanahan, M. F.; Seamon, K. B.; Ruoho, A. E.
Localization of the forskolin photolabeling site within the monosaccharide transporter of human erythrocytes. 272: 151
Waebens, M. See Vanstapel, F.
Wainwright, S. D.
——; Mawby, W. J.; Tanner, M. J. A.
The membrane domain of the human erythrocyte anion transport protein. Epitope mapping of a monoclonal antibody defines the location of a cytoplasmic loop near the C–terminus of the protein. 272: 265
Wakelam, M. J. O. See Black, F. M.; Cook, S. J.; MacNulty, E. E.; Plevin, R.
Wakelin, L. P. See Searle, M. S.
Waksman, G. See Lemay, G.
Waldman, F. See Duan, D. S.
Waldrop, G. L.
——; Ettinger, M. J.
The relationship of excess copper accumulation by fibroblasts from the brindled mouse model of Menkes disease to the primary defect. 267: 417
Waley, S. G. See Christensen, H.; Gibson, R. M.
Kinetic parameters of the acyl–enzyme mechanism. 270: 563
Wali, R. K.
——; Dudeja, P. K.; Bolt, M. J. G.; Sitrin, M. D.; Brasitus, T. A.
Correction of abnormal small intestinal cytosolic protein kinase C activity in streptozotocin–induced diabetes by insulin therapy. 272: 653
Walker, J. E. See Fearnley, I. M.; Runswick, M. J.; Vinas, O.
Walker, M. E.
——; Valentin, E.; Reid, G. A.
Transport of the yeast ATP synthase β–subunit into mitochondria. Effects of amino acid substitutions on targeting. 266: 227
Walker, M. R. See Day, P. J. R.
Wall, J. D. See Preston, G. G.
Wallace, M. A. See Claro, E.
Wallin, R.
——; Rossi, F.; Loeser, R.; Key, L. L. Jr.
The vitamin K–dependent carboxylation system in human osteosarcoma U2–OS cells. Antidotal effect of vitamin K_1 and a novel mechanism for the action of warfarin. 269: 459
——; Turner, R.
Propeptide recognition by the vitamin K–dependent carboxylase in early processing of prothrombin and factor X. 272: 473
Wallis, M. G.
——; Chapman, S. K.
Isolation and partial characterization of an extradiol non–heme iron dioxygenase which preferentially cleaves 3–methylcatechol. 266: 605
Walsh, F. S. See Barton, C. H.
Walsh, M. P. See Scott–Woo, G. C.
Wang, C. S. See Cheng, Q.
Wang, D. See Liu, D. F.
Wang, T. I. See Gati, W. P.
Ward, D. M.
——; Kaplan, J.
The rate of internalization of different receptor–ligand complexes in alveolar macrophages is receptor–specific. 270: 369
Ward, T.
——; Clemens, M. J.; Taylor, K. W.
Effects of a diabetogenic strain of encephalomyocarditis (EMC) virus on protein synthesis in mouse islets of Langerhans. 270: 777
Warn–Cramer, B. J. See Spitzer, S. G.
Warren, J. B.
——; Loi, R.; Rendell, N. B.; Taylor, G. W.
Nitric oxide is inactivated by the bacterial pigment pyocyanin. 266: 921
Warren, M. J.
——; Roessner, C. A.; Santander, P. J.; Scott, A. I.
The Escherichia coli cysG gene encodes S–adenosylmethionine–dependent uroporphyrinogen III methylase. 265: 725
Warren, R. A. J. See Pilz, I.
Watanabe, K. See Hitaka, T.
Watanabe, S. See Yagisawa, S.
Watanabe, Y.
——; Takahashi, A.; Shimazu, T.
Neural control of biosynthesis and secretion of serum transferrin in perfused rat liver. 267: 545
Waterfield, M. D. See Allen, H.; Beaubien, B. C.
Waters, L. C. See Sundseth, S. S.
Waters, M. J. See Barnard, R.
Watford, M.
——; Smith, E. M.
Distribution of hepatic glutaminase activity and mRNA in perivenous and periportal rat hepatocytes. 267: 265
Watkins, W. M. See Navaratnam, N.
Watmough, N. J. See Bartlett, K.
Watson, D. C.
——; Yaguchi, M.; Lynn, K. R.
The amino acid sequence of chymopapain from Carica papaya. 266: 75
Watson, S. P. See Varney, M. A.
Watts, M. J.
——; Dankert, J. R.; Morgan, B. P.
Isolation and characterization of a membrane–attack–complex–inhibiting protein present in human serum and other biological fluids. 265: 471
Waxman, D. J.
——; Lapenson, D. P.; Nagata, K.; Conlon, H. D.
Participation of two structurally related enzymes in rat hepatic microsomal androstenedione 7α–hydroxylation. 265: 187
——; Morrissey, J. J.; Naik, S.; Jauregui, H. O.
Phenobarbital induction of cytochromes P–450. High–level long–term responsiveness of primary rat hepatocyte cultures to drug induction, and glucocorticoid dependence of the phenobarbital response. 271: 113
Weaver, J.
——; Pollack, S.
Two types of receptors for iron on mitochondria. 271: 463
——; Zhan, H.; Pollack, S.
Mitochondria have iron(III) receptors. 265: 415
Wei, C. W. See Stathopoulos, V. M.
Wei, L. See Grasso, J. A.
Weiland, M.
——; Schuermann, A.; Schmidt, W. E.; Joost, H. G.
Development of the hormone–sensitive glucose transport activity in differentiating 3T3–L1 murine fibroblasts. Role of the two transporter species and their subcellular localization. 270: 331
Weiler, R.
——; Steiner, H. J.; Schmid, K. W.; Obendorf, D.; Winkler, H.
Glycoprotein II from adrenal chromaffin granules is also present in kidney lysosomes. 272: 87
Weinstein, I. B. See Rotenberg, S. A.
Weisleder, D. See Stack, R. J.
Weiss, E. H. See Steinkasserer, A.
Weithmann, K. U. See Roemisch, J.
Weksler, B. B. See Koman, A.
Wells, J. A. See Contreras, I.; Kern, M.
Welsh, N.
A role for polyamines in glucose–stimulated insulin–gene expression. 271: 393
Wemmie, J. A. See Treadway, J. L.
Wendroth, S.
——; Seitz, H. U.
Characterization and localization of progesterone 5α–reductase from cell cultures of foxglove (Digitalis lanata EHRH). 266: 41
Werck–Reichhart, D.
——; Gabriac, B.; Teutsch, H.; Durst, F.
Two cytochrome P–450 isoforms catalyzing O–de–ethylation of ethoxycoumarin and ethoxyresorufin in higher plants. 270: 729
Werner, A. See Palacin, M.
West, A. P.
——; Rose, M. P.; Cooke, B. A.
Induction of lutropin receptors by lutropin and cyclic AMP in cultured mouse tumor (MA10) Leydig cells. 270: 499
West, S. M.
——; Price, N. C.
The unfolding and attempted refolding of mitochondrial aspartate aminotransferase from pig heart. 265: 45
Westwood, O. M. R. See Robinson, A.

Wettstein, M. See Vom Dahl, S.
Whalen, M. M.
——; Bankhurst, A. D.
Effects of β-adrenergic receptor activation, cholera toxin and forskolin on human natural killer cell function. 272: 327
——; Bitensky, M. W.; Takemoto, D. J.
The effect of the γ-subunit of the cyclic GMP phosphodiesterase of bovine and frog (Rana catesbiana) retinal rod outer segments on the kinetic parameters of the enzyme. 265: 655
Whaley, K. See Lappin, D. F.
Wharton, C. W. See Meldrum, R. A.; White, A. J.
Wheeler, G. N. See Brown, J. C.
Whetton, A. D. See Davies, A.; Valance, S. J.
White, A. J.
——; Wharton, C. W.
Hydrogen-bonding in enzyme catalysis. Fourier-transform infrared detection of ground-state electronic strain in acyl-chymotrypsins and analysis of the kinetic consequences 270: 627
White, D. See Eyer, J.
White, M. W.
——; Degnin, C.; Hill, J.; Morris, D. R.
Specific regulation by endogenous polyamines of translational initiation of S-adenosylmethionine decarboxylase mRNA in Swiss 3T3 fibroblasts. 268: 657
White, P. J.
——; Young, J.; Hunter, I. S.; Nimmo, H. G.; Coggins, J. R.
The purification and characterization of 3-dehydroquinase from Streptomyces coelicolor. 265: 735
Whitehead, A. S. See Shelley, C. S.
——; Zahedi, K.; Rits, M.; Mortensen, R. F.; Lelias, J. M.
Mouse C-reactive protein. Generation of cDNA clones, structural analysis, and induction of mRNA during inflammation. 266: 283
Whiting, P.
——; Gee, N. S.; Potter, J.; Howell, S.; Ragan, C. I.
Limited proteolysis and 'in vitro' mutagenesis of bovine brain inositol monophosphatase identifies an N-terminal region important for activity. 272: 465
Whittaker, J. See Brindle, N. P. J.; Soos, M. A.
Wicker, C. See Dakka, N.
Wieruszeski, J. M. See Derisbourg, P.
Wieser, H. See Tatham, A. S.
Wiesmueller, K. H. See Seifert, R.
Wiest, L. See Casero, R. A. Jr.
Wikstroem, P. See Angliker, H.
Wilchek, M. See Gitlin, G.
Wilkemeyer, M. F.
——; Crane, A. M.; Ledley, F. D.
Primary structure and activity of mouse methylmalonyl-CoA mutase. 271: 449
Willcocks, A. L. See Challiss, R. A. J.
Willem, R.
——; Malaisse-Lagae, F.; Ottinger, R.; Malaisse, W. J.
Phosphoglucoisomerase-catalyzed interconversion of hexose phosphates. Kinetic study by carbon-13 NMR of the phosphoglucoisomerase reaction in [²H]water. 265: 519
Willems, P. H. G. M.
——; De Jong, M. D.; De Pont, J. J. H. H. M.; Van Os, C. H.
Calcium-sensitivity of inositol 1,4,5-trisphosphate-mediated calcium release in permeabilized pancreatic acinar cells. 265: 681
Willemsen, R. See Hoefsloot, L. H.
Williams, J. A.
——; Ashby, B.; Daniel, J. L.
Ligands to the platelet fibrinogen receptor glycoprotein IIb-IIIa do not affect agonist-induced second messengers calcium or cyclic AMP. 270: 149
Williams, K. P.
——; Leadlay, P. F.; Lowe, P. N.
Inhibition of pyruvate:ferredoxin oxidoreductase from Trichomonas vaginalis by pyruvate and its analogs. Comparison with the pyruvate decarboxylase component of the pyruvate dehydrogenase complex. 268: 69
Williams, P. F. See Cooney, G. J.
Williams, T. J. See Beaubien, B. C.
Williams-Ahlf, B. See Amy, C. M.
Williamson, D. H. See Bolanos, J. P.; Evans, R. D.; Tedstone, A. E.
Williamson, R. A.
——; Marston, F. A. O.; Angal, S.; Koklitis, P.; Panico, M.; Morris, H. R.; Carne, A. F.; Smith, B. J.; Harris, T. J. R.; Freedman, R. B.
Disulfide bond assignment in human tissue inhibitor of metalloproteinases (TIMP). 268: 267
Willis, A. C. See Baldwin, J. E.; Crawford, C.
Wilps, H. See Gaede, G.
Wilson, I. B. H. See Goodhew, C. F.
Wilson, M. T.
——; Hogg, N.; Jones, G. D.
Reactions of reduced cellobiose oxidase with oxygen. Is cellobiose oxidase primarily an oxidase? 270: 265
Wilton, D. C.
A continuous fluorescence displacement assay for the measurement of phospholipase A_2 and other lipases that release long-chain fatty acids. 266: 435
The fatty acid analog 11-(dansylamino)undecanoic acid is a fluorescent probe for the bilirubin-binding sites of albumin and not for the high-affinity fatty acid-binding sites. 270: 163
Wiman, B. See Lindahl, T. L.
Winchester, B.
——; Barker, C.; Baines, S.; Jacob, G. S.; Namgoong, S. K.; Fleet, G.
Inhibition of α-L-fucosidase by derivatives of deoxyfuconojirimycin and deoxymannojirimycin. 265: 277
Winchester, B. G.
——; Cenci di Bello, I.; Richardson, A. C.; Nash, R. J.; Fellows, L. E.; Ramsden, N. G.; Fleet, G.
The structural basis of the inhibition of human glycosidases by castanospermine analogs. 269: 227
Windust, J. See Slabas, A. R.
Wingender, E. See Somjen, D.
Wingfield, P. T. See Proudfoot, A. E. I.
Winkler, H. See Weiler, R.
Winterbourn, C. C. See Michaelis, J.
Witters, L. A. See Evans, J. L.; Iverson, A. J.
Witters, R. See Tahon, J. P.
Wittwer, A. J. See Sanzo, M. A.
Wojcikiewicz, R. J. H.
——; Safrany, S. T.; Challiss, R. A. J.; Strupish, J.; Nahorski, S. R.
Coupling of muscarinic receptors to the mobilization of intracellular calcium stores in permeabilized SH-SY5Y human neuroblastoma cells. 272: 269
Wolf, C. R. See Ball, S. E.; Barnett, C. R.; Black, S. M.; Hayes, J. D.; Henderson, C. J.; Miles, J. S.
Wolf, M. See Burgener, R.
——; Baggiolini, M.
Identification of phosphatidylserine-binding proteins in human white blood cells. 269: 723
Wollheim, C. B. See Li, G.; Ullrich, S.
Wong, K. See Tsuruta, J. K.
Woo, S. L. C. See Ledley, F. D.
Wood, S. See Sinclair, J. F.
Wood, S. F. See Robinson, P. R.
Wood, T. M. See Bhat, K. M.; Chauvaux, S.
Woodcock, E. A.
——; Little, P. J.; Tanner, J. K.
Inositol phosphate release and steroidogenesis in rat adrenal glomerulosa cells. Comparison of the effects of endothelin, angiotensin II and vasopressin. 271: 791
Woodin, A. See Shaw, P. A.
Woodley-Miller, C. See Xiong, W.
Woods, N. M. See Dixon, C. J.; Sanchez-Bueno, A.; Schoefl, C.
——; Dixon, C. J.; Cuthbertson, K. S. R.; Cobbold, P. H.
Fluoroaluminate mimics agonist application in single rat hepatocytes. 265: 613
Woolley, D. E. See Taylor, D. J.
Wootton, R. See Dyer, J.
Worthington, R. E. See Carroll, R. C.
Wozniak, G. See Drabikowska, A. K.
Wrigglesworth, J. M.
——; Cooper, C. E.; Sharpe, M. A.; Nicholls, P.
The proteoliposomal steady state. Effect of size, capacitance and membrane permeability on cytochrome oxidase-induced ion gradients. 270: 109
Wright, T. M.
——; Shin, H. S.; Raben, D. M.
Sustained increase in 1,2-diacylglycerol precedes DNA synthesis in epidermal growth factor-stimulated fibroblasts. Evidence for stimulated phosphatidylcholine hydrolysis. 267: 501
Wu, G. See Field, C. J.
——; Thompson, J. R.
The effect of glutamine on protein turnover in chick skeletal muscle in vitro. 265: 593
Wu, J. J. See Chang, G. G.
Wuytack, F. See De Jaegere, S.; Eggermont, J. A.

Xiong, W.
——; Chen, L. M.; Woodley-Miller, C.; Simson, J. A. V.; Chao, J.
Identification, purification, and localization of tissue kallikrein in rat heart. 267: 639

Yaffe, D. See Bar, S.
Yagisawa, S.
——; Watanabe, S.; Takaoka, T.; Azuma, H.
High-efficiency transpeptidation catalyzed by clostripain and electrostatic effects in substrate specificity 266: 771
Yaguchi, M. See Watson, D. C.
Yamada, K. See Morita, H.
——; Nakajima, Y.; Natori, S.
Production of recombinant sarcotoxin IA in Bombyx mori cells. 272: 633

Yamada, N. See Ohashi–Takeuchi, H.
Yamamoto, R. See Shiba, T.
Yamanouchi, T. See Hayashi, H.
Yang, C. S. See Henderson, C. J.
Yang, X. J.
——; Blajchman, M. A.; Craven, S.; Smith, L. M.; Anvari, N.; Ofosu, F. A.
Activation of factor V during intrinsic and extrinsic coagulation. Inhibition by heparin, hirudin and D–Phe–Pro–Arg–CH_2Cl. 272: 399
Yannariello–Brown, J.
——; Madri, J. A.
A 48 kDa collagen–binding phosphoprotein isolated from bovine aortic endothelial cells interacts with the collagenous domain, but not the globular domain, of collagen type IV. 265: 383
Yaoita, H. See Hayashi, H.
Yasumura, Y. See Konno, R.
Yates, A. A. See Grasso, J. A.
Yates, A. P.
——; Lynch, A. M.; Best, L.
Activation of insulin–secreting cells by pyruvate and halogenated derivatives. 265: 283
Ye, J. M. See Clark, M. G.
Yea, C. M.
——; Cross, A. R.; Jones, O. T. G.
Purification and some properties of the 45 kDa diphenylene iodonium–binding flavoprotein of neutrophil NADPH oxidase. 265: 95
Yoshinaga, T.
——; Sudo, Y.; Sano, S.
Enzymic conversion of α–oxyprotoheme IX into biliverdin IXα by heme oxygenase. 270: 659
Young, J. See White, P. J.
Young, J. D. See Gati, W. P.
Young, L. S. See Day, P. J. R.
Young, S. P.
——; Garner, C.
Delivery of iron to human cells by bovine transferrin. Implications for the growth of human cells in vitro. 265: 587
Youngster, S. K. See Krueger, M. J.
Yousef, I. See Chanussot, F.
Yu, K. T.
——; Benjamin, W. B.; Ramakrishna, S.; Khalaf, N.; Czech, M. P.
An insulin–sensitive cytosolic protein kinase accounts for the regulation of ATP citrate–lyase phosphorylation. 268: 539

Zafra, F.
——; Alcantara, R.; Gomeza, J.; Aragon, C.; Gimenez, C.
Arachidonic acid inhibits glycine transport in cultured glial cells. 271: 237
Zagalsky, P. F. See Clarke, J. B.
Zahedi, K. See Whitehead, A. S.
Zaidi, M.
——; Brain, S. D.; Tippins, J. R.; Di Marzo, V.; Moonga, B. S.; Chambers, T. J.; Morris, H. R.; MacIntyre, I.
Structure–activity relationship of human calcitonin–gene–related peptide. 269: 775
Zak, R. See Gregory, P.
Zamir, O. See Hasselgren, P. O.
Zammit, V. A. See Holder, J. C.; Kolodziej, M. P.; Moir, A. M. B.
——; Caldwell, A. M.
Conditions that result in the mobilization and influx of calcium into rat hepatocytes induce the rapid loss of 3–hydroxy–3–methylglutaryl–CoA reductase activity that is not reversed by phosphatase treatment. 269: 373
Zamorski, M. A.
——; Ferraro, J. C.; Neubig, R. R.
Subcellular distribution of α_2–adrenergic receptors, pertussis–toxin substrate and adenylate cyclase in human platelets. 265: 755
Zamparo, O. See Comper, W. D.
Zaricznyj, C. See Stathopoulos, V. M.
Zayas, G. See Mantle, M.
Zeegers–Huyskens, T. See Tahon, J. P.
Zepeda, S.
——; Monasterio, O.; Ureta, T.
NADP+–dependent D–xylose dehydrogenase from pig liver. Purification and properties. 266: 637
Zetterqvist, O. See Tomkinson, B.
Zhan, H. See Weaver, J.
Zhang, G. H. See Shoshan–Barmatz, V.
Zhang, W. See Fu, T.
Zhou, A.
——; Thorn, N. A.
Evidence for presence of peptide α–amidating activity in pancreatic islets from newborn rats. 267: 253
Ziegler, R. See Ottnad, E.
Zijenah, L. S.
——; Morton, L. F.; Barnes, M. J.
Platelet adhesion to collagen. Factors affecting magnesium–dependent and bivalent–cation–independent adhesion. 268: 481
Zimniak, P. See Radominska, A.
Zollinger, M. See Lemay, G.
Zorzano, A. See Guma, A.; Pola, E.


1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8